

Enforcement Report - Week of February 18, 2026

Class I Drugs Event

Event ID:

98366

Product Type:

Drugs

Status:

Ongoing

Date Terminated:

N/A

Recall Initiation Date:

01/16/2026

Voluntary / Mandated:

Voluntary: Firm initiated

Center Classification Date:

02/26/2026

Initial Firm Notification of Consignee or Public:

E-Mail

Recalling Firm:

McKesson

6555 State Highway 161

Irving, TX 75039-2402

United States

Distribution Pattern:

Nationwide in the USA

Associated Products

Product Description:

UDENYCA, pegfilgrastim-cbqv injection, 6 mg/0.6mL Single Dose Prefilled Syringe, Rx only, Manufactured by Accord BioPharma, Inc., 8041 Arco Corporate Drive, Suite 200, Raleigh, NC 27617, NDC 69448-025-63

Product Quantity:

116 cartons

Reason for Recall:

Temperature Abuse. 116 cartons with specific serial numbers of Lot 2199821, were stored incorrectly in a controlled room temperature environment instead of the required refrigerated environment.

Recall Number:

D-0353-2026

Code Information:

Subset of Lot 2199821, Expires: 05/31/2027 Specific Serial Numbers being Recalled: 160R694TT06X; 1C74A686RPPG; 1W6A2M777N3V; 20825394KR8P; 242E2RK3EA92; 2DG49VH89EPG; 2WEA2ADK1P4H; 3KR2TVAG3VDH; 42M0V0G9PM84; 46E9XKDPTH1R; 4AM12WEAE48H; 4FGHR096DMNV; 4MWGWM991XNA; 4NEW8XD9DNM2; 4Y2PYDFN9YA1; 61EPX42R4K2A; 63FN9VW5CAV7; 69TG160DW2CV; 69XFP3TMT7X; 6AWVDCNHTV61; 6CEFY72W5GPA; 6FHF1A59X0X4; 6GA64FNDVGYX; 6NW5FACPPWDW; 75V19CF2A0PA; 7HK7155YNAK3; 7R51VVA1WX9T; 7XCKXMH2EERC; 85D8MFVM66D4; 8F3Y5NFFHC64; 8RDWKPM53N5R; 8W1PVXC5NAFW; 9338DPED7P3R; 9A4CXFTGCPYN; 9FKN5NRDX99A; 9G79AR0RGAY4; 9K28G80GGYXN; 9NN7NXE40M13; A48PXEP77YE; A8M168K58G64; AMR0RNWHTWMW; AR145NW8WTVX; AY19W6DEGRX4; C276HMDGRE49; CAY0ARAEGMCF; CKT370X2G4NP; D0DFAXCN6G5W; D54TXR8AD9Y8; DAK3XP1P3DMP; DH44AGKTX27F; E69E9K6C29VD; EK1D8P703RCH; EX947FYVW7Y6; F2K148YVNRDD; F4EVX8573F1V; FEXA7MENKWF1; FNDNMPAFH89D; G2W3WTMP5HK9; G5MN0F418FFY; G6XECANG6P01; G7FNVGWW3D72; GAHFFNX336GA; GKNTDP4AV6AA; GVPN5C4D23H6; GVPPYARK1FCD; GVXDAAA87GA1; GX7AP73W4HMH; HDTFT2W59K52; HDVG3W6VW59Y; HP703MKWGGM7; K8CGDV1301TP; KN6Y35T0A198; KVGC92YVC6XF; KYCP1Y7CK4R4; MEY2VW5MCON9; MGH40F2679X3; N11XGETGDAVM; N9DGTY65NFGN; NH9VM1K2ECGP; NNCFT59RD1KF; NVFCXRWHX93N; P3XY0RNV0VPY; P609NH6W670V; P9Y7926YN82A; PA88CCXMWCMG; PKADTN18YR1X; PM0YHNNK6P4T; R11TYM5VE9CK; R45AXAEK4TTN; R6C3533P943P; RMW35MX44R4K; RX75F9DA58W4; RXRCRP9272DG; RXT041DMT5D; T2FW4C24F364; T442NHDFD7H8; TC3443DCR4F8; TK8TRR8NT92A; TT8K21TGYFWY; V255NE533X59; V6MYKEA7HN7P; V764DEYM4RYP; VCPTYV1EF0R1; VECGDTDV1Y3A; VEE09A07R9X5; VEER64AW2C51; VRN2TE3HPK5N; WF14WA03FNT2; WTP5TKRGNFGW; WWPXMV50FRM4; X1DKP0T2AE1W; X59C5AV3VDTG; XKG3T7811TD2; Y0CYY950EYK8; YCRW0EPK620Y; YNYA64T18DPW.

Class II Drugs Event

Event ID:

98308

Product Type:

Drugs

Status:
Ongoing

Date Terminated:
N/A

Recall Initiation Date:
01/14/2026

Voluntary / Mandated:
Voluntary: Firm initiated

Center Classification Date:
02/13/2026

Initial Firm Notification of Consignee or Public:
Letter

Recalling Firm:
Amerisource Health Services LLC
2550 John Glenn Ave Ste A
Columbus, OH 43217-1188
United States

Distribution Pattern:
Nationwide in the USA

Associated Products

<p>Product Description: Oxycodone Hydrochloride Tablets, USP (CII), 5 mg, 100-Count (10 x 10) blister cards per carton, Rx Only, The drug product contained in this package is from NDC # 10702-018, KVK-Tech Inc. Distributed by: American Health Packaging, Columbus, Ohio 43217, Carton NDC 68084-354-01; Blister NDC 68084-354-11</p> <p>Product Quantity: 31,676 packages</p> <p>Reason for Recall: Defective container: Multiple customer complaints received for card seal defects observed on the subject lots. Customers reported card seal defects (weak/non-existent seals), leading to the tablets falling out of their cavities.</p> <p>Recall Number: D-0338-2026</p> <p>Code Information: Lots #: 1027932, Exp Date 06/30/2027, 1028360, Exp Date 08/31/2027</p>
--

Class II Drugs Event

Event ID:
98344

Product Type:
Drugs

Status:
Ongoing

Date Terminated:
N/A

Recall Initiation Date:
01/26/2026

Voluntary / Mandated:
Voluntary: Firm initiated

Center Classification Date:
02/11/2026

Initial Firm Notification of Consignee or Public:
Letter

Recalling Firm:
F.H. INVESTMENTS, Inc. (dba Asteria Health)
432 Industrial Ln
Birmingham, AL 35211-4465
United States

Distribution Pattern:
Nationwide in the USA

Associated Products

<p>Product Description: ESTRADIOL, 6 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3006-32.</p> <p>Product Quantity: 50,990 pellets</p>
--

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0307-2026

Code Information:

Lot#: 253000127, Exp. 06/09/2026; 253000133, Exp. 06/17/2026; 253000138, Exp. 07/14/2026; 253000141, Exp. 07/21/2026; 253000144, Exp. 07/28/2026; 253000147, Exp. 08/05/2026; 253000148, Exp. 08/07/2026; 253000149, Exp. 08/08/2026; 253000152, 253000153, Exp. 08/22/2026; 253000156, Exp. 09/03/2026; 253000157, Exp. 09/04/2026; 253000159, Exp. 09/05/2026; 253000164, Exp. 09/16/2026; 253000165, Exp. 09/19/2026; 253000170, Exp. 10/03/2026.

Product Description:

ESTRADIOL, 10 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3010-32.

Product Quantity:

24,099 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0308-2026

Code Information:

Lot#: 253000132, Exp. 06/16/2026; 253000139, 253000140, Exp. 07/21/2026; 253000150, Exp. 08/08/2026; 253000151, Exp. 08/16/2026; 253000161, 253000162, Exp. 09/12/2026.

Product Description:

ESTRADIOL, 12.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79599-3012-32.

Product Quantity:

22,478 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0309-2026

Code Information:

Lot#: 253000117, Exp. 02/21/2026; 253000129, Exp. 06/12/2026; 253000130, Exp. 06/16/2026; 253000154, 253000155, Exp. 08/29/2026; 253000160, Exp. 09/10/2026.

Product Description:

ESTRADIOL, 15 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3015-32.

Product Quantity:

14,848 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0310-2026

Code Information:

Lot#: 253000118, Exp. 02/21/2026; 253000145, Exp. 08/02/2026; 253000146, Exp. 06/30/2026, 253000167, Exp. 09/23/2026.

Product Description:

ESTRADIOL, 18 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 3521, NDC: 79559-3018-32.

Product Quantity:

1,699 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0311-2026

Code Information:

Lot#: 253000123, Exp. 06/02/2026.

Product Description:

ESTRADIOL, 20 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3020-32.

Product Quantity:

1,475 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0312-2026

Code Information:

Lot#: 253000124, Exp. 06/02/2026.

Product Description:

ESTRADIOL, 22 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3022-32.

Product Quantity:

133 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0313-2026

Code Information:

Lot#: 253000126, Exp. 06/09/2026.

Product Description:

ESTRADIOL, 25 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3025-32.

Product Quantity:

2,442 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0314-2026

Code Information:

Lot#: 253000136, Exp. 07/01/2026.

Product Description:

ESTRADIOL, 37.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-3037-32.

Product Quantity:

715 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0315-2026

Code Information:

Lot#: 253000125, Exp. 06/09/2026.

Product Description:

Testosterone, 12.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1012-32.

Product Quantity:

3,871 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0316-2026

Code Information:

Lot#: 251000143, Exp. 07/07/2026; 251000160, Exp. 08/16/2026.

Product Description:

Testosterone, 18.0 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1018-32.

Product Quantity:

146 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0317-2026

Code Information:

Lot#: 251000126, Exp. 06/03/2026.

Product Description:

Testosterone, 25.0 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1025-32.

Product Quantity:

89,074 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0318-2026

Code Information:

Lot#: 251000130, Exp. 06/02/2026; 251000137, 06/19/2026; 251000152, Exp. 08/02/2026; 251000168, Exp. 08/29/2026; 251000170, Exp. 09/03/2026

Product Description:

Testosterone, 37.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1037-32.

Product Quantity:

60,868 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0319-2026

Code Information:

Lot#: 251000131, Exp. 06/16/2026; 251000136, Exp. 08/02/2026; 251000150, Exp. 08/12/2026; 251000158, Exp. 08/14/2026; 251000159, Exp. 06/16/2026.

Product Description:

Testosterone, 50.0 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1050-32.

Product Quantity:

70,959 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0320-2026

Code Information:

Lot#: 251000122, Exp. 04/01/2026; 251000151, Exp. 08/02/2026; 251000155, Exp. 08/08/2026; 251000173, Exp. 09/05/2026.

Product Description:

Testosterone, 62.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1062-32.

Product Quantity:

1,758 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0321-2026

Code Information:

Lot#: 251000125, Exp. 06/02/2026.

Product Description:

Testosterone, 87.5 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1087-32.

Product Quantity:

62,581 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0322-2026

Code Information:

Lot#: 251000145, Exp. 07/14/2026; 251000161, Exp. 08/16/2026; 251000175, Exp. 09/08/2026. .

Product Description:

Testosterone, 100 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC:79559-1100-32.

Product Quantity:

153,498 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0323-2026

Code Information:

Lot#: 251000132, Exp. 06/16/2026; 251000142, Exp. 06/30/2026; 251000144, Exp. 07/14/2026; 251000146, Exp. 07/21/2026; 251000162, 251000163, Exp. 08/16/2026; 251000167, Exp. 08/22/2026; 251000177, Exp. 09/12/2026.

Product Description:

Testosterone, 200 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1200-43.

Product Quantity:

194,336 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0324-2026

Code Information:

Lot#: 251000127, Exp. 06/03/2026; 251000128, Exp. 06/05/2026; 251000133, 251000134, 251000135, Exp. 06/16/2026; 251000138, 251000139, 251000140, 251000141, Exp. 06/25/2026; 251000147, 251000148, 251000149, Exp. 07/28/2026; 251000156, 251000157, Exp. 08/08/2026; 251000164, 251000165, 251000166, Exp. 08/22/2026; 251000169, Exp. 08/29/2026; 251000171, 251000172, Exp. 09/03/2026; 251000180, Exp. 09/19/2026.

Product Description:

Testosterone, 303 mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-1303-01.

Product Quantity:

1,015 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0325-2026

Code Information:

Lot#: 251000124, Exp. 06/02/2026.

Product Description:

Testosterone 100mg, Anastrozole 4mg (4.5), 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-4104-01.

Product Quantity:

100 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0326-2026

Code Information:

Lot#: 254000104, Exp. 05/27/2026

Product Description:

Testosterone 75mg, Anastrozole 4mg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-4079-32.

Product Quantity:

670 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0327-2026

Code Information:

Lot#: 254000107, Exp. 06/30/2026; 254000111, Exp. 08/07/2026. .

Product Description:

Testosterone 100mg, Triamcinolone Acetonide 20mcg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC:79559-6100-32.

Product Quantity:

4,599 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0328-2026

Code Information:

Lot#: 256000104, Exp. 07/30/2026. .

Product Description:

Testosterone 200mg, Triamcinolone Acetonide 40mcg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-6200-43.

Product Quantity:

7,840 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0329-2026

Code Information:

Lot#: 256000105, Exp. 09/19/2026.

Product Description:

Testosterone 87.5mg, Triamcinolone Acetonide 17.5 mcg, 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-6087-32.

Product Quantity:

1,631 pellets

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0330-2026

Code Information:

Lot#: 256000103, Exp. 07/28/2026.

Product Description:

Testosterone 100mg Anastrozole 4mg , 1 Sterile Pellet, Asteria Health 432 Industrial Ln, Birmingham, AL 35211, NDC: 79559-4104-32

Product Quantity:

1,464 pellets.

Reason for Recall:

Presence of Foreign substance - potential presence of metal particulate matter

Recall Number:

D-0331-2026

Code Information:

Lot#: 254000105, Exp. 05/28/2026, 254000110, Exp. 08/07/2026; 254000112, 254000113, Exp. 09/26/2026.

Class II Drugs Event

Event ID:

98361

Product Type:

Drugs

Status:

Ongoing

Date Terminated:

N/A

Recall Initiation Date:

02/02/2026

Voluntary / Mandated:

Voluntary: Firm initiated

Center Classification Date:

02/09/2026

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Pro Numb Tattoo Numbing Spray LLC
 3778 Dixie Hwy Ne Ste C
 Palm Bay, FL 32905-2727
 United States

Distribution Pattern:

Nationwide in the USA

Associated Products

Product Description:

Pro Numb Tattoo Numbing Spray, 5% Lidocaine, [1 FL OZ/28.4 ML or 4 oz/120 mL] per bottle, Distributed by: Pro Numb Tattoo numbing spray LLC, Melbourne, FL 32907, NDC 83389-111-11

Product Quantity:

N/A

Reason for Recall:

cGMP deviations

Recall Number:

D-0302-2026

Code Information:

Lot Numbers J01 through J14, J55 through J69

Product Description:

Pro Numb Tattoo Numbing Spray, For Sensitive Skin, 4% Lidocaine, [1FL OZ/28.4 ML or 4 oz/120 mL] per bottle, Distributed by: Pro Numb Tattoo

numbing spray LLC, Melbourne, FL 32907, NDC 83389-112-11

Product Quantity:

N/A

Reason for Recall:

cGMP deviations

Recall Number:

D-0303-2026

Code Information:

Lot Number J15

Class II Drugs Event

Event ID:

98386

Status:

Ongoing

Recall Initiation Date:

02/09/2026

Center Classification Date:

02/23/2026

Recalling Firm:

Meitheal Pharmaceuticals, Inc
8700 W Bryn Mawr Ave Ste 600s
Chicago, IL 60631-3529
United States

Distribution Pattern:

U.S. Nationwide

Product Type:

Drugs

Date Terminated:

N/A

Voluntary / Mandated:

Voluntary: Firm initiated

Initial Firm Notification of Consignee or Public:

Letter

Associated Products

Product Description:

Cetrorelix Acetate for Injection (Kit), 0.25 mg per vial, Single-Dose Kit, Rx Only, Mfd. for: Meitheal Pharmaceuticals, Chicago, IL NDC 71288-558-90.

Product Quantity:

16,477 kits

Reason for Recall:

Defective Delivery System: Missing or duplicated needles within the injection kit

Recall Number:

D-0340-2026

Code Information:

Lot Q4E0112A, Exp.: 30 Apr 2027

Class II Drugs Event

Event ID:

98391

Status:

Ongoing

Recall Initiation Date:

02/05/2026

Center Classification Date:

02/13/2026

Product Type:

Drugs

Date Terminated:

N/A

Voluntary / Mandated:

Voluntary: Firm initiated

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Fresenius Kabi Compounding, LLC
20 Dan Rd
Canton, MA 02021-2809
United States

Distribution Pattern:

US Nationwide.

Associated Products

Product Description:

acyclovir sodium, 200 mg, 200mg added to 100 mL, 0.9% Sodium Chloride Injection, USP, For Intravenous Use, Single-Use Bag, Fagron Sterile Services, 20 Dan Road, Canton, MA 02021, NDC 71506-035-56

Product Quantity:

1057 bags

Reason for Recall:

Lack of Assurance of Sterility

Recall Number:

D-0333-2026

Code Information:

Lot # C274-000049124, Exp Date: 28-Feb-26.

Product Description:

ketamine HCl, 1,000 mg, 1,000 mg per 100 mL (10 mg per mL) in Sodium Chloride Injection, Fagron Sterile Services, 20 Dan Road, Canton, MA 02021, NDC 71506-050-56

Product Quantity:

1410 bags

Reason for Recall:

Lack of Assurance of Sterility

Recall Number:

D-0334-2026

Code Information:

Lot # C274-000047883, Exp Date: 17-Feb-26; Lot # C274-000048515, Exp Date: 22-Mar-26; Lot # C274-000048679, Exp Date: 31-Mar-26; Lot # C274-000049119, Exp Date: 19-Apr-26; Lot # C274-000049282, Exp Date: 27-Apr-26

Product Description:

thiamine HCl, 500 mg, 500 mg added to 100 mL, 0.9% Sodium Chloride Injection, USP, Fagron Sterile Services, 20 Dan Road, Canton, MA 02021, NDC 71506-079-56.

Product Quantity:

10,548 bags

Reason for Recall:

Lack of Assurance of Sterility

Recall Number:

D-0335-2026

Code Information:

Lot # C274-000047651, Exp Date: 7-Feb-26; Lot # C274-000048671, Exp Date: 30-Mar-26; Lot # C274-000048828, Exp Date: 7-Apr-26; Lot # C274-000049121, Exp Date: 19-Apr-26; Lot # C274-000049127, Exp Date: 21-Apr-26; Lot # C274-000049252, Exp Date: 26-Apr-26; Lot # C274-000049260, Exp Date: 28-Apr-26; Lot # C274-000049401, Exp Date: 3-May-26; Lot # C274-000049413, Exp Date: 5-May-26; Lot # C274-000049571, Exp Date: 10-May-26; Lot # C274-000049581, Exp Date: 12-May-26; Lot # C274-000049584, Exp Date: 13-May-26; Lot # C274-000049717, Exp Date: 17-May-26; Lot # C274-000049727, Exp Date: 18-May-26.

Product Description:

vancomycin HCl, 1.5 grams, 1.5 grams added to 500 mL, 0.9% Sodium Chloride Injection, USP, Fagron Sterile Services, 20 Dan Road, Canton, MA 02021, NDC 71506-016-59

Product Quantity:

1578 bags

Reason for Recall:

Lack of Assurance of Sterility

Recall Number:

D-0336-2026

Code Information:

Lot # C274-000049628, Exp Date: 3-May-26.

Product Description:

vancomycin HCl, 2 grams, 2 grams added to 500 mL, 0.9% Sodium Chloride Injection, USP, Fagron Sterile Services, 20 Dan Road, Canton, MA 02021, NDC 71506-019-59.

Product Quantity:

N/A

Reason for Recall:

Lack of Assurance of Sterility

Recall Number:

D-0337-2026

Code Information:

Lot # C274-000047611, Exp Date: 10-Feb-26; Lot # C274-000049633, Exp Date: 12-May-26.

Class III Drugs Event

Event ID:

98321

Product Type:

Drugs

Status:

Ongoing

Date Terminated:

N/A

Recall Initiation Date:

01/21/2026

Voluntary / Mandated:

Voluntary: Firm initiated

Center Classification Date:

02/11/2026

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Unichem Pharmaceuticals USA Inc.
 1 Tower Center Blvd Ste 2200
 East Brunswick, NJ 08816-1145
 United States

Distribution Pattern:

Nationwide

Associated Products

Product Description:

Doxazosin Tablets, USP, 4 mg, 1000 tablets per bottle, Rx only, distributed by Unichem Pharmaceuticals (USA), Inc., 1 Tower Center Boulevard, Suite 2200, East Brunswick, NJ 08816 USA, manufactured by Unichem Laboratories Limited, Plot Number 15 to 18, Pilerne Industrial Estate, Pilerne, Bardez, Goa (India) 403511, NDC 29300-353-10.

Product Quantity:

60,000 tablets

Reason for Recall:

Tablets/Capsules Imprinted with Wrong ID

Recall Number:

D-0306-2026

Code Information:

Lot # GDSH25006, Exp Date: 08/2027