

Enforcement Report - Week of March 20, 2019

Class I Drugs Event

Event ID:

80601

Product Type:

Drugs

Status:

Ongoing

Date Terminated:
Recall Initiation Date:

07/20/2018

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/08/2019

Initial Firm Notification of Consignee or Public:

Press Release

Recalling Firm:

King Bio Inc.
3 Westside Dr
Asheville NC United States

Distribution Pattern:

U.S.A. Nationwide, Canada, and Australia.

Associated Products

Product Description:

Dr. King's aquafloa Candida High Potency, 8 fl. oz. (236 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 35795580018, NDC 57955-8020-89

Product Quantity:

105716 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0521-2019

Code Information:

Lot Numbers: 120217R Exp. 12/19; 102017C Exp. 10/19; 101017G Exp. 10/19; 111417C Exp. 11/19; 062818E Exp. 06/20; 122817B Exp. 12/19; 030818B Exp. 03/20; 010716A Exp. 01/19; 011617H Exp. 01/20; 012517M Exp. 01/20; 020717A Exp. 02/20; 021816A Exp. 02/19; 031016C Exp. 03/19; 031016D Exp. 03/19; 033016K Exp. 03/19; 052516J Exp. 05/19; 052918G Exp. 05/20; 062116A Exp. 06/19; 062818A Exp. 06/20; 062818F Exp. 06/20; 090816B Exp. 06/20; 101216A Exp. 10/19; 112315A Exp. 11/18; 112916C Exp. 11/19; 120816N Exp. 12/19

Product Description:

Dr. King's Lymph Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506324, NDC 57955-5063-2

Product Quantity:

6446 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0522-2019

Code Information:

Lot Numbers: 081815F Exp. 08/18; 030916V Exp. 03/19; 061316B Exp. 06/19; 1208016H Exp. 12/19; 010118BE Exp. 01/01/20; 041017M Exp. 04/19

Product Description:

Dr. King's Natural Medicine Homeopathic Male Libido, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 3579555101022, NDC 57955-5510-2

Product Quantity:

696 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0523-2019

Code Information:

Lot Numbers: 030216F Exp. 03/19; 051216K Exp. 05/19; 080315E Exp. 08/2018; 080916Q Exp. 08/2019; 120816E Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Northeastern U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519225, NDC 57955-0753-2

Product Quantity:

3651 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0524-2019

Code Information:

Lot Numbers: 030817M Exp. 03/19; 050216E Exp. 05/19; 070816D Exp. 07/19; 010118D Exp. 01/20; 030418B Exp. 03/20

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Rocky Mtns. U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518624, NDC 57955-0200-2

Product Quantity:

4836 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0525-2019

Code Information:

Lot Numbers: 0301817L Exp. 03/19; 030916G Exp. 03/19; 052615C Exp. 05/18; 080116B Exp. 08/19; 091015T Exp. 09/18

Product Description:

Dr. King's Natural Medicine Homeopathic Cold Sores & Herpes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516521, NDC 57955-5165-2

Product Quantity:

6584 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0526-2019

Code Information:

Lot Numbers: 030218B Exp. 03/20; 033116H Exp. 03/19; 061815J Exp. 06/18; 062716B Exp. 06/19; 091616C Exp. 09/19; 111017B Exp. 11/19; 123015A Exp. 12/18

Product Description:

Dr. King's Natural Medicine Homeopathic Menstrual Cramps & Irregularities 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500421, NDC 57955-5004-02

Product Quantity:

550 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0527-2019

Code Information:

Lot Numbers: 041416J Exp. 04/19; 070816F Exp. 07/19; 091015K Exp. 09/2018; 030218C Exp. 03/20

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Pacific U.S. 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519324, NDC 57955-8198-2

Product Quantity:

6210 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0528-2019

Code Information:

Lot Numbers: 030816C Exp. 03/19; 052616C Exp. 05/19; 062215K Exp. 06/18; 012518B Exp. 01/20; 040218B Exp. 04/20; 050417A Exp. 05/19; 030817P Exp. 03/19

Product Description:

Dr. King's Natural Medicine Homeopathic Bladder Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504528, NDC 57955-1503-2

Product Quantity:

3281 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0529-2019

Code Information:

Lot Numbers: 022616A Exp. 02/19; 030218D Exp. 03/20; 050216AC Exp. 05/19; 072216K Exp. 07/19; 083115H Exp. 08/18; 120717A Exp. 12/19; 123015C Exp. 12/18

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Southern U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518426, NDC 57955-0760-2

Product Quantity:

11798 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0530-2019

Code Information:

Lot Numbers: 022717K Exp. 02/20; 030816D Exp. 03/19; 030817R Exp. 03/19; 061815H Exp. 06/18; 030418A Exp. 03/20

Product Description:

Dr. King's Natural Medicine Homeopathic Heart Regularity, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506522, NDC 57955-5065-2

Product Quantity:

478 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0531-2019

Code Information:

Lot Numbers: 030718F Exp. 03/20; 051716N Exp. 05/19; 080916K Exp. 08/19

Product Description:

Dr. King's Natural Medicine Homeopathic Heartburn Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955502227, NDC 57955-5022-2

Product Quantity:

2045 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0532-2019

Code Information:

Lot Numbers: 020817H Exp. 02/20; 030816A Exp. 03/19; 050216B Exp. 05/19; 061616B Exp. 06/19; 072115C Exp. 07/18

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Plains U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518585, NDC 57955-8199-2

Product Quantity:

1123 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0533-2019

Code Information:

Lot Numbers: 030816B Exp. 03/19; 030817H Exp. 03/19; 092815A Exp. 09/18; 010118C Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Desert U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518822, NDC 57955-8196-2

Product Quantity:

5984 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0534-2019

Code Information:

Lot Numbers: 030916Q Exp. 03/19; 052616A Exp. 05/19; 072516J Exp. 07/19; 072815B Exp. 07/18; 012918A Exp. 01/20; 030817J Exp. 03/19

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Great Lakes U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519027, NDC 57955-8195-2

Product Quantity:

4499 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0535-2019

Code Information:

Lot Numbers: 030817K Exp. 03/19; 030916H Exp. 03/19; 061615F Exp. 06/18; 071416B Exp. 07/19; 022618J Exp. 02/20

Product Description:

Dr. King's Natural Medicine Homeopathic Regional Allergies Southwestern U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518921, NDC 57955-8202-2

Product Quantity:

9114 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0536-2019

Code Information:

Lot Numbers: 010118A Exp. 01/20; 020117B Exp. 02/20; 022717J Exp. 02/20; 030817N Exp. 03/19; 031417A Exp. 03/20; 041416H Exp. 04/19; 111016C Exp. 11/19; 122915C Exp. 12/18

<p>Product Description: Dr. King's Natural Medicine Homeopathic Migraine Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955502821, NDC 57955-5028-2</p> <p>Product Quantity: 4374 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0537-2019</p> <p>Code Information: Lot Numbers: 011617D Exp. 01/20; 030818M Exp. 03/20; 083116B Exp. 08/2019; 101217B Exp. 10/19</p>
--

<p>Product Description: Dr. King's Natural Medicine Homeopathic Skin Irritations & Itch Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516828, NDC 57955-5168-2</p> <p>Product Quantity: 2177 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0538-2019</p> <p>Code Information: Lot Numbers: 010818C Exp. 01/20; 030916S Exp. 08/18; 041117K Exp. 04/19; 072216M Exp. 07/19; 083115F Exp. 08/18</p>

<p>Product Description: Dr. King's Natural Medicine Homeopathic Colds & Flu Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955518228, NDC 57955-6182-2</p> <p>Product Quantity: 1753 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0539-2019</p> <p>Code Information: Lot Numbers: 010615B Exp. 01/19; 030916U Exp. 03/19; 121117D Exp. 12/19</p>

<p>Product Description: Dr. King's Natural Medicine Homeopathic Breakthrough for the Common Cold, 1 fl. oz. (29.6 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955122111, NDC 57955-1221-1</p> <p>Product Quantity: 80 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0540-2019</p> <p>Code Information: Lot Numbers: 031918B Exp. 03/20; 071718Z Exp. 07/20; 071818W Exp. 07/20; 071818X Exp. 07/20; 071818Y Exp. 07/20; 071818Z Exp. 07/20</p>

<p>Product Description: Dr. King's Natural Medicine Homeopathic Liver Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955006220, NDC 57955-5062-2</p> <p>Product Quantity: 2870 bottles</p> <p>Reason for Recall: Microbial contamination</p>

Recall Number:

D-0541-2019

Code Information:

Lot Numbers: 012616H Exp. 01/19; 031017C Exp. 03/20; 052516AB Exp. 05/19; 083115G Exp. 08/18; 083116D Exp. 08/19; 010118R Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Gallbladder Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506829, NDC 57955-6058-2

Product Quantity:

1735 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0542-2019

Code Information:

Lot Numbers: 031017K Exp. 03/20; 040616E Exp. 04/19; 060216F Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Restless Leg Symptom Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955544524, NDC 57955-6235-2

Product Quantity:

5080 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0543-2019

Code Information:

Lot Numbers: 031218D Exp. 03/20; 042717C Exp. 04/20; 072815A Exp. 07/18; 092216C Exp. 09/19; 120217E Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Scar Freee, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955508724, NDC 57955-5087-2

Product Quantity:

1339 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0544-2019

Code Information:

Lot Numbers: 031516B Exp. 03/19; 041817A Exp. 04/20; 050216H Exp. 05/19; 081117B Exp. 08/19; 091015D Exp. 09/18

Product Description:

Dr. King's Natural Medicine Homeopathic Constipation Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955501923, NDC 57955-5019-2

Product Quantity:

1520 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0545-2019

Code Information:

Lot Numbers: 031517B Exp. 03/20; 040616G Exp. 04/19; 072716B Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic Nuts & Seeds Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955520528, NDC 57955-5205-2

Product Quantity:

45 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0546-2019

Code Information:

Lot Numbers: 022117E Exp. 02/2020; 032216B Exp. 03/19; 072716E Exp. 07/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Shellfish & Seafood Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955520122, NDC 57955-0726-2

Product Quantity:

41 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0547-2019

Code Information:

Lot Numbers: 032216A Exp. 03/19; 063016L Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Sinus Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955513421, NDC 57955-5134-2

Product Quantity:

16184 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0548-2019

Code Information:

Lot Numbers: 032217D Exp. 03/20; 033116B Exp. 03/19; 041518F Exp. 04/20; 061715D Exp. 06/18; 080116C Exp. 08/19; 100417A Exp. 10/19; 121916A Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Ear Relief Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955515722, NDC 57955-0918-2

Product Quantity:

425 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0549-2019

Code Information:

Lot Numbers: 032816B Exp. 03/19; 101917B Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Outdoor Air Pollution Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955540427, NDC 57955-6104-2

Product Quantity:

78 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0550-2019

Code Information:

Lot Numbers: 032816D Exp. 03/2019; 071116R Exp. 02/2019

Product Description:

Dr. King's Natural Medicine Homeopathic EMF Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955597520, NDC 57955-5975-2

Product Quantity:

556 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0551-2019

Code Information:

Lot Numbers: 032816E Exp. 03/19; 033116M Exp. 03/19; 062817A Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic 9-1-1 Burnout, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955597926, NDC 57955-5979-2

Product Quantity:

2898 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0552-2019

Code Information:

Lot Numbers: 032816F Exp. 03/19; 060816C Exp. 03/19; 082916A Exp. 08/19

Product Description:

Dr. King's Natural Medicine Homeopathic Menopause Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500629, NDC 57955-6006-2

Product Quantity:

4119 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0553-2019

Code Information:

Lot Numbers: 033016J Exp. 03/19; 052516T Exp. 05/19; 080916D Exp. 08/2019; 090915B Exp. 09/18; 110117F Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Appetite & Weight with P.H.A.T., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955515623, NDC 57955-5181-2

Product Quantity:

26410 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0554-2019

Code Information:

Lot Numbers: 021718D Exp. 02/20; 112317C Exp. 11/19; 012616G Exp. 01/19; 033116A Exp. 03/19; 052517F Exp. 05/20; 072916D Exp. 07/19; 091415H Exp. 09/18; 091616A Exp. 09/19; 121916C Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Lungs & Bronchial Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC

357955505327, NDC 57955-5053-2

Product Quantity:

26410 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0555-2019

Code Information:

Lot Numbers: 021718D Exp. 02/20; 091415H Exp. 09/18; 012616G Exp. 01/19; 033116A Exp. 03/19; 072916D Exp. 07/19; 091616A Exp. 09/19; 121916C Exp. 12/19; 052517F Exp. 05/20; 112317C Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Anxiety & Nervousness, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516323, NDC 57955-5163-2

Product Quantity:

21925 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0556-2019

Code Information:

Lot Numbers: 033116D Exp. 03/19; 042717D Exp. 04/20; 061616A Exp. 06/19; 072818A Exp. 07/20; 081015D Exp. 08/18; 091516C Exp. 09/19; 112117F Exp. 11/19; 121516A Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Advanced Arnica, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955598428, NDC 57955-5984-2

Product Quantity:

11055 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0557-2019

Code Information:

Lot Numbers: 010518D Exp. 01/20; 033116E Exp. 03/19; 080916H Exp. 08/19; 080917C Exp. 08/2019; 081015C Exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Back, Muscle & Joint Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516125, NDC 57955-6161-2

Product Quantity:

4507 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0558-2019

Code Information:

Lot Numbers: 012317H Exp. 01/20; 021418A Exp. 02/20; 033116F Exp. 03/19; 072216H Exp. 07/19; 102717C Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Arthritis Pain & Joint Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516224, NDC 57955-6162-2

Product Quantity:

8221 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0559-2019

Code Information:

Lot Numbers: 022417L Exp. 02/20; 033116G Exp. 03/19; 062316C 06/19; 080917D Exp. 08/19; 091616B Exp. 09/19; 112117L Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Yeast Freee, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507628, NDC 57955-5076-2

Product Quantity:

2433 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0560-2019

Code Information:

Lot Numbers: 011518E Exp. 01/20; 033116J Exp. 03/19; 041017C Exp. 04/19; 072216G Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic Urinary Tract Irritations, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955505228, NDC 57955-5062-2

Product Quantity:

1443 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0561-2019

Code Information:

Lot Numbers: 033116K Exp. 03/19; 060616A Exp. 06/19; 071316L Exp. 07/19; 080315G Exp. 08/18; 111516D Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Animal Hair & Dander Allergy Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519621, NDC 57955-6490-2

Product Quantity:

367 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0562-2019

Code Information:

Lot Numbers: 012616J Exp. 01/19; 033116L Exp. 03/19

Product Description:

Dr. King's Natural Medicine Homeopathic Eye Stress, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955515128, NDC 57955-5151-2

Product Quantity:

198 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0563-2019

Code Information:

Lot Numbers: 033116P Exp. 03/19; 110916B Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Hangover Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955511328, NDC 57955-5113-2

Product Quantity:

309 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0564-2019

Code Information:

Lot Numbers: 033116Q Exp. 03/19; 083115C Exp. 08/18; 111516E Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Weather Changes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528722, NDC 57955-5287-2

Product Quantity:

158 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0565-2019

Code Information:

Lot Numbers: 033116R Exp. 03/19; 070816A Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic Eggs & Meats Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955522027, NDC 57955-0723-2

Product Quantity:

35 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0566-2019

Code Information:

Lot Numbers: 033116S Exp. 03/19; 063016M Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Acne Clear, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504122, NDC 57955-5041-2

Product Quantity:

9068 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0567-2019

Code Information:

Lot Numbers: 020116C Exp. 02/19; 033117C Exp. 03/20; 050216F Exp. 05/19; 072716D Exp. 07/19; 091416J Exp. 09/19; 101017D Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Mental Alertness for Seniors, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955595625, NDC 57955-5956-2

Product Quantity:

478 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0568-2019

Code Information:

Lot Numbers: 021016K Exp. 02/19; 022317G Exp. 02/2020; 040115C Exp. 04/2018; 062416B Exp. 06/19; 112315D Exp. 11/2018

Product Description:

Dr. King's Natural Medicine Homeopathic Indoor Air Pollution Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955540120, NDC 57955-6001-2

Product Quantity:

124 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0569-2019

Code Information:

Lot Numbers: 050216Q Exp. 05/19; 063016J Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Anti-Aging & Wrinkles for Women, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955814825, NDC 57955-8148-2

Product Quantity:

7783 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0570-2019

Code Information:

Lot Numbers: 010518L Exp. 01/20; 020718A Exp. 02/20; 050216R Exp. 05/19; 081815H Exp. 08/18; 101116C Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Hemorrhoid Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955502326, NDC 57955-5023-2

Product Quantity:

2045 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0571-2019

Code Information:

Lot Numbers: 012317C Exp. 01/20; 052516U Exp. 05/19; 050216S Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic PMS Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500926, NDC 57955-5009-2

Product Quantity:

1018 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0572-2019

Code Information:

Lot Numbers: 050216J Exp. 05/19; 080416C Exp. 08/19; 081815K Exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Advanced First Aid, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955511823, NDC 57955-6000-2

Product Quantity:

1031 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0573-2019

Code Information:

Lot Numbers: 021516A Exp. 02/19; 050216K Exp. 05/19; 081315Q exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Muscle Maximizer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955513322, NDC 57955-5133-2

Product Quantity:

291 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0574-2019

Code Information:

Lot Numbers: 010118AE Exp. 01/20; 050216L Exp. 05/2019; 092216E Exp. 09/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Asthma Symptom Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504429, NDC 57955-6044-2

Product Quantity:

18707 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0575-2019

Code Information:

Lot Numbers: 022117B Exp. 02/20; 042417B Exp. 04/20; 050118M Exp. 05/20; 052516X Exp. 05/19; 062215B Exp. 06/18; 091015S Exp. 09/18; 091416H Exp. 09/19; 101017E Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Artery, Cholesterol & BP, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506423, NDC 57955-5064-2

Product Quantity:

1249 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0576-2019

Code Information:

Lot Numbers: 050216C Exp. 07/19; 071316K Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Blood & Kidney Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506126, NDC 57955-5061-2

Product Quantity:

975 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0577-2019

Code Information:

Lot Numbers: 010517C Exp. 01/20; 050216D Exp. 05/19

<p>Product Description: Dr. King's Natural Medicine Homeopathic Bone Strengthener, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507029, NDC 57955-5070-2</p> <p>Product Quantity: 490 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0578-2019</p> <p>Code Information: Lot Numbers: 030118N Exp. 03/20; 042616A Exp. 04/19; 070516B Exp. 07/19; 070815B Exp. 07/18; 101317H Exp. 10/19</p>

<p>Product Description: Dr. King's Natural Medicine Homeopathic Dairy Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519829, NDC 57955-6722-2</p> <p>Product Quantity: 328 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0579-2019</p> <p>Code Information: Lot Numbers: 042116B Exp. 04/19; 062416A Exp. 06/19</p>
--

<p>Product Description: Dr. King's Natural Medicine Homeopathic Hydration, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955024224, NDC 57955-0242-2</p> <p>Product Quantity: 38 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0580-2019</p> <p>Code Information: Lot Numbers: 041816A Exp. 04/19; 070816E Exp. 07/19</p>
--

<p>Product Description: Dr. King's Natural Medicine Homeopathic Allergy & Hay Fever Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504320, NDC 57955-5043-2</p> <p>Product Quantity: 11321 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0581-2019</p> <p>Code Information: Lot Numbers: 051016D Exp. 05/19; 052517D Exp. 05/20; 071316J Exp. 07/19; 082015D Exp. 08/18; 041618A Exp. 04/20; 101017F Exp. 10/19</p>
--

<p>Product Description: Dr. King's Natural Medicine Homeopathic Leg Cramp & Spasm Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955543527, NDC 57955-6035-2</p> <p>Product Quantity: 9405 bottles</p> <p>Reason for Recall: Microbial contamination</p>
--

Recall Number:

D-0582-2019

Code Information:

Lot Numbers: 041518J Exp. 04/20; 050516F Exp. 05/19; 101416A Exp. 10/19; 102816D Exp. 10/19; 123115D Exp. 12/18

Product Description:

Dr. King's Natural Medicine Homeopathic Foul Bowel, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955531920, NDC 57955-5319-2

Product Quantity:

116 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0583-2019

Code Information:

Lot Numbers: 040616J Exp. 04/19; 080216D Exp. 08/19; 081015S Exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Morning Sickness Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500827, NDC 57955-6008-2

Product Quantity:

452 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0584-2019

Code Information:

Lot Numbers: 040616K Exp. 04/2019; 072716J Exp. 07/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Grains & Gluten Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955520429, NDC 57955-0724-2

Product Quantity:

360 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0585-2019

Code Information:

Lot Numbers: 012517G Exp. 01/20; 040716A Exp. 04/19; 052516Z Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Water Retention, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507826, NDC 57955-5078-2

Product Quantity:

834 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0586-2019

Code Information:

Lot Numbers: 012616K Exp. 01/19; 040616H Exp. 04/19; 073015B Exp. 07/18

Product Description:

Dr. King's Natural Medicine Homeopathic Breast Inflammations & Discomforts, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500322, NDC 57955-5003-2

Product Quantity:

153 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0587-2019

Code Information:

Lot Numbers: 040616D Exp. 04/19; 081016C Exp. 08/19; 010518K Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Wart Freee, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955505921, NDC 57955-5059-2

Product Quantity:

4191 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0588-2019

Code Information:

Lot Numbers: 010518F Exp. 01/20; 011416A Exp. 01/19; 072216J Exp. 07/19; 100417B Exp. 10/19; 123115B Exp. 12/18

Product Description:

Dr. King's Natural Medicine Homeopathic Varicose Veins, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955506621, NDC 57955-5566-2

Product Quantity:

430 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0589-2019

Code Information:

Lot Numbers: 030216E Exp. 03/19; 051716R Exp. 05/19; 073115G Exp. 07/18; 121216B Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Total Mold Allergy Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519522, NDC 57955-6287-2

Product Quantity:

1999 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0590-2019

Code Information:

Lot Numbers: 020916A Exp. 02/19; 080916P Exp. 08/19; 081315M Exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Teeth & Gums Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507321, NDC 57955-5073-2

Product Quantity:

2225 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0591-2019

Code Information:

Lot Numbers: 010517E Exp. 01/20; 010518A Exp. 01/20; 022417C Exp. 02/20; 052516H Exp. 05/19; 091616D Exp. 09/19; 112016A Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Swollen Glands Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955512127, NDC 57955-5121-2

Product Quantity:

274 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0592-2019

Code Information:

Lot Numbers: 030216A Exp. 03/19; 100815C Exp. 10/18

Product Description:

Dr. King's Natural Medicine Homeopathic Styte Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955512523, NDC 57955-5125-2

Product Quantity:

282 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0593-2019

Code Information:

Lot Numbers: 020618F Exp. 02/20; 052516AA Exp. 05/19; 091516E Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Stress Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507925, NDC 57955-5852-2

Product Quantity:

5170 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0594-2019

Code Information:

Lot Numbers: 012616B Exp. 01/19; 020817E Exp. 02/20; 071818G Exp. 07/20; 111017C Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Sporting Edge, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503125, NDC 57955-5031-2

Product Quantity:

51 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0595-2019

Code Information:

Lot Numbers: 010118AF Exp. 01/20; 022916D Exp. 02/19

Product Description:

Dr. King's Natural Medicine Homeopathic Sore Throat & Laryngitis, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955505822, NDC 57955-5058-2

Product Quantity:

6028 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0596-2019

Code Information:

Lots: 010118AH Exp. 01/20; 020916R Exp. 02/19; 022017B Exp. 02/20; 080415E Exp. 08/18; 090816F Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Smoke Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955508021, NDC 57955-5080-2

Product Quantity:

2078 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0597-2019

Code Information:

Lots: 012017C Exp. 01/20; 022618B Exp. 02/20; 063016A Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Sleep Aid, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503927, NDC 57955-5839-2

Product Quantity:

18449 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0598-2019

Code Information:

Lots: 021016E Exp. 02/19; 060118C Exp. 06/20; 060518A Exp. 06/20; 071318G Exp. 07/20; 080717A Exp. 08/19; 081315N Exp. 08/18; 111516J Exp. 11/19; 122017A Exp. 12/2019; 122915D Exp. 12/18

Product Description:

Dr. King's Natural Medicine Homeopathic ShinglePlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 35795551829, NDC 57955-5518-2

Product Quantity:

1469 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0599-2019

Code Information:

Lots: 081815L Exp. 08/18; 010118Q Exp. 01/2020; 050216Z Exp. 05/19; 120616E Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Sciatic Nerve Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503026, NDC 57955-6030-2

Product Quantity:

14978 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0600-2019

Code Information:

Lots: 012116B Exp. 01/19; 012317E Exp. 01/20; 052516S Exp. 05/19; 071315A Exp. 07/18; 071818E Exp. 07/20; 080917B Exp. 08/19; 091416F

Exp. 09/19; 120217A Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Paralexer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955501626, NDC 57955-5016-2

Product Quantity:

718 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0601-2019

Code Information:

Lots: 010118Z Exp. 01/20; 012616D Exp. 01/2019; 021717B Exp. 09/19; 091216E Exp. 09/2019

Product Description:

Dr. King's Natural Medicine Homeopathic No Sweat Anti-Perspirant, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955508526, NDC 57955-5085-2

Product Quantity:

181 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0602-2019

Code Information:

Lots: 012616E Exp. 01/2019; 060716B Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Nausea & Motion Sickness, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955505525, NDC 57955-5055-2

Product Quantity:

1663 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0603-2019

Code Information:

Lots: 020916P Exp. 02/19; 072216P Exp. 07/19; 010518P Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Multi-Strain Flu Relief, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 357955519928, NDC 57955-5194-2

Product Quantity:

10025 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0604-2019

Code Information:

Lots: 013018A Exp. 01/2020; 020618B Exp. 02/20; 072716H Exp. 07/19; 120617A Exp. 12/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Mental Calm, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955593027, NDC 57955-5930-2

Product Quantity:

358 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0605-2019

Code Information:

Lots: 080916S Exp. 08/19; 021016F Exp. 02/19; 062215J Exp. 06/18

Product Description:

Dr. King's Natural Medicine Homeopathic Mental Alertness, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955505426, NDC 57955-5954-2

Product Quantity:

213 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0606-2019

Code Information:

Lots: 021016H Exp.02/19; 061316A Exp. 06/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Headache Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955515326, NDC 57955-5153-2

Product Quantity:

1046 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0607-2019

Code Information:

Lots: 020718B Exp. 02/20; 091616M Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Head Colds Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528227, NDC 57955-5382-2

Product Quantity:

460 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0608-2019

Code Information:

Lots: 030216B Exp. 03/19; 051018A Exp. 05/20; 091715D Exp. 09/18; 092815C Exp. 09/18

Product Description:

Dr. King's Natural Medicine Homeopathic Hair & Nails Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504924, NDC 57955-5049-2

Product Quantity:

210 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0609-2019

Code Information:

Lots: 030216C Exp. 03/19; 080916G Exp. 08/19

Product Description:

Dr. King's Natural Medicine Homeopathic Grief & Guilt Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503828, NDC 57955-5038-2

Product Quantity:

400 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0610-2019

Code Information:

Lots: 022417G Exp. 02/20; 052516N Exp. 05/19; 080416D Exp. 08/19

Product Description:

Dr. King's Natural Medicine Homeopathic Gout Symptom Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955502128, NDC 57955-6021-2

Product Quantity:

5190 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0611-2019

Code Information:

Lots: 020118D Exp. 02/20; 071415A Exp. 07/18; 080317C Exp. 08/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Fragrance & Phenolic Allergy Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955520023, NDC 57955-6136-2

Product Quantity:

388 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0612-2019

Code Information:

Lots: 012616F Exp. 01/19; 081315F Exp. 08/18; 010418L Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Food Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955072720, NDC 57955-0727-2

Product Quantity:

243 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0613-2019

Code Information:

Lots: 011216A Exp. 01/19; 030117Q Exp. 03/20; 050216T Exp. 05/19; 060716H Exp. 06/19; 093016A Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Food Chemical Intolerances, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955504221, NDC 57955-0728-2

Product Quantity:

1326 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0614-2019

Code Information:

Lots: 120516A Exp. 12/19; 060316C Exp. 06/19; 010118S Exp. 01/20

Product Description:

Dr. King's Natural Medicine Homeopathic Fever Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516026, NDC 57955-5160-2

Product Quantity:

285 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0615-2019

Code Information:

Lots: 022417H Exp. 02/20; 030216D Exp. 03/19; 052616J Exp. 05/19; 092815B Exp. 09/18

Product Description:

Dr. King's Natural Medicine Homeopathic Female Libido, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955511526, NDC 57955-5515-2

Product Quantity:

606 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0616-2019

Code Information:

Lots: 020618E Exp. 02/20; 080916U Exp. 08/18; 102816C Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Dust Mite & Roach Allergy Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955519720, NDC 57955-6497-2

Product Quantity:

146 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0617-2019

Code Information:

Lots: 020917L Exp. 02/20; 051116F Exp. 05/19; 100416A Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Diarrhea Relief, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 357955502029, NDC 57955-5020-2

Product Quantity:

2108 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0618-2019

Code Information:

Lots: 020916Q Exp. 02/19; 022117C Exp. 02/20; 072015C Exp. 07/18; 081816D Exp. 08/19

Product Description:

Dr. King's Natural Medicine Homeopathic Cough Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955516620, NDC 57955-5166-2

Product Quantity:

2533 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0619-2019

Code Information:

Lots: 012516A Exp. 01/19; 090816D Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Cosmetic & Household Detox, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 357955540328, NDC 57955-6103-2

Product Quantity:

73 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0620-2019

Code Information:

Lots: 021816B Exp. 02/19; 051216Q Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Climate Adaptation Hot & Humid, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528524, NDC 57955-0173-2

Product Quantity:

172 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0621-2019

Code Information:

Lots: 022916C Exp. 02/19; 062415Y Exp. 06/18; 071316B Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic Climate Adaptation Cold & Dry, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528326, NDC 57955-5283-2

Product Quantity:

39 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0622-2019

Code Information:

Lots: 021216L Exp. 02/19; 062415Z Exp. 06/18

Product Description:

Dr. King's Natural Medicine Homeopathic ClaustroPlex, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 357955503521, NDC 57955-5035-2

Product Quantity:

34 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0623-2019

Code Information:

Lots: 021016J Exp. 02/19; 063016H Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Bug Away, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507727, NDC 57955-5077-2

Product Quantity:

349 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0624-2019

Code Information:

Lots: 020116A Exp. 07/19; 050516B Exp. 05/19; 071116B Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic Better Breath, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955880127

Product Quantity:

17 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0625-2019

Code Information:

Lots: 010118F Exp. 01/20; 051716E Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Athlete's Foot Fighter, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955512929, NDC 57955-5219-2

Product Quantity:

101 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0626-2019

Code Information:

Lots: 020116B Exp. 02/19; 110116A Exp. 02/19; 123016B Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Anti-Aging & Wrinkles for Men, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955814726, NDC 57955-8147-2

Product Quantity:

2060 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0627-2019

Code Information:

Lots: 011916C Exp. 01/19; 072716G Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic CataClenz Eye Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955511229, NDC 57955-5112-2

Product Quantity:

936 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0628-2019

Code Information:

Lots: 050216W Exp. 05/19; 080416B Exp. 08/19; 092216L Exp. 09/19; 101217A Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Adrenal Burnout, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955597926, NDC 57955-1434-2

Product Quantity:

4888 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0629-2019

Code Information:

Lots: 050218E Exp. 05/20; 080317E Exp. 08/19; 120216A Exp. 12/19; 120217F Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic ChemoClenz, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507123, NDC 57955-5071-2

Product Quantity:

248 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0630-2019

Code Information:

Lots: 050516A Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Fears & Phobias, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955515227, NDC 57955-5152-2

Product Quantity:

237 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0631-2019

Code Information:

Lots: 050916G Exp. 05/19; 120816L Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Dental Plak, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955887027, NDC 57955-1904-2

Product Quantity:

16 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0632-2019

Code Information:

Lots: 051116E Exp. 05/19

Product Description:

Dr. King's Natural Medicine Homeopathic Additive & Preservative Detox, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806, UPC 357955540526, NDC 57955-6206-2

Product Quantity:

66 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0633-2019

Code Information:

Lots: 051116G Exp. 05/19; 072816A Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic UlcerPlex Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955507420, NDC 57955-5074-2

Product Quantity:

90 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0634-2019

Code Information:

Lots: 051716D Exp. 05/19; 100316H Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Total Body Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955536123, NDC 57955-5361-2

Product Quantity:

1393 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0635-2019

Code Information:

Lots: 052516L Exp. 05/19; 083115D Exp. 08/18; 091616Q Exp. 09/19; 110817A Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Ear Ringing, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955527527, NDC 57955-5275-2

Product Quantity:

1980 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0636-2019

Code Information:

Lots: 052516V Exp. 05/19; 052517E Exp. 05/20

Product Description:

Dr. King's Natural Medicine Homeopathic Snore Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955512028, NDC 57955-5120-2

Product Quantity:

14781 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0637-2019

Code Information:

Lots: 052516Y Exp. 05/19; 060518C Exp. 06/20; 060917F Exp. 06/19; 070518A Exp. 07/20; 080317C Exp. 08/19; 081015B Exp. 08/18; 081815G Exp. 08/18; 111516C Exp. 11/19; 112317E Exp. 11/19

Product Description:

Dr. King's Natural Medicine Homeopathic Fears & Nightmares, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955509929, NDC 57955-5099-2

Product Quantity:

275 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0638-2019

Code Information:

Lots: 052616F Exp. 05/19; 063015C Exp. 06/18; 102816K Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic Indigestion Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955502425, NDC 57955-5024-2

Product Quantity:

479 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0639-2019

Code Information:

Lots: 052616G Exp. 05/19; 080315C Exp. 08/18; 123016D Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Ileocecal Valve Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955509820, NDC 57955-6083-2

Product Quantity:

500 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0640-2019

Code Information:

Lots: 060116E Exp. 06/19; 083017F Exp. 08/19; 101716E Exp. 10/19

Product Description:

Dr. King's Natural Medicine Homeopathic TMJ/Jaw Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503224, NDC 57955-5032-2

Product Quantity:

2368 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0641-2019

Code Information:

Lots: 060216C Exp. 06/19; 070815A Exp. 07/18; 123016E Exp. 12/19

Product Description:

Dr. King's Natural Medicine Homeopathic Jet Lag & Shift Change, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC

357955512622, NDC 57955-5126-2

Product Quantity:

377 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0642-2019

Code Information:

Lots: 060216D Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Constitutional Enhancer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955514923, NDC 57955-5149-2

Product Quantity:

1005 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0643-2019

Code Information:

Lots: 060316B Exp. 06/19; 072315B Exp. 07/18

Product Description:

Dr. King's Natural Medicine Homeopathic Birth Ease, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955500223, NDC 57955-5002-2

Product Quantity:

89 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0644-2019

Code Information:

Lots: 060316D Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Prostate Symptom Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955501121, NDC 57955-0241-2

Product Quantity:

295 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0645-2019

Code Information:

Lots: 060616B Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Acid Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955512721, NDC 57955-5227-2

Product Quantity:

322 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0646-2019

Code Information:

Lots: 060716A Exp. 06/19; 092216H Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Caffeine Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955540229, NDC 57955-6202-2

Product Quantity:

19 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0647-2019

Code Information:

Lots: 062415T Exp. 06/18; 092716B Exp. 09/19

Product Description:

Dr. King's Natural Medicine Homeopathic Climate Adaptation Hot & Dry, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528623, NDC 57955-0172-2

Product Quantity:

35 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0648-2019

Code Information:

Lots: 062415V Exp. 06/18

Product Description:

Dr. King's Natural Medicine Homeopathic Water Chemical Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955540021, NDC 57955-6100-2

Product Quantity:

13 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0649-2019

Code Information:

Lots: 062816C Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Mood Changes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955503729, NDC 57955-5037-2

Product Quantity:

31 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0650-2019

Code Information:

Lots: 062816D Exp. 06/19

Product Description:

Dr. King's Natural Medicine Homeopathic Climate Adaptation Cold & Damp, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955528425, NDC 57955-0170-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0651-2019

Code Information:

Lots: 071316G Exp. 07/19

Product Description:

Dr. King's Natural Medicine Homeopathic AddictaPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955508328, NDC 57955-5083-2

Product Quantity:

182 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0652-2019

Code Information:

Lots: 072516B Exp. 07/19; 081715G Exp. 08/18

Product Description:

Dr. King's Natural Medicine Homeopathic Odor Freee, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955513025, NDC 57955-5130-2

Product Quantity:

283 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0656-2019

Code Information:

Lots: 102816H Exp. 10/2019; 123016D Exp. 12/2019

Product Description:

Dr. King's Natural Medicine Homeopathic Heavy Metal Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955228127, NDC 57955-2281-2

Product Quantity:

2156 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0657-2019

Code Information:

Lots: 121917A Exp. 12/19

Product Description:

Dr. King's Kids Teething Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, UPC 357955501824, NDC 57955-0527-2

Product Quantity:

3412 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0658-2019

Code Information:

Lots: 020118F Exp. 02/2020; 020717B Exp. 02/2020; 080317D Exp. 08/2019; 110716C Exp. 11/2019; 111617E Exp. 11/2019

Product Description:

Dr. King's Kids Bed Wetting Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955501220, NDC 57955-0447-2

Product Quantity:

600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0659-2019

Code Information:

Lots: 101615B Exp. 10/2018; 111717C Exp. 11/2019

Product Description:

Dr. King's Aquaflo Kids Candida Relief Homeopathic, 4 fl. oz. (118 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955332244

Product Quantity:

12127 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0660-2019

Code Information:

Lots: 011416G Exp. 12/2019; 011917R Exp. 01/2020; 041518H Exp. 09/2018; 081016E Exp. 08/2019; 092815AA Exp. 09/2018

Product Description:

Dr. King's Natural Medicine Children's Appetite Enhancer for kids! Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955531821, NDC 57955-5318-2

Product Quantity:

893 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0661-2019

Code Information:

Lots: 020117F Exp. 02/2020; 060216E Exp. 06/2019; 080916B Exp. 08/2019; 092415F Exp. 09/2018

Product Description:

Dr. King's Baby Colic Relief Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955515821, NDC 57955-0466-2

Product Quantity:

257 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0662-2019

Code Information:

Lots: 020118H Exp. 02/2020; 092017A Exp. 09/2019

Product Description:

Dr. King's Natural Medicine for kids! Children's Fever Reliever Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955515920, NDC 57955-5159-2

Product Quantity:

873 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0663-2019

Code Information:

Lots: 021216H Exp. 02/2019; 052616H Exp. 05/2019; 102815C Exp. 10/2018; 120816A Exp. 12/2019

Product Description:

Dr. King's Natural Medicine for kids! Children's Cough Relief Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955514527, NDC 57955-6145-2

Product Quantity:

1010 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0664-2019

Code Information:

Lots: 021216J Exp. 02/2019; 030916T Exp. 03/2019; 092815E Exp. 09/2018

Product Description:

Dr. King's Natural Medicine for kids! Chicken Pox Symptom Relief Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955602521, NDC 57955-6025-2

Product Quantity:

32 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0665-2019

Code Information:

Lots: 021216K Exp. 02/2019; 062716D Exp. 06/2019

Product Description:

Dr. King's Natural Medicine Kids Tummy Aches Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955514626, NDC 57955-4060-2

Product Quantity:

1141 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0666-2019

Code Information:

Lots: 021918B Exp. 02/2020; 050516D Exp. 05/2019; 072216Q Exp. 07/2019

Product Description:

Dr. King's Natural Medicine for kids! Attention & Learning Enhancement Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955501527, NDC 57955-5015-2

Product Quantity:

1083 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0667-2019

Code Information:

Lots: 050216G Exp. 05/2016; 070816C Exp. 07/2019; 092617F Exp. 09/2019

Product Description:

Dr. King's Natural Medicine for kids! Children's Ear Relief Formula Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955531524, NDC 57955-0416-2

Product Quantity:

205 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0668-2019

Code Information:

Lots: 050216P Exp. 05/2019; 072516G Exp. 07/2019; 112315B Exp. 11/2018

Product Description:

Dr. King's Natural Medicine for kids! Nosebleed Relief Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955514022, NDC 57955-5140-2

Product Quantity:

144 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0669-2019

Code Information:

Lots: 050516H Exp. 05/2019; 080916J Exp. 08/2019

Product Description:

Dr. King's Natural Medicine for kids! Children's Growth & Development Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955514220, NDC 57955-5142-2

Product Quantity:

124 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0670-2019

Code Information:

Lots: 072516E Exp. 07/2019; 050516E Exp. 05/2019

Product Description:

Dr. King's Natural Medicine Kids Stress & Anxiety Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955042327, NDC 57955-0423-2

Product Quantity:

3071 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0671-2019

Code Information:

Lots: 070516E Exp. 07/2019; 081016G Exp. 08/2019

Product Description:

Dr. King's Natural Medicine for kids! Newborn Tonic Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955511427, NDC 57955-5114-2

Product Quantity:

84 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0672-2019

Code Information:

Lots: 063016K Exp. 06/2019; 112315F Exp. 11/2018

Product Description:

Dr. King's SafeCare Rx Bed Wetting Prevention Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955001225, NDC 57955-0012-2

Product Quantity:

45 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0676-2019

Code Information:

Lots: 102216B Exp. 08/2018

Product Description:

Dr. King's SafeCare Rx Attention & Learning Enhancement Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955001522, NDC 57955-0015-2

Product Quantity:

336 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0677-2019

Code Information:

Lots: 032316C Exp. 03/2019; 091216A Exp. 09/2019; 121617A Exp. 12/2019

Product Description:

Dr. King's SafeCare Rx Lower GI Restoration Digestion High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955032021, NDC 57955-0322-2

Product Quantity:

659 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0678-2019

Code Information:

Lots: 030916J Exp. 03/19; 072516D Exp. 07/19; 121717A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Influenza Multi-Strain Flu Medicine Immune High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955019923, NDC 57955-0298-2

Product Quantity:

1937 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0679-2019

Code Information:

Lots: 011618A Exp. 01/20; 111617H Exp. 11/19; 122216A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Lonely Mind & Body High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955200024, NDC 57955-2001-2

Product Quantity:

53 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0680-2019

Code Information:

Lots: 010518H Exp. 01/20; 040616N Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Colic Relief Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955015826, NDC 57955-0178-2

Product Quantity:

40 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0681-2019

Code Information:

Lots: 111717E Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Children's Appetite & Weight Control Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955251729, NDC 57955-2518-2

Product Quantity:

3 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0682-2019

Code Information:

Lots: 102016J Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Tummy Aches Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955014621, NDC 57955-0146-2

Product Quantity:

18 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0683-2019

Code Information:

Lots: 022316F Exp. 02/19

Product Description:

Dr. King's SafeCare Rx Children's Growth & Development Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955014225, NDC 57955-0148-2

Product Quantity:

98 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0684-2019

Code Information:

Lots: 020917A Exp. 02/2020; 062716E Exp. 06/2019

Product Description:

Dr. King's SafeCare Rx Children's Cough Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955014522, NDC 57955-0145-2

Product Quantity:

165 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0685-2019

Code Information:

Lots: 091015B Exp. 09/2018; 120616B Exp. 12/2019

Product Description:

Dr. King's SafeCare Rx Newborn Tonic Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955011422, NDC 57955-0114-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0686-2019

Code Information:

Lots: 110915H Exp. 11/18

Product Description:

Dr. King's SafeCare Rx Children's Ear Relief Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955075721, NDC 57955-0758-2

Product Quantity:

45 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0687-2019

Code Information:

Lots: 032316B Exp. 03/19

Product Description:

Dr. King's SafeCare Rx Chicken Pox Symptom Relief Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955782520, NDC 57955-7825-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0688-2019

Code Information:

Lots: 042616D Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Children's Fever Reliever Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955015925, NDC 57955-0176-2

Product Quantity:

95 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0689-2019

Code Information:

Lots: 082516A Exp. 08/2019; 102015F Exp. 10/2018

Product Description:

Dr. King's SafeCare Rx Teething Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955001829, NDC 57955-0018-2

Product Quantity:

100 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0690-2019

Code Information:

Lots: 032216C Exp. 03/19

Product Description:

Dr. King's SafeCare Rx Children's Appetite Enhancer Children High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955031826, NDC 57955-0318-2

Product Quantity:

6 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0691-2019

Code Information:

Lots: 022316G Exp. 02/19

Product Description:

Dr. King's Natural Medicine Warming Arthritic Pain & Joint Relief Homeopathic Cream, Net Wt. 3 oz. (85 g), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955093534, NDC 57955-0935-3

Product Quantity:

223 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0692-2019

Code Information:

Lots: 020318ZZ Exp. 02/20; 051418ZZ Exp. 05/20; 060118ZZ Exp. 06/20; 020418ZZ Exp. 02/20; 020518ZZ Exp. 02/20

Product Description:

Dr. King's Natural Medicine Rosacea Symptom Relief Homeopathic Topical Lotion, 3 oz. (85 g), King Bio, Inc., 3 Westside dr. Asheville, NC 28806 USA, UPC 357955091936, NDC 57955-0919-3

Product Quantity:

3211 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0693-2019

Code Information:

Lots: 021117ZZ Exp. 02/19; 031918ZZ Exp. 03/20; 110217ZZ Exp. 09/19

Product Description:

Dr. King's Natural Medicine Psoriasis Symptom Relief Homeopathic Topical Lotion, 3 oz. (85 g), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955092032, NDC 57955-0920-3

Product Quantity:

1732 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0694-2019

Code Information:

Lots: 013018ZZ Exp. 01/20; 021217ZZ Exp. 02/19; 110717ZZ Exp. 11/19

Product Description:

Dr. King's Natural Medicine Eczema Symptom Relief Homeopathic Topical Lotion, 3 oz. (85 g), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955092131, NDC 57955-0921-3

Product Quantity:

2853 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0695-2019

Code Information:

Lots: 010918ZZ Exp. 01/20; 021317ZZ Exp. 02/19; 090717ZZ Exp. 09/19

Product Description:

Dr. King's Natural Medicine Cooling Acute Pain Relief Pure Homeopathic Cream, 3 oz. (85 g), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955400134, NDC 57955-4001-3

Product Quantity:

12280 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0696-2019

Code Information:

Lots: 060816 Exp. 06/19; 081717ZZ Exp. 08/19; 110117ZZ Exp. 11/20; 045017ZZ Exp. 04/20; 100516ZZ Exp. 06/19; 111016ZZ Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Soothing Advanced Arnica Pure Homeopathic Cream High Potency Homeopathic Formula for Professional Use Only, 3 oz. (85 g), King Bio, Inc., 3 Westside Drive Asheville, NC 28806 USA, UPC 357955730132, NDC 57955-7301-3

Product Quantity:

3536 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0697-2019

Code Information:

Lots: 010517ZZ Exp. 01/20; 030818ZZ Exp. 03/21; 040617ZZ Exp. 04/20; 100616ZZ Exp. 05/19; 110916ZZ Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Upper GI Restoration Digestion High Potency Homeopathic Formula for Professional Use Only, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive Asheville, NC 28806 USA, UPC 357955032120, NDC 57955-0325-2

Product Quantity:

756 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0698-2019

Code Information:

Lots: 051716U Exp. 05/19; 073115C Exp. 07/18; 080216C Exp. 08/19; 120217N Exp. 12/19

Product Description:

Dr. King's Natural Medicine Soothing Advanced Arnica Pure Homeopathic Cream, 3 oz. (85 g), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955400035, NDC 57955-4000-3

Product Quantity:

17527 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0699-2019

Code Information:

Lots: 052616 Exp. 05/19; 073118ZZ Exp. 07/21; 040117ZZ Exp. 06/19; 122717ZZ Exp. 12/20; 040417ZZ Exp. 04/20; 091617ZZ Exp. 09/20

Product Description:

Dr. King's SafeCare Rx Allergies Plains U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260226, NDC 57955-2720-2

Product Quantity:

150 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0700-2019

Code Information:

Lots: 010118E Exp. 01/20; 011917M Exp. 01/20

Product Description:

Dr. King's SafeCare Rx CS-Uterus Cancer Support, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955022121, NDC 57955-0247-2

Product Quantity:

19 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0701-2019

Code Information:

Lots: 092216D Exp. 09/19; 010118H Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Allergies Southern U.S. Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260127, NDC 57955-2721-2

Product Quantity:

2027 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0702-2019

Code Information:

Lots: 050216AA Exp. 05/19; 101116B Exp. 10/19; 010118K Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Wart Freee..., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955005926, NDC 57955-0360-2

Product Quantity:

335 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0703-2019

Code Information:

Lots: 060816B Exp. 06/19; 012017D Exp. 01/20; 010118N Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Sugar Metabolizer Men/Women, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955007227, NDC 57955-0365-2

Product Quantity:

463 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0704-2019

Code Information:

Lots: 091015J Exp. 09/18; 060216A Exp. 06/19; 091216H Exp. 09/19; 010118X Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Lymph Detox Cleansing & Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 35795506329, NDC 57955-0339-2

Product Quantity:

1927 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0705-2019

Code Information:

Lots: 080315A Exp. 08/18; 030916K Exp. 03/19; 080916T Exp. 08/19; 020817G Exp. 02/20; 010118V Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Intense Anxiety Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955175025, NDC 57955-1751-2

Product Quantity:

4405 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0706-2019

Code Information:

Lots: 073015A Exp. 07/18; 123115F Exp. 12/18; 060916A Exp. 06/19; 042717A Exp. 04/20; 010118Y Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Allergies Southwest U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955175025, NDC 57955-2715-2

Product Quantity:

1621 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0707-2019

Code Information:

Lots: 030818A Exp. 03/20; 011416B Exp. 01/19; 111016B Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Skin Irritations & Itch Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955175025, NDC 57955-0177-2

Product Quantity:

790 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0708-2019

Code Information:

Lots: 080916V Exp. 08/19; 010418C Exp. 01/20; 022616G Exp. 02/19

Product Description:

Dr. King's SafeCare Rx UlcerPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955175025, NDC 57955-0188-2

Product Quantity:

24 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0709-2019

Code Information:

Lot: 010418D Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Stye Freee..., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012528, NDC 57955-0132-2

Product Quantity:

126 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0710-2019

Code Information:

Lots: 083115B Exp. 08/18; 061716A Exp. 06/19; 120516B Exp. 12/19; 010418F Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Fever Reliever Immune, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016021, NDC 57955-0272-2

Product Quantity:

46 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0711-2019

Code Information:

Lot: 010518J Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Colds & Flu Immune, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955038221, NDC 57955-0382-2

Product Quantity:

834 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0712-2019

Code Information:

Lots: 063015F Exp. 06/18; 010616A Exp. 01/19; 122216B Exp. 12/19; 022417J Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Stress Control Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955185024, NDC 57955-1852-2

Product Quantity:

2644 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0713-2019

Code Information:

Lots: 072115A Exp. 07/18; 010616C Exp. 01/19; 021216G Exp. 02/19; 072516C Exp. 07/19; 101817A Exp. 10/19; 030818H Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Anti-Aging & Wrinkles For Women, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955614722, NDC 57955-6148-2

Product Quantity:

338 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0714-2019

Code Information:

Lots: 032316A Exp. 03/19; 010617B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx ICV Clenz Cleansing & Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955009825, NDC 57955-0262-2

Product Quantity:

549 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0715-2019

Code Information:

Lots: 081015G Exp. 08/18; 030916B Exp. 03/19; 012317B Exp. 01/20; 010818A Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Blood & Kidney Detox Cleansing & Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006121, NDC 57955-0190-2

Product Quantity:

456 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0716-2019

Code Information:

Lots: 071116A Exp. 07/19; 010818B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Allergies: Shellfish & Seafood Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955220121, NDC 57955-2201-2

Product Quantity:

54 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0717-2019

Code Information:

Lots: 080315H Exp. 08/18; 010918H Exp. 01/20

Product Description:

Dr. King's SafeCare Rx M3 Metabolic Mineral Modulator, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955027621, NDC 57955-0277-2

Product Quantity:

92 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0718-2019

Code Information:

Lots: 022216B Exp. 02/19; 062216S Exp. 06/19; 011217B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx GallPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006824, NDC 57955-0340-2

Product Quantity:

217 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0719-2019

Code Information:

Lots: 110916A Exp. 11/19; 011518B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Back, Neck, Muscle & Joint Injuries, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016120, NDC 57955-0261-2

Product Quantity:

1018 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0720-2019

Code Information:

Lots: 011518C Exp. 01/20; 081815J Exp. 08/18; 032216F Exp. 03/19; 091616P Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Allergies: Dust Mite & Roach Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955219729, NDC 57955-2197-2

Product Quantity:

165 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0721-2019

Code Information:

Lots: 062816G Exp. 06/19; 011617B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Head Colds Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028222, NDC 57955-0282-2

Product Quantity:

108 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0722-2019

Code Information:

Lot: 011817B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx SciatiPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955003021, NDC 57955-0030-2

Product Quantity:

288 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0723-2019

Code Information:

Lots: 011817D Exp. 01/20; 080315D Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Indecision Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955277026, NDC 57955-2771-2

Product Quantity:

22 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0724-2019

Code Information:

Lot: 011917L Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Aversion to Change Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955280026, NDC 57955-2800-2

Product Quantity:

48 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0725-2019

Code Information:

Lots: 072015H Exp. 07/18; 111016F Exp. 11/19; 011917N Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Wounds Recovery, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011828, NDC 57955-0118-2

Product Quantity:

388 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0726-2019

Code Information:

Lots: 081815M Exp. 08/18; 012017B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Asthma Clear Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004424, NDC 57955-0044-2

Product Quantity:

797 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0727-2019

Code Information:

Lots: 012116S Exp. 01/19; 122116A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx ScarCure, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955008729, NDC 57955-0087-2

Product Quantity:

59 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0728-2019

Code Information:

Lot: 012317A Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Paranoid Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955226024, NDC 57955-2261-2

Product Quantity:

23 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0729-2019

Code Information:

Lots: 040616B Exp. 04/19; 012317D Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Aversion to Exertion Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955279020, NDC 57955-2790-2

Product Quantity:

21 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0730-2019

Code Information:

Lots: 063015F Exp. 06/18; 012517F Exp. 01/20

Product Description:

Dr. King's SafeCare Rx SYP Miasm Constitution, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955030324, NDC 57955-0306-2

Product Quantity:

85 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0731-2019

Code Information:

Lots: 012517H Exp. 01/20; 081015N Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Anti-Aging & Wrinkles For Men, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955714729, NDC 57955-7148-2

Product Quantity:

154 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0732-2019

Code Information:

Lots: 012517J Exp. 01/20; 021616D Exp. 02/19; 051716V Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Repressed Sexual Issues Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955126027, NDC 57955-1261-2

Product Quantity:

29 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0733-2019

Code Information:

Lots: 061716B Exp. 06/19; 012517K Exp. 01/20

Product Description:

Dr. King's SafeCare Rx TUBR Miasm, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955030423, NDC 57955-0304-2

Product Quantity:

143 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0734-2019

Code Information:

Lots: 081815N Exp. 08/18; 080116D Exp. 08/19; 012517L Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Allergies Animal Hair & Dander Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955219620, NDC 57955-2196-2

Product Quantity:

143 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0735-2019

Code Information:

Lot: 020117G Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Migraine Freee..., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002826, NDC 57955-0028-2

Product Quantity:

138 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0736-2019

Code Information:

Lot: 020117H Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Sleep Aid, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955263920, NDC 57955-2640-2

Product Quantity:

1244 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0737-2019

Code Information:

Lots: 022318F Exp. 02/20; 020416A Exp. 02/19; 080916N Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Acute Viro Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955008125, NDC 57955-0432-2

Product Quantity:

1530 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0738-2019

Code Information:

Lots: 101617D Exp. 10/19; 072815F Exp. 07/18; 031016L Exp. 03/19; 020618A Exp. 02/20

Product Description:

Dr. King's SafeCare Rx LymePlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006923, NDC 57955-0069-2

Product Quantity:

95 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0739-2019

Code Information:

Lots: 072815F Exp. 07/18; 061716C Exp. 06/19; 020817D Exp. 02/20; 030518F Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Better Breath Oral Health, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955630128, NDC 57955-6302-2

Product Quantity:

12 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0740-2019

Code Information:

Lots: 060116G Exp. 06/19; 020817F Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Allergy/Hay Fever Reliever Allergy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004325, NDC 57955-0043-2

Product Quantity:

1045 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0741-2019

Code Information:

Lots: 052616F Exp. 05/19; 020917B Exp. 02/20; 030718D Exp. 03/20

Product Description:

Dr. King's SafeCare Rx TMJ/Jaw Formula Oral Health, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955003229, NDC 57955-0032-2

Product Quantity:

260 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0742-2019

Code Information:

Lots: 072815H Exp. 07/18; 020917C Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Breast Cyst & Discomforts, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000327, NDC 57955-0003-2

Product Quantity:

98 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0743-2019

Code Information:

Lots: 091515A Exp. 09/18; 010517B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Heart Regularity Circulation, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006527, NDC 57955-0065-2

Product Quantity:

386 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0744-2019

Code Information:

Lots: 083115F Exp. 08/18; 091516D Exp. 09/19; 020917K Exp. 02/20

Product Description:

Dr. King's SafeCare Rx ShinglePlex Skin, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955750123, NDC 57955-7501-2

Product Quantity:

268 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0745-2019

Code Information:

Lots: 070815J Exp. 07/18; 091015G Exp. 09/18; 021216F Exp. 02/19; 052616M Exp. 05/19; 083016A Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Snore Control Sleep, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012023, NDC 57955-0120-2

Product Quantity:

198 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0746-2019

Code Information:

Lots: 021616B Exp. 02/19; 083016B Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Alcoholism Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955302025, NDC 57955-3021-2

Product Quantity:

41 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0747-2019

Code Information:

Lot: 021217A Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Fears & Nightmares Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955181026, NDC 57955-1811-2

Product Quantity:

96 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0748-2019

Code Information:

Lots: 071116C Exp. 07/19; 022017C Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Cold Sores & Herpes Skin, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016526, NDC 57955-0165-2

Product Quantity:

783 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0749-2019

Code Information:

Lots: 032216D Exp. 03/19; 072815G Exp. 07/18; 022017A Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Sexual Identity Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955127024, NDC 57955-1271-2

Product Quantity:

2 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0750-2019

Code Information:

Lot: 021717C Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Male Strengthener, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955001027, NDC 57955-0010-2

Product Quantity:

351 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0751-2019

Code Information:

Lots: 080916F Exp. 08/19; 062215C Exp. 06/18; 021616F Exp. 02/19

Product Description:

Dr. King's SafeCare Rx Sluggish Mind Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955152026, NDC 57955-1521-2

Product Quantity:

101 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0752-2019

Code Information:

Lots: 021616F Exp. 02/19; 111416A Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Adrenal Burnout Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955097921, NDC 57955-0981-2

Product Quantity:

1491 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0753-2019

Code Information:

Lots: 021616C Exp. 02/19; 0711116P Exp. 07/19; 102816J Exp. 10/19; 030117N Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Constitutional Enhancer Constitution, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955014928, NDC 57955-0149-2

Product Quantity:

794 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0754-2019

Code Information:

Lots: 102016F Exp. 10/19; 022316D Exp. 02/19; 061716D Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Bone Strengthener, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955007029, NDC 57955-0070-2

Product Quantity:

244 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0755-2019

Code Information:

Lots: 060316F Exp. 06/19; 022316B Exp. 02/19; 122216H Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Environmental Adaptation Cold/Damp, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028420, NDC 57955-0284-2

Product Quantity:

25 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0756-2019

Code Information:

Lots: 022316A Exp. 02/19; 031517A Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Total Body Detox Cleansing & Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955036128, NDC 57955-0361-2

Product Quantity:

936 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0757-2019

Code Information:

Lots: 022117K Exp. 02/20; 120316F Exp. 12/19; 040117B

Product Description:

Dr. King's SafeCare Rx Chagrined, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955204022, NDC 57955-2041-2

Product Quantity:

14 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0758-2019

Code Information:

Lots: 060616D Exp. 06/19; 022117H Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Bladder Formula Urinary, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004523, NDC 57955-0094-2

Product Quantity:

500 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0759-2019

Code Information:

Lots: 072815K Exp. 07/18; 080916F Exp. 08/19; 022117F Exp. 02/20; 052616P Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Allergies Great Lakes U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260622, NDC 57955-2713-2

Product Quantity:

288 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0760-2019

Code Information:

Lots: 060716F Exp. 06/19; 092216K Exp. 09/19; 022018D Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Headache Freee... U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955015321, NDC 57955-0153-2

Product Quantity:

438 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0761-2019

Code Information:

Lots: 022516D Exp. 02/19; 080916A Exp. 08/19; 121317K Exp. 12/19

Product Description:

Dr. King's SafeCare Rx TremorPlex U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955003328, NDC 57955-0033-2

Product Quantity:

289 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0762-2019

Code Information:

Lots: 022516C Exp. 02/19; 072916F Exp. 07/19; 030117C Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Chronic Viro Reliever U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955008828, NDC 57955-0103-2

Product Quantity:

1002 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0763-2019

Code Information:

Lots: 080916C Exp. 08/19; 022618A Exp. 02/20; 072115F Exp. 07/18; 022516B Exp. 02/19; 052616N Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Water Chemicals U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955340027, NDC 57955-3400-2

Product Quantity:

17 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0764-2019

Code Information:

Lot: 022516A Exp. 02/19

Product Description:

Dr. King's SafeCare Rx Yeast Freee..., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955007623, NDC 57955-0102-2

Product Quantity:

537 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0765-2019

Code Information:

Lots: 081116A Exp. 08/19; 022417B Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Allergies: Mold, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955650126, NDC 57955-6501-2

Product Quantity:

1329 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0766-2019

Code Information:

Lots: 072015D Exp. 07/18; 022317F Exp. 02/20; 123015B Exp. 12/18; 062816B Exp. 06/19; 091616B Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Arthritis & Joint Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016229, NDC 57955-0162-2

Product Quantity:

789 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0767-2019

Code Information:

Lots: 091015M Exp. 09/18; 022317D Exp. 02/20

Product Description:

Dr. King's SafeCare Rx ParaClenz, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955001621, NDC 57955-0193-2

Product Quantity:

795 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0768-2019

Code Information:

Lots: 081015J Exp. 08/18; 062816A Exp. 06/19; 101716B Exp. 10/19; 030718A Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Nosebleed Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955014027, NDC 57955-0140-2

Product Quantity:

35 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0769-2019

Code Information:

Lots: 051716K Exp. 05/19; 030317A Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Candida, 8 fl. oz. (236 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955620686, NDC 57955-6207-8

Product Quantity:

4648 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0770-2019

Code Information:

Lots: 050216AB Exp. 05/19; 071416A Exp. 07/19; 101716C Exp. 10/19; 030117F Exp. 03/20; 120217C Exp. 12/19

Product Description:

Dr. King's SafeCare Rx PMS Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000921, NDC 57955-0095-2

Product Quantity:

180 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0771-2019

Code Information:

Lots: 082316A Exp. 08/19; 022916E Exp. 02/19

Product Description:

Dr. King's SafeCare Rx CS-Rectal Bowel, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021827, NDC 57955-0218-2

Product Quantity:

94 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0772-2019

Code Information:

Lots: 022616F Exp. 02/19; 080217A Exp. 08/19; 060716K Exp. 06/19

Product Description:

Dr. King's SafeCare Rx CS-Brain, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021223, NDC 57955-0222-2

Product Quantity:

37 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0773-2019

Code Information:

Lots: 022616C Exp. 02/19; 122216E Exp. 12/19

Product Description:

Dr. King's SafeCare Rx CS-Skin, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021926, NDC 57955-0224-2

Product Quantity:

57 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0774-2019

Code Information:

Lots: 120715B Exp. 12/18; 022616B Exp. 02/19

Product Description:

Dr. King's SafeCare Rx CS-Bone, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021124, NDC 57955-0211-2

Product Quantity:

18 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0775-2019

Code Information:

Lot: 011617C Exp. 01/20

Product Description:

Dr. King's SafeCare Rx CS-Breast, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021421, NDC 57955-0214-2

Product Quantity:

98 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0776-2019

Code Information:

Lots: 091515A Exp. 09/18; 010517B Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Sore Throat & Laryngitis, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955005827, NDC 57955-0137-2

Product Quantity:

340 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0777-2019

Code Information:

Lots: 072815M Exp. 07/18; 031016K Exp. 03/19; 030718H Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Hypochondria, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955180029, NDC 57955-1807-2

Product Quantity:

30 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0778-2019

Code Information:

Lots: 031016H Exp. 03/19; 103116A Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Self-Pity, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955253020, NDC 57955-2532-2

Product Quantity:

24 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0779-2019

Code Information:

Lots: 031016G Exp. 03/19; 081916B Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Gossipy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955225027, NDC 57955-2251-2

Product Quantity:

4 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0780-2019

Code Information:

Lot: 031016F Exp. 03/19

Product Description:

Dr. King's SafeCare Rx Good Mood Enhancer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955208020, NDC 57955-2080-2

Product Quantity:

693 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0781-2019

Code Information:

Lots: 050317A Exp. 05/20; 072815S Exp. 07/18; 031016F Exp. 03/19; 071116G Exp. 07/19

Product Description:

Dr. King's SafeCare Rx Urinary Tract Infections, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955005223, NDC 57955-0052-2

Product Quantity:

557 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0782-2019

Code Information:

Lots: 072815J Exp. 07/18; 030916Y Exp. 03/19; 110716B Exp. 11/19; 101317J Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Food Additives & Preservatives, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955240525, NDC 57955-2405-2

Product Quantity:

96 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0783-2019

Code Information:

Lots: 030916N Exp. 03/19; 121217A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx CA Miasm, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955030027, NDC 57955-0300-2

Product Quantity:

146 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0784-2019

Code Information:

Lots: 033016H Exp. 03/19; 121216D Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Fear & Phobia, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955179023, NDC 57955-1791-2

Product Quantity:

552 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0785-2019

Code Information:

Lots: 072015E Exp. 07/18; 032216G Exp. 03/19; 102816E Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Gout Symptom Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002123, NDC 57955-0021-2

Product Quantity:

245 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0786-2019

Code Information:

Lots: 091216G Exp. 09/19; 032216F Exp. 03/19

Product Description:

Dr. King's SafeCare Rx Heavy Metal Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028123, NDC 57955-0281-2

Product Quantity:

896 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0787-2019

Code Information:

Lots: 090816H Exp. 09/19; 072815D Exp. 07/18; 031017J Exp. 03/20

Product Description:

Dr. King's SafeCare Rx Perfectionism, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, NDC UPC 357955184027, NDC 57955-1841-2

Product Quantity:

63 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0788-2019

Code Information:

Lots: 042717F Exp. 04/20; 031016J Exp. 03/19

Product Description:

Dr. King's SafeCare Rx Eating Disorders, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000129, NDC 57955-0001-2

Product Quantity:

17 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0789-2019

Code Information:

Lot: 040606L Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Easily Angered, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955102021, NDC 57955-1021-2

Product Quantity:

50 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0790-2019

Code Information:

Lot: 041217C Exp. 04/20

Product Description:

Dr. King's SafeCare Rx Constipation Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955001928, NDC 57955-0019-2

Product Quantity:

345 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0791-2019

Code Information:

Lots: 072815L Exp. 07/18; 041416L Exp. 04/19; 082916B Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Artery/Cholesterol/BP, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006428, NDC 57955-0064-2

Product Quantity:

544 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0792-2019

Code Information:

Lots: 092915G Exp. 09/18; 041416F Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Heartburn Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002222, NDC 57955-0022-2

Product Quantity:

245 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0793-2019

Code Information:

Lots: 041416B Exp. 04/19; 091416K Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Bactero Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011729, NDC 57955-0117-2

Product Quantity:

995 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0794-2019

Code Information:

Lots: 092915F Exp. 09/18; 081616B Exp. 08/19; 041416A Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Envious, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955252023, NDC 57955-2523-2

Product Quantity:

16 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0795-2019

Code Information:

Lot: 041217D Exp. 04/20

Product Description:

Dr. King's SafeCare Rx Extravagant, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955233022, NDC 57955-2331-2

Product Quantity:

12 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0796-2019

Code Information:

Lot: 040616O Exp. 04/19

Product Description:

SafeCareRx Nostalgia, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955278023, NDC 57955-2781-2

Product Quantity:

6 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0797-2019

Code Information:

Lot: 040616M Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Grief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955206026, NDC 57955-2061-2

Product Quantity:

600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0798-2019

Code Information:

Lots: 062415M Exp. 06/18; 040616P Exp. 04/19; 102016K Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Allergies Desert U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260424, NDC 57955-2704-2

Product Quantity:

112 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0799-2019

Code Information:

Lots: 040118C Exp. 04/20; 031417B Exp. 03/20

<p>Product Description: Dr. King's SafeCare Rx Appetite & Weight with P.H.A.T., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955218128, NDC 57955-2181-2</p> <p>Product Quantity: 2747 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0800-2019</p> <p>Code Information: Lots: 072915A Exp. 07/18; 121217B Exp. 12/19; 071116Q Exp. 07/19; 102816F Exp. 10/19; 033117B Exp. 03/20</p>

<p>Product Description: Dr. King's SafeCare Rx Expressed Sexual Issues, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955125020, NDC 57955-1257-2</p> <p>Product Quantity: 10 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0801-2019</p> <p>Code Information: Lot: 051216M Exp. 05/19</p>
--

<p>Product Description: Dr. King's SafeCare Rx Bug Away, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955007722, NDC 57955-0077-2</p> <p>Product Quantity: 345 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0802-2019</p> <p>Code Information: Lots: 072215C Exp. 07/18; 070516C Exp. 07/19; 050516C Exp. 05/19</p>

<p>Product Description: Dr. King's SafeCare Rx Mood Changes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955202028, NDC 57955-2021-2</p> <p>Product Quantity: 73 bottles</p> <p>Reason for Recall: Microbial contamination</p> <p>Recall Number: D-0803-2019</p> <p>Code Information: Lots: 051216N Exp. 05/19; 120816M Exp. 12/19</p>
--

<p>Product Description: Dr. King's SafeCare Rx Indigestion Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002420, NDC 57955-0024-2</p> <p>Product Quantity: 194 bottles</p> <p>Reason for Recall: Microbial contamination</p>

Recall Number:

D-0804-2019

Code Information:

Lot: 041416M Exp. 04/19

Product Description:

Dr. King's SafeCare Rx VeinoPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006626, NDC 57955-0066-2

Product Quantity:

245 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0805-2019

Code Information:

Lots: 062415H Exp. 06/18; 111516P Exp. 11/19; 062016D Exp. 06/19; 040717D Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Advanced Arnica, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955730323, NDC 57955-7304-2

Product Quantity:

561 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0806-2019

Code Information:

Lots: 040118A Exp. 04/20; 060616C Exp. 06/19; 110117F Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Lungs & Bronchial Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955005322, NDC 57955-0053-2

Product Quantity:

1012 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0807-2019

Code Information:

Lots: 070816B Exp. 07/19; 080917A Exp. 08/19; 050216N Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Insecurity, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955256021, NDC 57955-2561-2

Product Quantity:

70 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0808-2019

Code Information:

Lots: 042116A Exp. 04/19; 072216N Exp. 07/19

Product Description:

Dr. King's SafeCare Rx Cough Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016625, NDC 57955-0166-2

Product Quantity:

970 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0809-2019

Code Information:

Lots: 102116A Exp. 10/19; 063015D Exp. 06/18; 123115E Exp. 12/18; 051716L Exp. 05/19; 022117L Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Leg Cramps & Spasms, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955043522, NDC 57955-0435-2

Product Quantity:

296 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0810-2019

Code Information:

Lots: 072015J Exp. 07/18; 051716H Exp. 05/19; 081016B Exp. 08/19; 092617B Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Allergies Northeast U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260721, NDC 57955-2707-2

Product Quantity:

842 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0811-2019

Code Information:

Lots: 051716G Exp. 05/19; 072516H Exp. 07/19; 081117C Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Personality Changes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955105022, NDC 57955-1053-2

Product Quantity:

13 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0812-2019

Code Information:

Lot: 051716F Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Reserved, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955228028, NDC 57955-2282-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0813-2019

Code Information:

Lot: 051216P Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Dental Plak, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955008620, NDC 57955-0086-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0814-2019

Code Information:

Lots: 051116C Exp. 05/19; 110916C Exp. 11/19

Product Description:

Dr. King's SafeCare Rx VaccinoClenz, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955003224, NDC 57955-0082-2

Product Quantity:

494 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0815-2019

Code Information:

Lots: 081015F Exp. 08/18; 050216Y Exp. 05/19; 090116C Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Calcium Metabolizer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955013129, NDC 57955-0131-2

Product Quantity:

197 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0816-2019

Code Information:

Lots: 071316F Exp. 07/19; 120816B Exp. 12/19; 050216AD Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Allergies: Grains & Gluten, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955220329, NDC 57955-2203-2

Product Quantity:

269 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0817-2019

Code Information:

Lots: 112916B Exp. 11/19; 041416E Exp. 04/19

Product Description:

Dr. King's SafeCare Rx Immature, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955229025, NDC 57955-2291-2

Product Quantity:

20 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0818-2019

Code Information:

Lot: 060716J Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Morning Sickness, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000822, NDC 57955-0008-2

Product Quantity:

45 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0819-2019

Code Information:

Lot: 061616F Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Eye Stress, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955015123, NDC 57955-0151-2

Product Quantity:

102 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0820-2019

Code Information:

Lots: 060616E Exp. 06/19; 121317F Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Obsessions/Compulsions, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955183020, NDC 57955-1831-2

Product Quantity:

186 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0821-2019

Code Information:

Lots: 060116F Exp. 06/19; 020917F Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Complaining, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955230021, NDC 57955-2301-2

Product Quantity:

20 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0822-2019

Code Information:

Lot: 052616/f Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Menstrual Cramps & Irregularities, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000426, NDC 57955-0004-2

Product Quantity:

144 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0823-2019

Code Information:

Lots: 083116E Exp. 08/19; 052616D Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Bio Reset/Jet Lag, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012627, NDC 57955-0126-2

Product Quantity:

193 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0824-2019

Code Information:

Lots: 022316C Exp. 02/19; 052516Q Exp. 05/19; 102016E Exp. 10/19; 112117G Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Hemorrhoid Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002321, NDC 57955-0023-2

Product Quantity:

145 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0825-2019

Code Information:

Lots: 052516P Exp. 05/19; 091316B Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Spaced Out, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955154020, NDC 57955-1541-2

Product Quantity:

32 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0826-2019

Code Information:

Lots: 052516E Exp. 05/19; 121317E Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Restless Leg Syndrome, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955044529, NDC 57955-0445-2

Product Quantity:

143 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0827-2019

Code Information:

Lots: 051716X Exp. 05/19; 101116A Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Female Enhancer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011521, NDC 57955-0115-2

Product Quantity:

114 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0828-2019

Code Information:

Lots: 060316A Exp. 06/19; 120116A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Herbicides & Pesticides, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955240624, NDC 57955-2406-2

Product Quantity:

586 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0829-2019

Code Information:

Lots: 072115D Exp. 07/18; 060216B Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Allergies: Dairy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955219828, NDC 57955-2198-2

Product Quantity:

224 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0830-2019

Code Information:

Lots: 073115B Exp. 07/18; 062116B Exp. 06/19; 121216C Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Allergies: Nuts & Seeds, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955220428, NDC 57955-2204-2

Product Quantity:

97 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0831-2019

Code Information:

Lots: 082815A Exp. 08/18; 112117D Exp. 11/19; 061416A Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Allergies: Food Chemicals U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004226, NDC 57955-0042-2

Product Quantity:

694 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0832-2019

Code Information:

Lots: 062415X Exp. 06/18; 052815G Exp. 05/18; 051716T Exp. 05/19; 092216J Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Odor Freee..., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955013020, NDC 57955-0130-2

Product Quantity:

23 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0833-2019

Code Information:

Lots: 052516G Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Acid Clenz, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012726, NDC 57955-0127-2

Product Quantity:

133 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0834-2019

Code Information:

Lots: 050216U Exp. 05/19; 072716C Exp. 07/19

Product Description:

Dr. King's SafeCare Rx Calloused, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955231028, NDC 57955-2311-2

Product Quantity:

4 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0835-2019

Code Information:

Lot: 063016C Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Religious Issues, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955254027, NDC 57955-2541-2

Product Quantity:

10 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0836-2019

Code Information:

Lot: 063016B Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Hair & Nails Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004929, NDC 57955-0049-2

Product Quantity:

230 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0837-2019

Code Information:

Lots: 072015F Exp. 07/18; 062816E Exp. 06/19; 100316E Exp. 10/19

Product Description:

Dr. King's SafeCare Rx CS-General Support, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021322, NDC 57955-0213-2

Product Quantity:

165 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0838-2019

Code Information:

Lots: 062716A Exp. 06/19; 091616H Exp. 09/19; 122217M Exp. 12/19

Product Description:

Dr. King's SafeCare Rx FertiCare, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000525, NDC 57955-0005-2

Product Quantity:

17 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0839-2019

Code Information:

Lot: 062615E Exp. 06/18

Product Description:

Dr. King's SafeCare Rx Prejudiced, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955100027, NDC 57955-2322-2

Product Quantity:

4 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0840-2019

Code Information:

Lot: 062615D Exp. Unknown

Product Description:

Dr. King's SafeCare Rx Hydration, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955010029, NDC 57955-0100-2

Product Quantity:

225 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0841-2019

Code Information:

Lots: 062615B Exp. 06/18; 121916D Exp. 12/19; 092617E Exp. 09/19

Product Description:

Dr. King's SafeCare Rx AddictaPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955300021, NDC 57955-3003-2

Product Quantity:

102 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0842-2019

Code Information:

Lot: 062415R Exp. 06/18

Product Description:

Dr. King's SafeCare Rx Swollen Glands Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012122, NDC 57955-0121-2

Product Quantity:

107 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0843-2019

Code Information:

Lots: 081315L Exp. 08/18; 062415K Exp. 06/18; 120816F Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Teeth & Gum Formula, 2 fl. oz. (59 mL), NDC 57955-0073-2 UPC 357955007326 King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA

Product Quantity:

492 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0844-2019

Code Information:

Lots: 062415E Exp. 06/18; 071116D Exp. 07/18; 121317H Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Stubborn & Contentious, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955103028, NDC 57955-1031-2

Product Quantity:

91 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0845-2019

Code Information:

Lots: 062316A Exp. 06/19; 101716D Exp. 10/19; 122216D Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Ear Relief Formula, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955015727, NDC 57955-0154-2

Product Quantity:

185 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0846-2019

Code Information:

Lots: 062215F Exp. 06/18; 091316A Exp. 09/19

Product Description:

Dr. King's SafeCare Rx First Aid for Mind & Body, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955177029, NDC 57955-1770-2

Product Quantity:

1229 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0847-2019

Code Information:

Lots: 072815Q Exp. 07/18; 081815E Exp. 08/18; 091216F Exp. 09/19; 071317A Exp. 07/19

Product Description:

Dr. King's SafeCare Rx Nausea & Motion Sickness, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955005520, NDC 57955-0055-2

Product Quantity:

338 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0848-2019

Code Information:

Lots: 072815T Exp. 07/18; 071116F Exp. 07/19; 122216F Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Allergies: Eggs & Meats, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955220220, NDC 57955-2207-2

Product Quantity:

99 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0849-2019

Code Information:

Lots: 081715D Exp. 08/18; 071116E Exp. 07/19; 091616E Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Tinnitus Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955027522, NDC 57955-0275-2

Product Quantity:

518 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0850-2019

Code Information:

Lots: 111417D Exp. 11/19; 070815D Exp. 07/18; 090816J Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Gambling, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955301028, NDC 57955-3011-2

Product Quantity:

3 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0851-2019

Code Information:

Lot: 063016G Exp. 06/19

Product Description:

Dr. King's SafeCare Rx No Sweat/Anti-Perspirant, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955008521, NDC 57955-0085-2

Product Quantity:

20 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0852-2019

Code Information:

Lot: 063016E Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Self-Abuse, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955107026, NDC 57955-1071-2

Product Quantity:

104 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0853-2019

Code Information:

Lots: 072815P Exp. 07/18; 111016D Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Heartache, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955203025, NDC 57955-2030-2

Product Quantity:

153 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0854-2019

Code Information:

Lots: 082015A Exp. 08/18; 072516F Exp. 07/19

Product Description:

Dr. King's SafeCare Rx CS-Pain Reliever, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021728, NDC 57955-0217-2

Product Quantity:

38 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0855-2019

Code Information:

Lots: 071116H Exp. 07/19; 122216C Exp. 12/19

Product Description:

Dr. King's SafeCare Rx ChemoClenz, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955007128, NDC 57955-0071-2

Product Quantity:

144 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0856-2019

Code Information:

Lots: 062415G Exp. 06/18; 080916X Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Diarrhea Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955002024, NDC 57955-0020-2

Product Quantity:

205 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0857-2019

Code Information:

Lots: 072815N Exp. 07/18; 081816A Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Menopause Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000624, NDC 57955-0006-2

Product Quantity:

753 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0858-2019

Code Information:

Lots: 072815C Exp. 07/18; 092216M Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Allergies: Fragrances & Phenolics, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955220022, NDC 57955-2205-2

Product Quantity:

137 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0859-2019

Code Information:

Lots: 072115B Exp. 07/18; 122116B Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Environmental Adaptation: Weather Changes, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028727, NDC 57955-0287-2

Product Quantity:

198 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0860-2019

Code Information:

Lots: 072516M Exp. 07/19; 082615B Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Allergy & Red Eye Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955016427, NDC 57955-0164-2

Product Quantity:

288 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0861-2019

Code Information:

Lots: 072816B Exp. 07/19; 080315B Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Criticize & Contradict, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955108023, NDC 57955-1081-2

Product Quantity:

39 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0862-2019

Code Information:

Lot: 080315J Exp. 08/18

Product Description:

Dr. King's SafeCare Rx CS-Lymph Hodgkins, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021520, NDC 57955-0215-2

Product Quantity:

85 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0863-2019

Code Information:

Lots: 080315F Exp. 08/18; 121916B Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Liver Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006220, NDC 57955-0062-2

Product Quantity:

875 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0864-2019

Code Information:

Lots: 073115F Exp. 07/18; 030916M Exp. 03/19; 080916W Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Allergies Rocky Mtns. U.S., 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955260325, NDC 57955-0062-2

Product Quantity:

80 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0865-2019

Code Information:

Lot: 073115E Exp. 07/18

Product Description:

Dr. King's SafeCare Rx CataCure, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011224, NDC 57955-0112-2

Product Quantity:

145 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0866-2019

Code Information:

Lots: 072815Y Exp. 07/18; 080916L Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Mental Alertness For Seniors, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955156024, NDC 57955-1561-2

Product Quantity:

201 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0867-2019

Code Information:

Lots: 072815R Exp. 07/18; 090116D Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Environmental Adaptation Cold/Dry, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028321, NDC 57955-0288-2

Product Quantity:

10 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0868-2019

Code Information:

Lot: 062916E Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Environmental Adaptation Hot/Humid, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955028529, NDC 57955-0285-2

Product Quantity:

115 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0869-2019

Code Information:

Lots: 081015K Exp. 08/18; 071316H Exp. 07/19; 111716J Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Indoor Pollution Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955240129, NDC 57955-2408-2

Product Quantity:

57 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0870-2019

Code Information:

Lot: 080415F Exp. 08/18

Product Description:

Dr. King's SafeCare Rx ApoPlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955006725, NDC 57955-0067-2

Product Quantity:

81 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0871-2019

Code Information:

Lots: 081715F Exp. 08/18; 091616J Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Muscle Maximizer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955013327, NDC 57955-0133-2

Product Quantity:

94 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0872-2019

Code Information:

Lot: 081616C Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Acne Clear, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955004127, NDC 57955-0041-2

Product Quantity:

290 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0873-2019

Code Information:

Lots: 091616K Exp. 09/19; 081617A Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Cosmetics & Household, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955240327, NDC 57955-2407-2

Product Quantity:

27 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0874-2019

Code Information:

Lot: 081015L Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Water Retention Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955027829, NDC 57955-0278-2

Product Quantity:

292 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0875-2019

Code Information:

Lot: 081015E Exp. 08/18

Product Description:

Dr. King's SafeCare Rx Birth Ease, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000228, NDC 57955-0002-2

Product Quantity:

44 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0876-2019

Code Information:

Lot: 090116E Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Hangover Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011323, NDC 57955-0113-2

Product Quantity:

90 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0877-2019

Code Information:

Lots: 083115A Exp. 08/18; 091416E Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Appetite Enhancer, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012825, NDC 57955-0128-2

Product Quantity:

130 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0878-2019

Code Information:

Lots: 091015C Exp. 09/18; 082516B Exp. 08/19; 022317F Exp. 02/20

Product Description:

Dr. King's SafeCare Rx Allergies: Nightshades, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955250029, NDC 57955-2502-2

Product Quantity:

45 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0879-2019

Code Information:

Lot: 082316C Exp. 08/19

Product Description:

Dr. King's SafeCare Rx Verbal Anger, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955106029, NDC 57955-1061-2

Product Quantity:

71 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0880-2019

Code Information:

Lots: 082316B Exp. 08/19; 100115D Exp. 10/18

Product Description:

Dr. King's SafeCare Rx Shy, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955275022, NDC 57955-2751-2

Product Quantity:

13 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0881-2019

Code Information:

Lot: 091616F Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Restless Mind, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955153023, NDC 57955-1531-2

Product Quantity:

388 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0882-2019

Code Information:

Lots: 091415A Exp. 09/18; 113015K Exp. 11/18; 122915A Exp. 12/18

Product Description:

Dr. King's SafeCare Rx Procrastination, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955276029, NDC 57955-2761-2

Product Quantity:

95 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0883-2019

Code Information:

Lots: 091715C Exp. 09/18; 091316C Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Allergies: Fruits & Vegetables, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955250128, NDC 57955-2501-2

Product Quantity:

61 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0884-2019

Code Information:

Lots: 112117E Exp. 11/19; 091216B Exp. 09/19

Product Description:

Dr. King's SafeCare Rx Smoke Control, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955303022, NDC 57955-3031-2

Product Quantity:

262 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0885-2019

Code Information:

Lots: 091015N Exp. 09/18; 111716H Exp. 11/19

Product Description:

Dr. King's SafeCare Rx GynePlex, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955000723, NDC 57955-0007-2

Product Quantity:

95 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0886-2019

Code Information:

Lots: 091015F Exp. 09/18; 100416C Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Physical Anger, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955101024, NDC 57955-1011-2

Product Quantity:

53 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0887-2019

Code Information:

Lots: 112117A Exp. 11/19; 091015E Exp. 09/18

Product Description:

Dr. King's SafeCare Rx Sporting Edge, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 35795500312, NDC 57955-0031-2

Product Quantity:

142 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0888-2019

Code Information:

Lots: 122815C Exp. 12/18; 101716A Exp. 10/19

Product Description:

Dr. King's SafeCare Rx Poison Ivy & Oak Relief, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955011620, NDC 57955-0116-2

Product Quantity:

441 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0889-2019

Code Information:

Lots: 091015L Exp. 09/18; 092216F Exp. 09/19

Product Description:

Dr. King's SafeCare Rx EMF Detox, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955040026, NDC 57955-0420-2

Product Quantity:

130 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0890-2019

Code Information:

Lot: 110317D Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Overly-Sensitive, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955207023, NDC 57955-2071-2

Product Quantity:

24 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0891-2019

Code Information:

Lot: 112117H Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Neglectful, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955255024, NDC 57955-2551-2

Product Quantity:

12 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0892-2019

Code Information:

Lot: 112916A Exp. 11/19

Product Description:

Dr. King's SafeCare Rx CS-Stomach, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955022022, NDC 57955-0220-2

Product Quantity:

7 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0893-2019

Code Information:

Lot: 112916D Exp. 11/19

Product Description:

Dr. King's SafeCare Rx PSOR Miasm, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955030126, NDC 57955-0307-2

Product Quantity:

39 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0894-2019

Code Information:

Lot: 120217D Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Foul Bowel, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955031925, NDC 57955-0319-2

Product Quantity:

15 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0895-2019

Code Information:

Lot: 120516C Exp. 11/19

Product Description:

Dr. King's SafeCare Rx Claustrophobia, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955182023, NDC 57955-1822-2

Product Quantity:

20 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0896-2019

Code Information:

Lot: 120816D Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Athlete's Foot Fighter, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955012924, NDC 57955-0129-2

Product Quantity:

46 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0897-2019

Code Information:

Lot: 121016A Exp. 12/19

Product Description:

Dr. King's SafeCare Rx CS-Ovary, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955021629, NDC 57955-0216-2

Product Quantity:

26 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0898-2019

Code Information:

Lots: 123115A Exp. 12/18; 122216J Exp. 12/19

Product Description:

People's Best Arnica Gel Homeopathic Medicine Pain Relief, Net Wt. 2.6 oz (73 g), www.kingbio.com, UPC 357955320326, NDC 57955-3203-3

Product Quantity:

1969 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0899-2019

Code Information:

Lots: 111617ZZ Exp. 11/19; 072016ZZ Exp. 07/18; 092316ZZ Exp. 09/18

Product Description:

Aquaflora High Potency Candida Control Program Homeopathic Formula, Net 16 fl. oz. (1 pt) 473 mL, Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955160366, NDC 57955-1603-6

Product Quantity:

5000 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0900-2019

Code Information:

Lots: 011017A Exp. 01/20; 033116T Exp. 03/19; 052516R Exp. 05/19; 122815A Exp. 12/18

Product Description:

Aquaflora Phase II Candida Control Program, Net 16 fl. oz. (1 PT) 473 mL, Homeopathic Formula, Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955160267, NDC 57955-1602-6

Product Quantity:

2248 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0901-2019

Code Information:

Lots: 010518G Exp. 07/18; 011617F Exp. 01/20; 021016G Exp. 02/19; 051716P Exp. 02/19; 072315A Exp. 07/18

Product Description:

Aquaflora Phase I Candida Control Program, Net 16 fl. oz. (1 PT) 473 mL, Homeopathic Formula, Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955160168, NDC 57955-1601-6

Product Quantity:

6153 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0902-2019

Code Information:

Lots: 022218D Exp. 02/20; 100917D Exp. 10/19; 021717A Exp. 02/20; 041816B Exp. 04/19; 062816F Exp. 06/19; 122815B Exp. 12/18

Product Description:

Dr. King's Aquaflora Enzyme Restoration Upper GI Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955232124, NDC 57955-3321-2

Product Quantity:

2634 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0903-2019

Code Information:

Lots: 102016H Exp. 10/19; 010518E Exp. 01/20; 050616A Exp. 05/19

Product Description:

Aquaflora Heavy Metal Detox Candida, 2 fl. oz. (59 mL), Homeopathic, King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 USA, NDC 57955-2281-2

Product Quantity:

2086 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0904-2019

Code Information:

Lot: 080216A Exp. 08/19

Product Description:

Dr. King's Aquaflora Probiotic Restoration Lower GI Homeopathic, 2 fl. oz. (59 mL), King Bio, Inc., 3 Westside Drive, Asheville, NC 28806 USA, UPC 357955232025, NDC 57955-3320-2

Product Quantity:

3840 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0905-2019

Code Information:

Lots: 020618D Exp. 02/20; 030916P Exp. 03/19; 041215I Exp. 04/18; 072216L Exp. 07/19

Product Description:

Safecare+ Southeast Regional Allergies Homeopathic Non-Drowsy Taste Free, Oral Spray, 1 fl oz (29.6 mL), UPC 357955834519, NDC 57955-8345-1

Product Quantity:

895 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0906-2019

Code Information:

Lots: 013017K Exp. 01/20; 080515A Exp. 08/18

Product Description:

Safecare+ AllergyCare Homeopathic Non-Drowsy Taste-Free, Oral Spray, 1 fl oz (29.6 mL), UPC 357955404316, NDC 57955-4043-1

Product Quantity:

492 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0907-2019

Code Information:

Lots: 021717E Exp. 02/20; 091015R Exp. 09/18

Product Description:

Safecare+ AsthmaCare Homeopathic, Not a Rescue Inhaler, 1 fl oz (29.6 mL), UPC 357955704416, NDC 57955-7044-1

Product Quantity:

14380 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0908-2019

Code Information:

Lots: 030316B Exp. 03/19; 061715A Exp. 06/18; 061715B Exp. 06/18

Product Description:

Dr. King's Safecare+ AsthmaCare Homeopathic, Not a Rescue Inhaler, 2 fl oz (59 mL), UPC 357955404422, NDC 57955-4044-1

Product Quantity:

190189 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0909-2019

Code Information:

Lots: 122216K Exp. 12/19; 120217P Exp. 12/19; 111117C Exp. 11/19; 083116C Exp. 08/19; 082316E Exp. 08/19; 072015A Exp. 07/18; 062716C Exp. 06/19; 062316B Exp. 06/19; 062218C Exp. 06/20; 052218C Exp. 05/20; 052118C Exp. 05/20; 051716J Exp. 05/19; 041816C Exp. 04/19; 030316A Exp. 03/19; 022317H Exp. 02/20; 111516H Exp. 11/19; 091815A Exp. 09/18; 062718C Exp. 06/20; 081815A Exp. 08/18

Product Description:

Safecare+ Northeast Regional Allergies Non-Drowsy Homeopathic Taste-Free, Oral Spray, 1 fl oz (29.6 mL), UPC 357955832515, NDC 57955-8325-1

Product Quantity:

0

Reason for Recall:

Microbial contamination

Recall Number:

D-0910-2019

Code Information:

Lot: 070815H Exp. 07/18

Product Description:

NET Remedies #1 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0911-2019

Code Information:

Lots: AUS-091515A Exp. 09/18; AUS-081516H Exp. 08/19; AUS-050516A Exp. 05/19; AUS-030816A Exp. 03/19; AUS-011117A Exp. 01/20; AUS-011916A Exp. 01/19

Product Description:

NET Remedies #10 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1400 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0912-2019

Code Information:

Lots: AUS-101316A Exp. 10/19; AUS-062317B Exp. 06/20; AUS-061016C Exp. 06/19; AUS-030816K Exp. 03/19; AUS-011916K Exp. 01/19

Product Description:

NET Remedies #11 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1700 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0913-2019

Code Information:

Lots: AUS-050516J Exp. 05/19; AUS-030917D Exp. 03/20; AUS-011916L Exp. 01/19; AUS-011117H Exp. 01/20

Product Description:

NET Remedies #12 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2100 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0914-2019

Code Information:

Lots: AUS-101116C Exp. 10/19; AUS-050916A Exp. 05/19; AUS-030917E Exp. 03/20; AUS-011916M Exp. 01/19; AUS091515K Exp. 09/18; AUS-

030816L Exp. 03/19

Product Description:

NET Remedies #2 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2500 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0915-2019

Code Information:

Lots: AUS-011916B Exp. 01/19; AUS-011117B Exp. 01/20; AUS-030816B Exp. 03/19; AUS-050516B Exp. 05/19; AUS-081516G Exp. 08/19; AUS-091515B Exp. 09/18

Product Description:

NET Remedies #20 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1300 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0916-2019

Code Information:

Lots: AUS-011916N Exp. 01/19; AUS-050516K Exp. 05/19; AUS-091515J Exp. 09/18; AUS-101416A Exp. 10/19

Product Description:

NET Remedies #24 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1200 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0917-2019

Code Information:

Lots: AUS-011916P Exp. 01/19; AUS-030816M Exp. 03/19; AUS-061016D Exp. 06/19; AUS-081516A Exp. 08/19

Product Description:

NET Remedies #25 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0918-2019

Code Information:

Lots: AUS-011916Q Exp. 01/19; AUS-061016E Exp. 06/19

Product Description:

NET Remedies #3 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2900 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0919-2019

Code Information:

Lots: AUS-011117C Exp. 01/20; AUS-011916C Exp. 01/19; AUS-030816C Exp. 03/19; AUS-050516C Exp. 05/19; AUS-061217A Exp. 06/20; AUS-081516F Exp. 08/19; AUS-091515C Exp. 09/18

Product Description:

NET Remedies #4 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0920-2019

Code Information:

Lots: AUS-011117D Exp. 01/20; AUS-011916D Exp. 01/19; AUS-030816D Exp. 03/19; AUS-050516D Exp. 05/19; AUS-061016A Exp. 06/19; AUS-081516E Exp. 08/19; AUS-091515D Exp. 09/18

Product Description:

NET Remedies #5 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2200 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0921-2019

Code Information:

Lots: AUS-011117E Exp. 01/20; AUS-011916E Exp. 01/19; AUS-030816E Exp. 03/19; AUS-050516E Exp. 05/19; AUS-101116A Exp. 10/19

Product Description:

NET Remedies #6 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1800 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0922-2019

Code Information:

Lots: AUS-011916F Exp. 01/19; AUS-030816F Exp. 03/19; AUS-050516F Exp. 05/19; AUS-050517F Exp. 05/20; AUS-081516D Exp. 08/19; AUS-091515E Exp. 09/18

Product Description:

NET Remedies #7 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1700 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0923-2019

Code Information:

Lots: AUS-011916H Exp. 01/19; AUS-030816G Exp. 03/19; AUS-030917A Exp. 03/20; AUS-061016B Exp. 06/19; AUS-091515F Exp. 09/18; AUS-101116B Exp. 10/19

Product Description:

NET Remedies #8 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

3800 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0924-2019

Code Information:

Lots: AUS-011117F Exp. 01/20; AUS-011916G Exp. 01/19; AUS-030816H Exp. 03/19; AUS-030917B Exp. 03/20; AUS-050516G Exp. 05/19; AUS-082616A Exp. 08/19; AUS-091515G Exp. 09/18

Product Description:

NET Remedies #9 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

6400 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0925-2019

Code Information:

Lots: AUS-011117G Exp. 01/20; AUS-011916J Exp. 01/19; AUS-030816J Exp. 03/19; AUS-030917C Exp. 03/20; AUS-050516H Exp. 05/19; AUS-081516B Exp. 08/19; AUS-091515H Exp. 09/18

Product Description:

NET Remedies #1 (Yellow Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1200 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0926-2019

Code Information:

Lots: AUS-041718A Exp. 04/20; AUS-071718N Exp. 07/20; AUS-111317C Exp. 11/19

Product Description:

NET Remedies #10 (Maroon Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

403 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0927-2019

Code Information:

Lots: AUS-020118H Exp. 02/20; AUS-102617A Exp. 10/19

Product Description:

NET Remedies #11 (Lilac Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

599 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0928-2019

Code Information:

Lots: AUS-072018C Exp. 07/20; AUS-100117D Exp. 10/19

Product Description:

NET Remedies #12 (Pink Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

997 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0929-2019

Code Information:

Lots: AUS-072018G Exp. 07/20; AUS-100117E Exp. 10/19

Product Description:

NET Remedies #2 Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

800 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0930-2019

Code Information:

Lot: AUS-111517D Exp. 11/19

Product Description:

NET Remedies #20 (Red, White and Blue Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

600 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0931-2019

Code Information:

Lot: AUS-031618A Exp. 03/20; AUS-111317A Exp. 11/19; AUS-121717C Exp. 12/19

Product Description:

NET Remedies #24 (Blue, White and Purple Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

695 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0932-2019

Code Information:

Lot: AUS-100117H Exp. 10/19; AUS-020118J Exp. 02/20; AUS-041618C Exp. 02/20

Product Description:

NET Remedies #25 (Yellow, White and Purple Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A. Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

190 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0933-2019

Code Information:

Lot: AUS-122017A Exp. 12/19

Product Description:

NET Remedies #3 (Blue Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

700 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0934-2019

Code Information:

Lots: AUS-022418A Exp. 02/20; AUS-031618J Exp. 03/20; AUS-041718C Exp. 04/20; AUS-121417A Exp. 12/19

Product Description:

NET Remedies #4 (Green Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1200 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0935-2019

Code Information:

Lots: AUS-071718R Exp. 07/20; AUS-110117A Exp. 11/19

Product Description:

NET Remedies #5 (Red Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

995 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0936-2019

Code Information:

Lots: AUS-020118B Exp. 02/20; AUS-022418B Exp. 02/20; AUS-041718E Exp. 04/20; AUS-071718S Exp. 07/20; AUS-100117A Exp. 10/19

Product Description:

NET Remedies #6 (Orange Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

595 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0937-2019

Code Information:

Lots: AUS-020118C Exp. 02/20; AUS-022418C Exp. 02/20; AUS-071718T Exp. 07/20; AUS-101117C Exp. 10/19

Product Description:

NET Remedies #7 (Aqua Blue Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

503 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0938-2019

Code Information:

Lots: AUS-020118D Exp. 02/20; AUS-110817A Exp. 11/19

Product Description:

NET Remedies #8 (Royal Blue Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A. Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

1500 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0939-2019

Code Information:

Lots: AUS-031618B Exp. 03/20; AUS-020118E Exp. 02/20; AUS-041718G Exp. 04/20; AUS-071718W Exp. 07/20; AUS-100117B Exp. 10/19

Product Description:

NET Remedies #9 (Fuschia Label) Homeopathic Preparation, Oral Liquid, 57 mL, Manufacturer: King Bio Inc. U.S.A., Supplier: NET (Australia) Pty LTD 428 Hume Street, Toowoomba QLD 4350, Australia

Product Quantity:

2000 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0940-2019

Code Information:

Lots: AUS-020118F Exp. 02/20; AUS-071718Y Exp. 07/20; AUS-100117C Exp. 10/19

Product Description:

NET Remedies #8 Allergy Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4208-2

Product Quantity:

23000 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0941-2019

Code Information:

Lots: NR-031516F Exp. 03/19; NR-073015E Exp. 07/18; NR-010617F Exp. 01/20; NR-011216F Exp. 01/19; NR-021717E Exp. 02/20; NR-051116C Exp. 05/19; NR-060517B Exp. 06/20; NR-061616G Exp. 06/19; NR-080116C Exp. 08/19; NR-090115E Exp. 09/18; NR-090616G Exp. 09/19; NR-101916A Exp. 10/19; NR-120815J Exp. 12/18

Product Description:

NET Remedies #24 Day & Night Vitals Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4214-2

Product Quantity:

5400 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0942-2019

Code Information:

Lots: NR-031516B Exp. 03/19; NR-021717H Exp. 02/20; NR-050916C Exp. 05/19; NR-061616M Exp. 06/19; NR-090916A Exp. 09/19; NR-101416M Exp. 10/19; NR-120815B Exp. 12/18

Product Description:

NET Remedies #1 Earth Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4201-2

Product Quantity:

17395 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0943-2019

Code Information:

Lots: NR-031516N Exp. 03/19; NR-073015C Exp. 07/18; NR-010617A Exp. 01/20; NR-011216L Exp. 01/19; NR-021717A Exp. 02/20; NR-050916E Exp. 05/19; NR-060517A Exp. 06/20; NR-061616A Exp. 06/19; NR-080116D Exp. 08/19; NR-090115C Exp. 09/18; NR-090616A Exp. 09/19; NR-101416A Exp. 10/19; NR-120815A Exp. 12/18; NR-020118A Exp. 02/20; NR-022318A Exp. 02/20; NR-051618B Exp. 05/20; NR-071718E Exp. 07/20; NR-110817A Exp. 11/19; NR-103117A Exp. 10/19; NR-120317A Exp. 12/19

Product Description:

NET Remedies #9 ER 911 Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4209-2

Product Quantity:

38399 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0944-2019

Code Information:

Lots: NR-031816A Exp. 03/19; NR-073015F Exp. 07/18; NR-010617H Exp. 01/20; NR-011216C Exp. 01/19; NR-021717F Exp. 02/20; NR-050916A Exp. 10/19; NR-061716A Exp. 06/19; NR-080116B Exp. 08/19; NR-090115L Exp. 09/18; NR-090616H Exp. 09/19; NR-101916B Exp. 10/19; NR-120815H Exp. 12/18

Product Description:

NET Remedies #5 Fire Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4205-2

Product Quantity:

19490 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0945-2019

Code Information:

Lots: NR-022318E Exp. 02/20; NR-030418A Exp. 03/20; NR-051618D Exp. 05/20; NR-051818D Exp. 05/20; NR-081017E Exp. 08/19; NR-120317E Exp. 12/19; NR-121517A Exp. 12/19; NR-031516J Exp. 3/19; NR-010617E Exp. 01/20; NR011216H Exp. 01/19; NR-040417C Exp. 4/20; NR-050916D Exp. 5/19; NR-061517A Exp. 6/20; NR-061616D Exp. 6/19; NR-080116A Exp. 8/19; NR090115J Exp. 9/18; NR-090916B Exp. 9/19; NR-101416E Exp. 10/19; NR-120815K Exp.12/18

Product Description:

NET Remedies #7 Flora Plus Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4207-2

Product Quantity:

9888 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0946-2019

Code Information:

Lots: NR-090115K Exp. 09/18; NR-031516G Exp. 03/19; NR-011216E Exp. 10/19; NR-021717D Exp. 02/20; NR-042717C Exp. 04/20; NR-061616F Exp. 06/19; NR-090616F Exp. 09/19; NR-101416G Exp. 10/19; NR-120815M Exp. 12/18; NR-020118H Exp. 02/20; NR-020618J Exp. 02/20; NR-081017H Exp. 08/19; NR-101117E Exp. 10/19

Product Description:

NET Remedies #12 Flu Immune Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4212-2

Product Quantity:

13198 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0947-2019

Code Information:

Lots: NR-010617L Exp. 01/20; NR-011216D Exp. 01/19; NR-021717G Exp. 10/19; NR-040417K Exp. 04/20; NR-061616K Exp. 06/19; NR-090115G Exp. 09/18; NR-090616K Exp. 09/19; NR-101416K Exp. 10/19; NR-120815D Exp. 12/18; NR-010318A Exp. 01/20; NR-020118N Exp. 02/20; NR-051618G Exp. 05/20

Product Description:

NET Remedies #2 Metal Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4202-2

Product Quantity:

16495 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0948-2019

Code Information:

Lots: NR-031516M Exp. 03/19; NR-073015D Exp. 09/19; NR-010617B Exp. 01/20; NR-011216M Exp. 01/19; NR-042717D Exp. 09/19; NR-051116B Exp. 05/19; NR-061616N Exp. 06/19; NR-080116E Exp. 08/19; NR-090115B Exp. 09/18; NR-090616B Exp. 09/19; NR-101416B Exp. 10/19; NR-120815R Exp. 12/18; NR-081017B Exp. 08/19; NR-020118B Exp. 02/20; NR-022318B Exp. 02/20; NR-101017B Exp. 10/19; NR-120317B Exp. 12/19

Product Description:

NET Remedies #20 Pain Relief Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4213-2

Product Quantity:

14249 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0949-2019

Code Information:

Lots: NR-010617M Exp. 01/20; NR-031516C Exp. 03/19; NR-061616L Exp. 06/19; NR-090115F Exp. 09/18; NR-090616M Exp. 09/19; NR-101416L Exp. 10/19; NR-120815C Exp. 12/18; NR-020118P Exp. 02/20; NR-022318K Exp. 02/20; NR-022318M Exp. 02/20; NR-052517A Exp. 05/20; NR-060517F Exp. 06/20; NR-060618A Exp. 06/20; NR-061418A Exp. 06/20; NR-121417B Exp. 12/19

Product Description:

NET Remedies #6 Para Solve Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4206-2

Product Quantity:

11489 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0950-2019

Code Information:

Lots: NR-031516H Exp. 03/19; NR-011216G Exp. 01/19; NR-021717C Exp. 02/20; NR-040417D Exp. 04/20; NR-061616E Exp. 06/19; NR-090115H Exp. 09/19; NR-090616E Exp. 09/19; NR-101416F Exp. 10/19; NR-120815L Exp. 12/18; NR-020118F Exp. 02/20; NR-022318F Exp. 02/20; NR-052218A Exp. 05/20; NR-071718G Exp. 07/20; NR-101117G Exp. 10/19; NR-120317F Exp. 02/19; NR-110117D Exp. 11/19

Product Description:

NET Remedies #10 Scars-Adhesions Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4210-2

Product Quantity:

14774 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0951-2019

Code Information:

Lots: NR-031516E Exp. 03/19; NR-073015G Exp. 07/18; NR-010617J Exp. 01/20; NR-011216B Exp. 01/19; NR-040417F Exp. 04/20; NR-060517D Exp. 10/19; NR-061616H Exp. 06/19; NR-080116H Exp. 08/19; NR-090616J Exp. 09/19; NR-101416H Exp. 10/19; NR-120815G Exp. 12/18; NR-020118L Exp. 02/20; NR-022318H Exp. 02/20; NR-051618F Exp. 05/20; NR-081017N Exp. 08/19; NR-110117B Exp. 11/19

Product Description:

NET Remedies #11 Visceral Polarity Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4211-2

Product Quantity:

14695 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0952-2019

Code Information:

Lots: NR-031516D Exp. 03/19; NR-073015H Exp. 07/18; NR-010617K Exp. 01/20; NR-011216A Exp. 01/19; NR-050916B Exp. 05/19; NR-061616J Exp. 06/19; NR-080116J Exp. 08/19; NR-090115D Exp. 09/18; NR-090816A Exp. 09/19; NR-101416J Exp. 10/19; NR-120815F Exp. 12/18; NR-020118M Exp. 02/20; NR-072617A Exp. 07/19; NR-110117C Exp. 11/19; NR-120317L Exp. 12/19

Product Description:

NET Remedies #3 Water Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4203-2

Product Quantity:

15898 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0953-2019

Code Information:

Lots: NR-031516L Exp. 03/19; NR-010617C Exp. 01/20; NR-011216K Exp. 01/19; NR-050916F Exp. 05/19; NR-051917A Exp. 05/20; NR-061616B Exp. 06/19; NR-080116F Exp. 08/19; NR-090115A Exp. 09/18; NR-090616C Exp. 09/19; NR-101416C Exp. 10/19; NR-120815N Exp. 12/18; NR-020118C Exp. 02/20; NR-022318C Exp. 02/20; NR-051618A Exp. 05/20; NR-071718K Exp. 07/20; NR-081017C Exp. 08/19; NR-101017C Exp. 10/19; NR-120317C Exp. 12/19

Product Description:

NET Remedies #4 Wood Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4204-2

Product Quantity:

21870 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0954-2019

Code Information:

Lots: NR-031516K Exp. 03/19; NR-010617D Exp. 01/20; NR-011216J Exp. 01/19; NR-021717B Exp. 02/20; NR-051116A Exp. 05/19; NR-060217C Exp. 06/20; NR-061616C Exp. 06/19; NR-080116G Exp. 08/19; NR-090215A Exp. 09/18; NR-090616D Exp. 09/19; NR-101416D Exp. 10/19; NR-120815P Exp. 12/18; NR-081017D Exp. 08/19; NR-020118D Exp. 02/20; NR-071018A Exp. 07/20; NR-071018C Exp. 07/20; NR-071018E Exp. 07/20; NR-110317A Exp. 11/19; NR-120317D Exp. 12/19

Product Description:

NET Remedies #25 Yin/Yang Balance Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4215-2

Product Quantity:

5092 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0955-2019

Code Information:

Lots: NR-031516A Exp. 03/19; NR-042717B Exp. 04/20; NR-090616N Exp. 09/19; NR-100115A Exp. 10/18; NR-120815E Exp. 12/18; NR-020118T Exp. 10/19; NR-022318L Exp. 02/20; NR-022318P Exp. 10/19; NR-092717A Exp. 09/19

Product Description:

NET Remedies #8 Allergy (Blue Label) Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4208-2

Product Quantity:

12548 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0956-2019

Code Information:

Lots: NR-020618A Exp. 02/20; NR-051618E Exp. 05/20; NR-051818B Exp. 05/20; NR-101117D Exp. 10/19; NR-020118J Exp. 02/20; NR-092717B Exp. 09/19

Product Description:

NET Remedies #24 Day & Night Vitals Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4214-2

Product Quantity:

5106 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0957-2019

Code Information:

Lots: NR-020118R Exp. 02/20; NR-071318A Exp. 07/20; NR-071318C Exp. 07/20; NR-092517A Exp. 09/19; NR-110117E Exp. 11/19; NR-120317P Exp. 12/19

Product Description:

NET Remedies #9 ER 911 Homeopathic Preparation, Oral Liquid, 57 mL, NDC 57955-4209-2

Product Quantity:

20098 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0958-2019

Code Information:

Lots: NR-071118A Exp. 07/20; NR-071218A Exp. 07/20; NR-071218C Exp. 07/20; NR-081017M Exp. 08/19; NR-110117H Exp. 11/19; NR-020118K Exp. 02/20; NR-111517C Exp. 11/19; NR-120317J Exp. 12/19

Product Description:

Dr. King's Acute Pain Relief Cooling Topical, 89 mL (topical cream), Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 Imported by Ambiantal Solutions, Inc. Vancouver, BC, V5Y 1E6, DIN-HM 80074489 UPC 357955181439

Product Quantity:

192 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0959-2019

Code Information:

Lot: 020417ZZ Exp. 02/20

Product Description:

Dr. King's Advanced Arnica Super Arnica, 59 mL, Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 Imported by Ambiantal Solutions, Inc. Vancouver, BC, V5Y 1E6, DIN-HM 800774305 UPC 357955181224

Product Quantity:

1110 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0960-2019

Code Information:

Lot: 013117P Exp. 01/20

Product Description:

Dr. King's Arthritis Pain & Joint Relief Soulagement De La Douleur Arthritique et Articulaire, 59 mL, (liquid/liquid) DIN-HM 80035118 UPC 357955180425

Product Quantity:

3020 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0961-2019

Code Information:

Lots: 011516A Exp. 01/19; 081516F Exp. 08/19

Product Description:

Dr. King's Natural Medicine Aquafloa Candida High Potency 9 Multi-Strain Candida Formula, 236 mL, (liquid/liquide), Manufactured by:/Fabrique par: King Bio, Inc. 3 Westside Dr., Asheville, NC 28805 USA Import by: Importe par: Ambiantal Solutions Inc. Vancouver, BC, V5Y 1E6, DIN-HM 80036805 UPC 357955180289

Product Quantity:

10418 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0962-2019

Code Information:

Lots: 022218E Exp. 02/20; 011217C Exp. 12/20; 012116A Exp. 01/19; 092816A Exp. 09/19

Product Description:

Dr. King's Natural Medicine Anxiety & Nervousness, 59 mL, (liquid/liquide), DIN-HM 80074778 UPC 357955181521

Product Quantity:

981 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0963-2019

Code Information:

Lots: 060917B Exp. 06/20; 021517J Exp. 02/20

Product Description:

Dr. King's Natural Medicine Regional Allergies Eastern Canada, 59 mL, (liquid/liquide) DIN-HM 80075212 UPC 357955181620

Product Quantity:

957 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0964-2019

Code Information:

Lots: 060917E Exp. 06/20; 021517K Exp. 02/20

Product Description:

Dr. King's Natural Medicine Multi-Strain Flu Relief, 59 mL, (liquid/liquid), DIN-HM 80038065 UPC 357955180128

Product Quantity:

2940 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0965-2019

Code Information:

Lots: 011416H Exp. 01/19; 081516E Exp. 08/19

Product Description:

Dr. King's Natural Medicine Regional Allergies Canadian Prairies, 59 mL (liquid/liquide), DIN-HM 80074815 UPC 357955181729

Product Quantity:

710 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0966-2019

Code Information:

Lot: 021517L Exp. 02/20

Product Description:

Dr. King's Natural Medicine Stress Control, 59 mL, (liquid/liquide), DIN-HM 80041740 UPC 357955180524

Product Quantity:

3883 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0967-2019

Code Information:

Lots: 011916A Exp. 01/19; 081516G Exp. 08/19

Product Description:

Dr. King's Natural Medicine Respiratory Care, 59 mL, (liquid/liquide), DIN-HM 80035323 UPC 357955180623

Product Quantity:

3384 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0968-2019

Code Information:

Lots: 011516B Exp. 01/19; 082216B Exp. 08/19

Product Description:

Dr. King's Natural Medicine Regional Allergies Western Canada, 59 mL, (liquid/liquide), DIN-HM 80074875 UPC 357955181828

Product Quantity:

770 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0969-2019

Code Information:

Lot: 021517M Exp. 02/20

Product Description:

Dr. King's Appetite Enhancer Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955512820

Product Quantity:

352 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0970-2019

Code Information:

Lot: 121117E Exp. 12/19

Product Description:

Dr. King's SafeCare Rx Allergies Pacific U.S. Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955260820, NDC 57955-2717-2

Product Quantity:

422 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0971-2019

Code Information:

Lots: 030518R Exp. 03/20; 062415F Exp. 06/18; 072015B Exp. 07/18

Product Description:

Dr. King's SafeCare Rx Aller-Detox: Outdoor Pollution Control Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955240426, NDC 57955-2404-2

Product Quantity:

98 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0972-2019

Code Information:

Lots: 070815C Exp. 07/18; 070116A Exp. 06/19

Product Description:

Dr. King's SafeCare Rx Melancholic Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955201021, NDC 57955-2011-2

Product Quantity:

100 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0973-2019

Code Information:

Lots: 012317F Exp. 01/20; 051216L Exp. 05/19

Product Description:

Dr. King's SafeCare Rx Sinus Relief High Potency Homeopathic Formula, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955013426, NDC 57955-0134-2

Product Quantity:

988 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0974-2019

Code Information:

Lots: 120816J Exp. 12/19; 123115C Exp. 12/18

Product Description:

Dr. King's SafeCare Rx Hyperactive High Potency Homeopathic Formula, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955151029, NDC 57955-1511-2

Product Quantity:

77 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0975-2019

Code Information:

Lots: 012317G Exp. 01/20

Product Description:

Dr. King's Advanced Arnica Super Arnica, 59 mL, Manufactured by: King Bio, Inc. 3 Westside Dr. Asheville, NC 28806 Imported by Ambiental Solutions, Inc. Vancouver, BC, V5Y 1E6, DIN-HM 800774304 UPC 357955181330

Product Quantity:

199 tubes

Reason for Recall:

Microbial contamination

Recall Number:

D-0976-2019

Code Information:

Lot: 050117ZZ Exp. 05/20

Product Description:

Dr. King's Bronchial Care, 59 mL (liquid/liquid), Manufactured by: King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 Imported by Ambiental Solutions, Inc. Vancouver, BC, V5Y 1E6, DIN-HM 80035774 UPC 357955180425

Product Quantity:

1807 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0977-2019

Code Information:

Lot: 110416A Exp. 11/19

Product Description:

Dr. King's Natural Medicine Kids Aquafloa Candida Multi-Strain Formula, 118 mL (liquid), Manufactured by: King Bio, Inc., 3 Westside Dr. Asheville, NC 28806, Imported by Ambiental Solutions, Inc. Vancouver, BC, V5Y 1E6, DIN-HM 80074869 UPC 357955181941

Product Quantity:

205 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0978-2019

Code Information:

Lot: 040117A Exp. 04/20

Product Description:

Dr. King's SafeCareRx CS-Lung High Potency Homeopathic Formula for Professional Use Only, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955022626, NDC 57955-0226-2

Product Quantity:

97 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0979-2019

Code Information:

Lots: 052516M Exp. 05/19; 052815E Exp. 05/18

Product Description:

Dr. King's Natural Medicine Bug Away Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955507726, NDC 57955-5077-2

Product Quantity:

349 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0980-2019

Code Information:

Lots: 071116B Exp. 07/19; 050516B Exp. 05/19; 020116A Exp. 07/19

Product Description:

Dr. King's Natural Medicine Good Mood Enhancer Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955515029, NDC 57955-8150-2

Product Quantity:

4612 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0981-2019

Code Information:

Lots: 041117E Exp. 04/20; 030118H Exp. 03/20; 040616F Exp. 04/19; 071316N Exp. 07/19; 111617C Exp. 11/19

Product Description:

Dr. King's Natural Medicine Leg Cramp & Spasm Relief Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955543527, NDC 57955-6035-2

Product Quantity:

9405 bags

Reason for Recall:

Microbial contamination

Recall Number:

D-0982-2019

Code Information:

Lots: 102816D Exp. 10/19; 050516F Exp. 05/19; 101416A Exp. 10/19; 123115D Exp. 12/18; 041518J Exp. 04/20

Product Description:

Dr. King's Natural Medicine Regional Allergies Hawaii U.S. Homeopathic, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955520620, NDC 57955-5206-2

Product Quantity:

194 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0983-2019

Code Information:

Lots: 050216M Exp. 05/19; 070516A Exp. 07/19

Product Description:

Dr. King's SafeCare Rx Aversion to Change High Potency Homeopathic Formula for Professional Use Only, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955280026, NDC 57955-2800-2

Product Quantity:

48 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0984-2019

Code Information:

Lots: 072015H Exp. 07/18; 111016E Exp. 11/19; 011917N Exp. 01/20

Product Description:

Dr. King's SafeCare Rx Breast Cyst & Discomforts High Potency Homeopathic Formula for Professional Use Only, 2 fl oz (59 mL), King Bio, Inc., 3 Westside Dr. Asheville, NC 28806 USA, UPC 357955000327, NDC 57955-0003-2

Product Quantity:

162 bottles

Reason for Recall:

Microbial contamination

Recall Number:

D-0985-2019

Code Information:

Lots: 040616B Exp. 04/19; 020917G Exp. 02/20

Class I Drugs Event

Event ID:

82210

Status:

Ongoing

Recall Initiation Date:

02/01/2019

Center Classification Date:**Product Type:**

Drugs

Date Terminated:**Voluntary / Mandated:**

Voluntary: Firm Initiated

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Mylan Institutional Inc
4951 Hiawatha Dr
Rockford IL United States

Distribution Pattern:

Nationwide in the United States

Associated Products**Product Description:**

Levoleucovorin Injection, 250 mg/25 mL, (10 mg/mL), 25 mL Single-Use Vial, Rx only, Manufactured for: Mylan Institutional LLC, Rockford, IL 61103 U.S.A., Made in India. NDC: 67457-601-30

Product Quantity:

11,964 cartons of 30 vials

Reason for Recall:

Presence of Particulate Matter: particulate matter identified as copper salts

Recall Number:**Code Information:**

Lot #: APB032, APB033, Exp. April 2019

Class I Drugs Event**Event ID:**

82246

Product Type:

Drugs

Status:

Ongoing

Date Terminated:**Recall Initiation Date:**

02/22/2019

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/18/2019

Initial Firm Notification of Consignee or Public:

Press Release

Recalling Firm:

Golean Detox US
4832 Central Ave
Charlotte NC United States

Distribution Pattern:

Nationwide in the USA.

Associated Products**Product Description:**

Golean DETOX capsules, 14 Net: 56 g, 14 packets containing 2 capsules per packet, 28-count capsules per box, MAT XI S.G Co., LTD, Head office: J29 Vo Thi Sau Street, Thong Nhat Ward, Bien Hoa City, Dong Nai Province, Viet Nam; Manufactory: 148/9 Tan Tien Ward, Bien Hoa City, Dong Nai Province, Viet Nam; Product distribution franchise by GoLean Detox Enterprise 002677155-A Malaysia, www.matxisg.com, UPC 8 938510 909013.

Product Quantity:

37 boxes

Reason for Recall:

Marketed Without an Approved NDA/ANDA: FDA analysis found product to contain undeclared sibutramine and phenolphthalein. Sibutramine is an appetite suppressant that was withdrawn from the US market due to safety concerns. Phenolphthalein was once an ingredient used in over-the-counter laxatives, but because of concerns of carcinogenicity is not currently approved for marketing in the US. The presence of sibutramine and phenolphthalein in this product renders it an unapproved drug for which the safety and efficacy has not been established and, therefore, subject to recall.

Recall Number:

D-1009-2019

Code Information:

All lots remaining within expiry.

Class II Drugs Event**Event ID:**

82196

Product Type:

Drugs

Status:

Ongoing

Date Terminated:**Recall Initiation Date:**

02/25/2019

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/14/2019

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Macleods Pharma Usa Inc
666 Plainsboro Rd Bldg 200 Ste 230
Plainsboro NJ United States

Distribution Pattern:

Nationwide within the United States

Associated Products**Product Description:**

Telmisartan and Hyrdchlorothiazide Tablets 40mg/12.5 mg, 30-count bottles, Rx Only, Manufactured for: Macleods Pharma USA, Inc. Plainsboro, NJ 08536, Manufactured for: Macleods Pharmaceuticals Ltd. Baddi, Himchal Pradesh INDIA, NDC 33342-128-07

Product Quantity:

93227 bottles

Reason for Recall:

Failed Content Uniformity Specifications: The product is out of specification for blend uniformity.

Recall Number:

D-1003-2019

Code Information:

Lot #: BTL703A, Exp. Feb-19; BTL705A, Exp Apr-19; BTL706A, BTL707A, BTL708A, Exp May-19; BTL709A, Exp Nov-19; BTL710A, BTL711A, BTL801A, Exp. Dec-19; BTL802A, BTL803A, Exp.Feb-20; BTL804A, BTL805A, Exp. Apr-20; BTL807A, BTL807B, Exp May- 20; BTL809A, BTL810A, Exp Jul-20; BTL811A, Exp Sep-20; BTL812A, BTL813A Exp Oct-20

Product Description:

Telmisartan and Hyrdchlorothiazide Tablets, USP 80mg/12.5 mg, 30-coun bottles, Rx Only, Manufactured for: Macleods Pharma USA, Inc. Plainsboro, NJ 08536 Manufactured by: Macleods Pharmaceuticals Ltd. Baddi, Imachal Pradesh, India NDC 33342-129-07

Product Quantity:

140,589 bottles

Reason for Recall:

Failed Content Uniformity Specifications: The product is out of specification for blend uniformity.

Recall Number:

D-1004-2019

Code Information:

Lot #: BTM703A, BTM704A, BTM706A, BTM707A, Exp Feb-19; TM708A, BTM709A, Exp Apr-19; BTM710A, Exp Jun-19; BTM711A, BTM712A, Exp Oct-19; BTM713A, BTM714A, BTM715A, Exp Nov-19; BTM801A, BTM802A, BTM803A, BTM804A, Exp Dec-19; BTM806A, BTM807A, Exp Mar-20; BTM809A Exp Apr-20; BTM810A, BTM811A, BTM812A, Exp. Jul-20; BTM813A, BTM814A, BTM815A, BTM816A, BTM817A, Exp Sep-20; BTM818A, BTM819A Exp Nov-20.

Product Description:

Telmisartan and Hyrdchlorothiazide Tablets 80 mg/25 mg, 30-count bottles, Rx Only, Manufactured for: Macleods Pharma USA, Inc. Plainsboro, NJ 08536 Manufactured by: Macleods Pharmaceuticals Ltd. Baddi Himachal Pradesh, INDIA, NDC 33342-130-07

Product Quantity:

134495 bottles

Reason for Recall:

Failed Content Uniformity Specifications: The product is out of specification for blend uniformity.

Recall Number:

D-1005-2019

Code Information:

Lot #: BTN703A, BTN704A Exp Feb-19; BTN705A, BTN706A, Exp May-19; BTN707A, Exp Jun-19; BTN810A, Exp Jun-20; BTN811A, BTN812A Exp Aug-20; BTN813A, BTN814A, Exp Sep-20; BTN802A, BTN802B, BTN803A, BTN804A, Exp Dec-19; BTN805A, BTN806A, BTN807A, BTN807B, Exp Feb-20; BTN808A, Exp Apr-20; BTN809A, BTN810A, Exp Jun-20; BTN811A, BTN812A, Exp Aug-20; BTN813A, BTN814A, Exp Sep-20.

Class II Drugs Event

Event ID:

82200

Product Type:

Drugs

Status:

Ongoing

Date Terminated:**Recall Initiation Date:**

02/22/2019

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/11/2019

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:

Akorn, Inc.
1925 W Field Ct Ste 300
Lake Forest IL United States

Distribution Pattern:

Nationwide USA and Puerto Rico

Associated Products

Product Description:

Gentamicin Sulfate Ophthalmic Solution, USP, 0.3%, 5 mL bottle, Rx only, Manufactured for: Akorn, Inc., Lake Forest, IL 60045; NDC 17478-283-10.

Product Quantity:

51,456 bottles

Reason for Recall:

Failed Impurities/Degradation Specifications: High Out-of-Specification (OOS) results for Individual and Total Impurities that have been identified at the 18 months stability testing time point.

Recall Number:

D-0993-2019

Code Information:

Lot 7B71A, Exp 01/2020

Class II Drugs Event

Event ID:

82305

Product Type:

Drugs

Status:

Ongoing

Date Terminated:**Recall Initiation Date:**

12/19/2018

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/14/2019

Initial Firm Notification of Consignee or Public:

Telephone

Recalling Firm:

Roberts Home Medical LLC
20465 Seneca Meadows Pkwy
Germantown MD United States

Distribution Pattern:

Product was distributed in MD, VA and the District of Columbia

Associated Products**Product Description:**

Oxygen, Refrigerated Liquid USP, Rx only, cylinder, a) Roberts Home Medical, Inc. Rockville MD 20855, b) Roberts Home Medical, Inc. Germantown, MD. 20875

Product Quantity:

9 Reservoirs

Reason for Recall:

CGMP Deviations

Recall Number:

D-1002-2019

Code Information:

Lot # 01005100518, 01010101918, 01011101918, 01007112118, 01001100318, 01007072518, 01017120518, 01011090518, 01002100318. No expiration date, but an evaporation rate of approximately 60 days from fill date depending on head pressure of reservoir.

Class II Drugs Event**Event ID:**

82333

Status:

Ongoing

Recall Initiation Date:

03/07/2019

Center Classification Date:

03/20/2019

Recalling Firm:

Medtech Products, Inc.
660 White Plains Rd Ste 250
Tarrytown NY United States

Distribution Pattern:

Nationwide in the United States.

Product Type:

Drugs

Date Terminated:**Voluntary / Mandated:**

Voluntary: Firm Initiated

Initial Firm Notification of Consignee or Public:

Letter

Associated Products**Product Description:**

Little Remedies New Baby Essentials Kit. Each kit contains 1 each of the following products: Little Remedies Infant Fever Reducer (acetaminophen 150mg) 2 fl. oz. bottle, Little Remedies Saline Spray/Drops (sodium chloride) 0.5 fl oz., Little Remedies Gripe Water (zingiber officinale (Ginger) Root Extract 5mg, Foeniculum vulgare (Fennel) Seed Extract 4 mg) 2 fl. oz bottle., Little Remedies Gas Relief Drops (simethicone emulsion USP 66.7 mg and simethicone 20 mg) 1 fl. oz., Boudreaux's Butt Paste (zinc oxide 16%) 2 oz. ointment., Distributed by Medtech Products Inc. Tarrytown, NY, a Prestige Consumer Healthcare Company. UPC 7 56184 00007 6.

Product Quantity:

4,716 kits

Reason for Recall:

Incorrect/undeclared excipients: Kit carton bear incorrect labeling for two of the five items contained within the kit.

Recall Number:

D-1012-2019

Code Information:

Kit Lot #: 8473AG, 8473AI, Exp. 08/2020

Class III Drugs Event

Event ID:

82144

Status:

Ongoing

Recall Initiation Date:

02/21/2019

Center Classification Date:

03/12/2019

Recalling Firm:

Lannett Company Inc.
1101 C Ave W
Seymour IN United States

Distribution Pattern:

Nationwide, including Puerto Rico.

Product Type:

Drugs

Date Terminated:**Voluntary / Mandated:**

Voluntary: FDA Requested

Initial Firm Notification of Consignee or Public:

Letter

Associated Products

Product Description:

Oxybutynin Chloride, Extended-Release Tablets USP, 10 mg, 100 Tablet, Rx Only, Distributed by: Lannett Company, Inc, Philadelphia, PA 19154
NDC: 62175-271-37

Product Quantity:

14,448 bottles

Reason for Recall:

Failed Dissolution Specifications

Recall Number:

D-0996-2019

Code Information:

Lots: 18226783A, exp 07/2021 and 18232540A, exp 08/2021

Class III Drugs Event

Event ID:

82296

Status:

Ongoing

Recall Initiation Date:

03/01/2019

Center Classification Date:

03/11/2019

Recalling Firm:

AVKARE Inc.
615 N 1st St
Pulaski TN United States

Distribution Pattern:

Nationwide.

Product Type:

Drugs

Date Terminated:**Voluntary / Mandated:**

Voluntary: Firm Initiated

Initial Firm Notification of Consignee or Public:

Letter

Associated Products

Product Description:

Oxybutynin Chloride Extended-Release Tablets USP 10 mg, a) 100 tablets (NDC 42291-634-01) and b) 500 tablets (NDC 42291-634-50) bottles, Rx Only
Manufactured for: AvKARE, Inc. Pulaski, TN 38478

Product Quantity:

a) 2947 and b) 3379

Reason for Recall:

Failed Dissolution Specifications

Recall Number:

D-0990-2019

Code Information:

Lots: a) 22738 Exp. 07/2020 and b) 22739 Exp. 07/2020

Class III Drugs Event

Event ID:

82310

Product Type:

Drugs

Status:

Ongoing

Date Terminated:**Recall Initiation Date:**

03/07/2019

Voluntary / Mandated:

Voluntary: Firm Initiated

Center Classification Date:

03/11/2019

Initial Firm Notification of Consignee or Public:

Letter

Recalling Firm:Boehringer Ingelheim Pharmaceuticals, Inc.
900 Ridgebury Rd
Ridgefield CT United States**Distribution Pattern:**

Nationwide in the USA

Associated Products

Product Description:

Mirapex (pramipexole dihydrochloride) Tablets, 1 mg, 100-count unit-dose tablets per folding carton, Rx only, Distributed by: Boehringer Ingelheim (BI) Pharmaceuticals, Inc., Ridgefield, CT 06877 USA, Made in Germany, NDC 0597-0190-61.

Product Quantity:

112 folding cartons

Reason for Recall:

Failed Tablet/Capsule Specifications: identification of low weight tablets during routine stability testing.

Recall Number:

D-0991-2019

Code Information:

Lot # AA3280A, Exp SEP 2019