

Buscar no portal 

(https://webmail7.anvisa.gov.br/owa) | [questions \(perguntas-frequentes\)](#) | [Legislation \(legislacao\)](#) | [Contact \(contato\)](#) | [services \(servicos\)](#) | [Press \(area-de-imprensa\)](#)

MENU

 **RSS** ([http://portal.anvisa.gov.br/noticias/rss?p\\_p\\_cacheability=cacheLevelFull](http://portal.anvisa.gov.br/noticias/rss?p_p_cacheability=cacheLevelFull))

 Print

## SUSPENSION

# Generic oral antidiabetic lot EMS is suspended

Company EMS notified Anvisa about possible error on the labels of a batch of Pioglitazone Hydrochloride

**By: Ascom / Anvisa**

**Published: 10/31/2016 15:52**

**Last Modified: 10/31/2016 15:55**

Tweetar

 Compartilhar  0

Anvisa suspends batch 822,182 (<http://pesquisa.in.gov.br/imprensa/jsp/visualiza/index.jsp?jornal=1&pagina=34&data=31/10/2016>) of the generic drug Pioglitazone Hydrochloride on Monday (31/10). The company EMS S / A that makes oral antidiabetic used for glyceic control informed the Agency about a possible error in the description of the dosage of the medicine packaging.

According to the company statement, there is a possibility of some product packaging Pioglitazone Hydrochloride **30 mg** x 15 pills were labeled with the product label Pioglitazone Hydrochloride **15 mg** .

Thus the product may not be distributed, marketed and used. The measure applies only to batch 822,182 of the generic drug. The EMS company will make payment of the stock of the consignment.

Check out the resolution RE 2929/16 (<http://pesquisa.in.gov.br/imprensa/jsp/visualiza/index.jsp?jornal=1&pagina=34&data=31/10/2016>) published in the Official Gazette (DOU) on Monday (31/10).

Back to the top!

 (<http://www.youtube.com/user/anvisao>)

 ([https://twitter.com/anvisa\\_oficial](https://twitter.com/anvisa_oficial))



