



GlobePharma Pvt. Ltd.
"Every Life Is Precious"

PRODUCT CATALOGUE



Experienced Manufacturer for Finished & Semi Finished Formulation

WHO GMP, ISO Certified, MNC Accredited Manufacturing Company

- Dedicated **Oral Solid Dosage** Facilities (Tablets, Capsules, Dry Oral Powder)
- Dedicated Facilities for **Anti-Cancer** (Cytotoxic) Oral finished formulations
- Dedicated **Cephalosporins** Facilities (Tablets, Capsules, Dry Oral Powder)
- **Direct Compression Granules** and Pellets Unit equipped with latest Technology
- DSIR Approved & in House **R&D** Center

Plot-357-358, Road-3, Sachin G.I.D.C,
Surat - 394 230, Gujarat, India.

info@globelapharma.com
sales@globelapharma.com

+91 - 261- 6158000-99

www.globelapharma.com



SERVICES OFFERED

Finished Solid Oral Dosage

We at Globela Pharma are committed for high quality pharmaceutical formulation in various forms with a team of qualified & experienced technocrats in R & D, Q.A, Q.C & Production division. We aim to meet our client expectations by our services.



01

Contract Manufacturing & Formulation Development

02

Exhibit batch & F&D batch formulation

03

Technology Transfer & Dossier Preparation

04

API / Vitamins manufacturer & Intermediates manufacturer



Oncology (Anti Cancer)

We have dedicated WHO-GMP approved facility for Oncology solid oral dosages along with dedicated utilities and team of qualified & experienced technical staff.

Taste Masked and Direct Compression Granules

Globela Pharma is one of the few companies with the Manufacturing capability of Pharmaceutical Formulation Intermediates (PFIs). We offer our customers all three components API, DCs & FDs of the pharmaceutical Manufacturing to enhance flexibility and efficiency

Direct Compression Granules

Savings in capital expenditures & technical resources.

Increased asset utilisation

Lower testing costs

Save Development cost & Proven Technology back up

Production Capacity/Month

● Tablets (Conventional)	200 Million
● Tablets (Effervescent)	50 Million
● Capsules	100 Million
● ORS (Sachet)	15 Million
● Dry Syrup	4 Million
● Pellets	70 MT

THERAPEUTIC SEGMENTS

- Anti-Cancer (Oncology)
- Antibiotics & Antibacterials
- Analgesic & Antispasmodic
- Anti Hypertensive
- Immunosuppressants
- Antimalarials
- Cough, Cold, Allergy
- Anti-Diabetics
- GI Tract & Many more.....
- Nephrology & Urology
- Anti-Fungal & Anthelmintics
- Vitamins, Minerals & Electrolytes
- Gastrology

CATEGORY



ANALGESIC & ANTISPAMODICS	1
ANTI BACTERIAL	5
ANTI COLD & ANTI ALLERGIC	9
ANTI DIABETICS	11
ANTI MALARIAL	13
ANTI VERTIGO DRUGS	15
ANTIFUNGAL & ANTHELMINTICS	17
ARV PRODUCT	19
CARDIOVASCULAR	22
ELECTROLYTES	28
ERECTILE DYSFUNCTION	29
GASTROLOGY	30
NEPHROLOGY & UROLOGY	34
ONCOLOGY & IMMUNOSUPPRESSANTS	35
STEROIDAL ANTI INFLAMMATORY	42
VITAMINS & MINERALS	43
EFFERVESCENT TABLETS & NUTRACEUTICAL	45
CEPHALOSPORINS & BETALACTAM	46



ANALGESIC & ANTISPASMODICS



ACECLOFENAC

Composition : ACECLOFENAC TABLETS 100 MG

Indication : Aceclofenac Tablet is indicated for Rheumatoid arthritis, ankylosing spondylitis, osteoarthritis and peri-arthritis of scapulo-humeral, lumbago, ischiodynia, pain caused by non-articular rheumatism.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ACECLOGLOB

Composition : ACECLOFENAC & PARACETAMOL TABLETS 100/500 MG

Indication : Aceclofenac paracetamol tablet is used for fever, joint pain, toothache, cold, headache, ear pain & other conditions.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DICLOGLOBE

Composition : DICLOFENAC SODIUM TABLETS 50/100 MG

DICLOFENAC POTASSIUM TABLETS 50/100 MG

Indication : Relief of all grades of pain and inflammation such as rheumatoid arthritis, osteoarthritis, ankylosing spondylitis.

Pack : 1 x 10 and 1 x 12 Blister



DICLOGLOB P

Composition : PARACETAMOL & DICLOFENAC POTASSIUM TABLETS 325/50 MG

Indication : Tooth extraction, pericoronitis, ligament tear, mild to moderate pains.

Pack : 1 x 10 Blister



DICLOGLOBE B

Composition : DICLOFENAC VIT. B1 + VIT. B6 + VIT. B12 TABLETS

Indication : Relief of all grades of pain and inflammation such as rheumatoid arthritis, osteoarthritis, ankylosing spondylitis.

Pack : 1 x 10, 2 x 10 and 3x10 Blister



GLOBUFEN

Composition : IBUPROFEN TABLETS 200/400/600/800MG
Indication : Analgesics, antipyretics, nonsteroidal anti-inflammatory drugs, drugs used to treat out and disease-modifying antirheumatic drugs.
Pack : 2 x 10 Blister



IBURICH

Composition : IBUPROFEN PARACETAMOL & CAFFINE 200/325/30 MG
Indication : Analgesics, antipyretics, nonsteroidal anti-inflammatory drugs, drugs used to treat out and disease-modifying antirheumatic drugs.
Pack : 2 x 10 Blister



ACECLOGLOB-PC

Composition : ACELOFENAC, CHLORZOXAZONE & PARACETAMOL 100/500/250
Indication : MG
 Acetaminophen or paracetamol is used for fever by the patient, or the
Pack : doctor prescribes it for a headache, body pain and fever.
 1 x 10, 3 x 10, 10x1 and 20x10 Blister



CELECOXIB

Composition : CELECOXIB CAPSULES 100/200 MG
Indication : Celecoxib is used to treat pain or inflammation caused by many conditions such as arthritis, ankylosing spondylitis and menstrual pain.
Pack : 3 x 10 Blister



DECHLOZ MR

Composition : DICLOFENAC POTASSIUM, PARACETAMOL AND CHLORZOXAZONE TABLET 50/325/250 MG
Indication : It is used to treat muscle aches, backaches, dental pain, menstrual cramps and sports injuries. It also reduces pain, swelling and joint stiffness caused by arthritis.
Pack : 1x10, 2x10 and 3 x 10 Blister



DROTAGLOB

Composition : DROTAVERINE HCL TABLETS 40/80 MG
Indication : The medication works by inhibiting phosphodiesterase in the body with no anticholinergic effects. It can be used to treat pain and dysfunction caused by smooth muscle spasms. It is mainly prescribed in the treatment of intestinal biliary and renal colics, irritable bowel syndrome and uterine spasms.
Pack : 10 x 10 Blister



ETORIGLOB-90

Composition : ETORICOXIB TABLETS 60/90/120 MG

Indication : Arthritis, spondylitis, post surgical pain management & acute low back pain.

Pack : 2 x 10 and 10x10 Blister



INDOMETHACIN

Composition : INDOMETHACIN CAPSULES 25 MG

Indication : It is used to reduce swelling and to treat pain. It can also be used for painful joint and muscular problems such as arthritis, tendinitis, bursitis and out.

Pack : 2 x 10 and 10x10 Blister



NABUMETONE

Composition : NABUMETON & PARACETAMOL TABLET 500/750 MG

Indication : Nabumetone is used to reduce pain, swelling and joint stiffness from arthritis. This medication is known as a nonsteroidal anti-inflammatory drug (NSAID).

Pack : 3x10 and 10x10 Blister



ORPHEGLOB

Composition : ORPHENADRINE CITRATE & PARACETAMOL TABLETS 35/350 MG

Indication : Orphenadrine is used to relax muscles and relieve pain. Discomfort caused by muscle injuries may cause drowsiness. Do not drive until you know how it affects you.

Pack : 1x10, 3x10 and 10x10 Blister



P-FLU

Composition : PARACETAMOL & CAFFEINE TABLETS 500/30MG

Indication : Paracetamol & caffeine soluble tablets are a mild analgesic and antipyretic formulated to give extra pain relief.

Pack : 3 x 10 and 10 x 10 Blister



SPAZIGLO

Composition : PARACETAMOL & DICYCLOMINE TABLETS 500/20 MG

Indication : Dicyclomine HCL Paracetamol tablet is used for the treatment, control, prevention and improvement of the following diseases, conditions.

Pack : 10 x 10 Blister



TAPZGLO

Composition : TAPENTADOL HYDROCHLORIDE TABLETS 50/75/100 MG

Indication : It is indicated for the relief of moderate to severe acute pain in adults, which can be adequately managed only with opioid analgesics.

Pack : 2 x 10 Blister



GLONIM-MR

Composition : NIMESULIDE & PARACETAMOL TABLETS 100/325 MG

Indication : Osteoarthritis/rheumatoid arthritis, musculo skeletal injuries, tendonitis & bursitis low back pain/ankylosing spondylitis, dysmenorrhea

Pack : 30x 10 Blister



GLOFEN

Composition : IBUPROFEN & PARACETAMOL TABLETS 400/325 MG

Indication : Analgesics, antipyretics, nonsteroidal anti-inflammatory drugs, drugs used to treat out and disease-modifying antirheumatic drugs.

Pack : 1x10 and 10x10 Blister



GLONIM-100

Composition : NIMESULIDE TABLETS 50/100 MG

Indication : Low back pain / ankylosing spondylitis, antipyretic, dysmenorrhea.

Pack : 1 x 10 Blister and 50 x 10 Tablets



GENERAL ANTIBIOTICS (ANTI BACTERIAL)




AZBACT SUSPENSION

Composition : AZITHROMYCIN FOR ORAL SUSPENSION 200 MG / 5 ML

Indication : To treat bacterial infections, acute bacterial sinusitis, acute otitis media, community-acquired pneumonia, pharyngitis / tonsillitis, uncomplicated skin & skin structure, urethritis, cervicitis.

Pack : 15 ml / 30 ml

Flavor : Banana / Apple



AZBACT-100 DT

Composition : AZITHROMYCIN DISPERSIBLE TABLETS 100 MG

Indication : For the treatment of respiratory infections, skin infections, ear infections and sexually transmitted diseases.

Pack : 10x10 Alu PVC



AZBACT

Composition : AZITHROMYCIN TABLETS 100 / 250 / 500 MG

Indication : Upper & lower RTIs, SSTIs, urogenital infections, gonorrhoea.

Pack : 1x3 and 1x10 Alu PVC



BACIFLOX OZ

Composition : OFLOXACIN & ORNIDAZOLE TABLETS 200 / 500 MG

Indication : Community-acquired pneumonia, uncomplicated skin & skin structure infection, uncomplicated & complicated UTI.

Pack : 10x10 Alu Alu



DOXYGLOBE

Composition : DOXYCYCLINE HYCLATE CAPSULES BP 100 MG

Indication : Respiratory tract infection, pneumonia, chronic bronchitis, sinusitis, urinary tract infection, sexually transmitted diseases, dermatological & ophthalmic infections, rickettsial infections.

Pack : 1x10 Alu PVC and 10x10 Alu PVC



GATIFLOXACIN

Composition : GATIFLOXACIN TABLETS 200 / 400MG

Indication : Gatifloxacin is indicated in patients >18 years of age for the treatment of the following infections when caused by susceptible bacteria community acquired pneumonia caused by streptococcus pneumonia, haemophilus influenzae, moraxella catarrhalis.

Pack : 1x10 and 10x10 AluAlu



G-LEVO

Composition : LEVOFLOXACIN TABLETS 250 / 500 MG

Indication : Community-acquired pneumonia uncomplicated skin & skin structure infection, Uncomplicated & complicated UTI.

Pack : 1x10 AluAlu and 1x10 AluPVC



GLOMYCIN

Composition : ERYTHROMYCIN STEARATE TABLETS 250 / 500 MG

Indication : Treatment of URTI, LRTI, Ear, Oral, Eye, Skin & Soft tissue, GIT infections, etc.

Pack : 1x10 AluAlu and 10x10 AluPVC



LINCOCLOB

Composition : LINCOMYCIN CAPSULES 250 / 500 MG

Indication : In treatment of infection from Steptococci, Pneumococci and Staphylococci.

Pack : 1x10 AluAlu



OFLOXACIN

Composition : OFLOXACIN TABLETS USP 200 / 400 MG

Indication : Chronicbron chitis, Community-acquired pneumonia, Acute pelvix inflammatory disease (PID), Acute, Uncomplicated cerviacal and urethral gonorrhoea, Urethritis, Cervicitis, Uncomplicated cystitis.

Pack : 1x10 AluAlu



SPARFLOXACIN

Composition : SPARFLOXACIN TABLETS 200 MG

Indication : Haemophilus influenzae, Haemophilus para-influenzae, Moraxella catarrhalis, Mycoplasma pneumoniae or Streptococcus pneumonia.

Pack : 1x10 AluPVC



PYLOGLOB KIT

Composition : OMEPRAZOLE, CLARITHROMYCIN & TINIDAZOLE 20/250/500 MG
 ESOMEPRAZOLE, CLARITHROMYCIN & TINIDAZOLE 40/250/500 MG
 LANSOPRAZOLE, CLARITHROMYCIN & TINIDAZOLE 30/250/500 MG

Indication : a.1) Helicobacter pylori, Tonsillitis, Pharyngitis, Amoebiasis, Giardiasis, Duodenal ulcer 2. Gastric ulcer 3. Zollinger - Ellison syndrome 4. Gastroesophageal reflux disease b.) Acid reflux , Ulcer, Zollinger- Ellison syndrome 4. Gastroesophageal reflux disease.

Pack : Combi Kit



ROXYGLOB

Composition : ROXITHROMYCIN TABLETS 150 / 300MG

Indication : It is a semi-synthetic macrolide antibiotic used to treat a variety of bacterial infections. It is used to prevent and treat bacterial infection of the lungs, airways, urinary tract and inner layers of the skin.

Pack : 10x10 Alu Alu



BACINOR

Composition : NORFLOXACIN TABLETS 400 MG

Indication : Trichomoniasis, bacterial vaginosis, vaginal discharge due to candidiasis, infection or mixed infections with chlamydia and neisseria.

Pack : 10x10 and 30x10 Alu PVC



BACIPRO

Composition : CIPROFLOXACIN TABLETS 250 / 500 MG

Indication : Exacerbations of chronic obstructive pulmonary disease, broncho-pulmonary infections in cystic fibrosis or in bronchiectasis , chronic suppurative otitis media, urinary tract.

Pack : 1x10 Alu PVC



BACIPRO-TZ

Composition : CIPROFLOXACIN BP + TINIDAZOLE TABLETS 500 / 600 MG

Indication : Vaginal or stomach infection, gums infection, skin infections, lungs infection, bacterial infections, treatment of bacterial infections, parasitic infections, infections of the blood, chest infections.

Pack : 1x10 Alu Alu



CLARIGLOB

Composition : CLARITHROMYCIN TABLETS 250 / 500 MG

Indication : Pharyngitis/Tonsillitis, acute bacterial exacerbation of chronic bronchitis, community-acquired pneumonia, acute maxillary sinusitis, acute otitis media, uncomplicated skin and skin structure infections.

Pack : 1x10 Alu Alu, 2x7 Alu Alu and 10x10 Alu PVC



CLINDAMYCIN

Composition : CLINDAMYCIN HCL CAPSULES 300/600 MG
Indication : Serious infections caused by anaerobic bacteria, including intra-abdominal infections, skin and soft tissues infections, tonsillitis, dental infections.
Pack : 1 x 10 Alu Alu



MOXIGLOB

Composition : MOXIFLOXACIN HYDROCHLORIDE TABLETS 400 MG
Indication : Acute bacterial sinusitis, Acute exacerbations of chronic bronchitis, Community acquired pneumonia, Mild to moderate pelvic inflammatory disease, Complicated skin and skin structure infections.
Pack : 1 x 5 Alu PVC



AQUAFLUCON

Composition : FLUCONAZOLE, AZITHROMYCIN & SECNIDAZOLE TABLETS
Indication : Trichomoniasis, bacterial vaginosis, vaginal discharge due to candidiasis, infection or mixed infections with chlamydia and neisseria.
Pack : 1 x 5 Alu PVC



TINIDAZOLE

Composition : TINIDAZOLE TABLETS 500 MG
Indication : Vaginal infection (Bacterial vaginosis, Trichomoniasis), Parasite infections (Giardiasis, Amebiasis).
Pack : 1 x 10 Alu PVC

Coming Soon.....

- VORICONAZOLE TABLETS 50 MG AND 200 MG
- GEMIFLOXACIN TABLETS 320 MG
- LOMEFLOXACIN TABLETS 400 MG
- LEVOFLOXACIN AND ORNIDAZOLE TABLETS

RELIABLE PROTECTION





ANTI COLD & ANTI ALLERGIC



CHLORPHENIRAMINE

Composition : CHLORPHENIRAMINE TABLETS BP 4 MG

Indication : Allergy, High fever, Common Cold, Rash, Watery Eyes, Itch Eyes, Nose, Throat, Skin, Cough, Runny nose, Sneezing.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DESLOGLOB

Composition : DESLORATADINE TABLETS 5 MG

Indication : Allergic rhinitis nasal congestion, Acne, Allergic skin conditions (e.g. Chronic idiopathic urticaria)

Pack : 3 x 10 and 10x10 Blister



FEXOGLOB

Composition : FEXOFENADINE TABLETS USP 120/180 MG

Indication : Relief of symptoms associated with seasonal allergic rhinitis, Chronic idiopathic urticaria

Pack : 1 x 10 Blister



GLOCET 10

Composition : CETIRIZINE TABLETS BP 10 MG

Indication : High fever, Allergic rhinitis such as sneezing, Rhinorrhoea, Itching, Nasal congestion & lacrimation

Pack : 1 x 10, 3 x 10 and 10x10 Blister



CETGLO

Composition : LEVOCETIRIZINE HYDROCHLORIDE TABLETS 5 MG

Indication : Relief of nasal and ocular symptoms of seasonal and perennial allergic rhinitis, - The relief of symptoms of chronic idiopathic urticaria.

Pack : 1 x 10, 3 x 10 and 10x10 Blister




ANTI HISTAMINE



LORAGLOB

Composition : LORATADINE TABLETS USP 10 MG
Indication : Symptomatic treatment of allergic rhinitis and chronic idiopathic urticaria.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



MONTELUKAST

Composition : MONTELUKAST SODIUM TABLETS 5/10 MG
Indication : To relieve the symptoms of seasonal allergies, Asthma symptoms and seasonal allergic rhinitis or high fever.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



PERFECT

Composition : CETIRIZINE HCL, PARACETAMOL, PHENYLEPHRINE TABLETS
Indication : Nasal congestion, Allergy, Common cold, Rhinitis, Sinusitis, Fever & CNS stimulant
Pack : 1x10 and 10x10 Blister



PERFECT D

Composition : PARACETAMOL, DEXTROMETHORPHAN HYDROBROMIDE, PHENYLEPHRINE HCL & CPM TABLETS KIT
Indication : Relief of coughs and upper respiratory tract symptoms, including nasal congestion, associated with allergy or common cold.
Pack : 1 x 10 Blister



ZUKAST

Composition : MONTELUKAST SODIUM | LEVOCETIRIZINE HCL 10/5 MG
 MONTELUKAST SODIUM | LEVOCETIRIZINE HCL 5/2.5 MG
 MONTELUKAST SODIUM | LEVOCETIRIZINE HCL 4/2.5 MG
Indication : Inflammation of the nose due to an allergic rhinitis, Chronic idiopathic urticaria, Exercise - induced bronchospasm prevention
Pack : 1 x 10, 3 x 10 and 10x10 Blister and 20 x 10 Tablets



ANTI DIABETICS



ADNIL

Composition : GLIBENCLAMIDE TABLETS 2.5/5 MG

Indication : Glibenclamide Tablet is a fast acting oral anti-diabetic medicine used to control blood sugar levels in Type II Diabetic patients. It belongs to a group of medicines known as sulfonylureas.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCLAZIDE MR

Composition : GLICLAZIDE MR TABLETS 30/60 MG

Indication : Non Insulin Dependent Diabetes (Type II) in adults when dietary measures, physical exercise and weight loss alone are not sufficient to control blood glucose.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCLAZIDE

Composition : GLICLAZIDE TABLETS 30/80 MG

Indication : Non Insulin Dependent Diabetes (Type II) in adults when dietary measures, physical exercise and weight loss alone are not sufficient to control blood glucose.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOPRIDE

Composition : GLIMEPIRIDE TABLETS 1/2/4 MG

Indication : Treatment of Type II Diabetes Mellitus.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOPRIDE 1M / 2M

Composition : GLIMEPIRIDE & EXTENDED RELEASE METFORMIN HCL
GLIMEPIRIDE & PILOGLITAZONE & METFORMIN 2/15/500 MG

Indication : Treatment of Type II Diabetes Mellitus.

Pack : Additive anti-hyperglycaemic effect without increasing the adverse effects of either pharmacological class.
1 x 10, 3 x 10 and 10x10 Blister



PIORIDE 30

Composition : PIOGLITAZONE HYDROCHLORIDE TABLETS 30/15 MG

Indication : Controlling high blood sugar helps prevent kidney damage, blindness, nerve problems, loss of limbs and sexual function problems. Proper control of diabetes may also your risk of a heart attack or stroke.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



STAGLOB M

Composition : METFORMIN & SITAGLIPTIN PHOSPHAT 500/50 & 1000/50 MG

Indication : Metformin & Sitagliptin are Oral Diabetes medicines that helps control blood sugar levels. Metformin works by decreasing glucose (sugar) production in the liver and decreasing absorption of glucose by the intestines.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



STAGLOB

Composition : SITAGLIPTIN PHOSPHATE TABLETS 25/50/100 MG

Indication : Sitagliptin is used with a proper diet and exercise program and possibly with other medications to control high blood sugar. Controlling high blood sugar helps prevent kidney damage, blindness, nerve problems, loss of limbs & sexual function problems.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



PIOZONE 30M

Composition : PIOGLITAZONE HCL 30 & 15 METFORMIN HCL 500

Indication : Pioglitazone, A thiazolidinedione, increases insulin sensitivity in the liver, skeletal muscle and adipose tissues. Metformin, A biguanide, decreases hepatic glucose production, decreases intestinal absorption of glucose.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOFORMIN

Composition : METFORMIN TABLETS 500/850/1000 MG

Indication : Metformin 500 mg Tablet is an effective first choice medicine used to control high blood glucose levels in patients with Type II Diabetes. Patients are advised to maintain a strict exercise & diet regimen along with this medicine to get the best possible effect.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



REPAGLO

Composition : REPAGLINIDE TABLETS 1 MG

Indication : Repaglinide tablets are used alone or with other medications to control high blood sugar along with a proper diet and exercise program. Controlling high blood sugar helps prevent kidney damage, blindness, nerve problems, loss of limbs and sexual function problems.

Pack : 10 x 10 Tablets



VOGLIGLO - M

Composition : VOGLIBOSE & METFORMIN HCL TABLETS 0.2/500 MG

Indication : Voglibose & Metformin are Oral Diabetes medicines that helps control blood sugar levels. Metformin works by decreasing glucose (sugar) production in the liver and decreasing absorption of glucose by the intestines.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ANTI MALARIAL



CHLOROQUINE PHOSPHATE

- Composition :** CHLOROQUINE PHOSPHATE TABLETS 250 MG
Indication : Chloroquine Phosphate Tablets are indicated for suppressive treatment and for acute attacks of Malaria due to P. Vivax, P. Malariae, P. Ovale and Susceptible strains of P. Falciparum.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ARTESUNATE & MEFLOQUINE 350/375 MG

- Composition :** ARTESUNATE & MEFLOQUINE 350/375 MG
Indication : Artesunate & Mefloquine is a medication used to treat Malaria. The combination is specifically recommended to treat uncomplicated P. Falciparum Malaria.
Pack : 1 x 6 Blister



GLOQ-300

- Composition :** QUINIINE SUPHATE TABLETS 300/600 MG
Indication : The treatment of Plasmodium Falciparum Malaria. Treatment and prevention of nocturnal leg cramps in adults and the elderly, when cramps cause regular disruption of sleep.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOSUNAT PLUS

- Composition :** COMBIKIT OF ARTESUNATE TABLETS 25/50/100/150/200 MG PYRIMETHAMINE & SULPHADOXINE
Indication : As first line treatment of confirmed P. Falciparum Malaria infection as first line or after failure of Chloroquine Therapy.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOSUNATE PLUS 50

- Composition :** ARTESUNATE 50 MG AND AMODIAQUINE HCL 153 MG
Indication : As first line treatment of confirmed P. Falciparum Malaria infection as first line or after failure of Chloroquine Therapy.
Pack : 24 Tablets



LUMAGLOB

- Composition :** ARTEMETHER & LUMEFANTRINE 80/480 MG
 ARTEMETHER & LUMEFANTRINE 40/240 MG
 ARTEMETHER & LUMEFANTRINE 20/120 MG
Indication : Treatment of acute uncomplicated Plasmodium Falciparum Malaria.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ANTI MALARIAL



LUMAGLOB SUSPENSION

Composition : ARTEMETHER & LUMEFANTRINE 20/120 MG
Indication : Treatment of Malaria in children.
Pack : 60 ML
F l a v o r Orange, Banana



PIPART / SQUAM SUSPENSION

Composition : DIHYDROARTEMISINN & PIPERAQUINE PHOSPHATE 80/640 MG
Indication : Treatment of Malaria in children.
Pack : 80 ML



PRIMAQUINE

Composition : PRIMAQUINE TABLETS 7.5 MG
Indication : Primaquine is used after other medications (such as chloroquine) have killed the Malaria Parasites living inside red blood cells.
Pack : 1 x 10, 3 x 10 and 10x10 Blister




PYMAL

Composition : DIHYDROARTEMISININ TABLETS & PIPERAQUINE PHOSPHATE 40/320 MG
Indication : Treatment of acute uncomplicated Plasmodium Falciparum Malaria.
Pack : 1 x 9 Blister

COMING SOON.....

- MEFLOQUINE 250 MG
- PALUDRINE
- ATOVAQUONE
- PROGUANIL TAB BP 100 MG





ANTI VERTIGO & ANTI EPILEPTIC



BETAHISTINE / HISTIGLOB

Composition : BETAHISTINE HCL TABLETS 8/16/24 MG

Indication : Betahistine is indicated for treatment of meniere's syndrome symptoms of which may include vertigo, tinnitus, hearing loss & nausea. Initial oral treatment is 8 to 16 mg three time daily. Taken preferably with meals.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



CITICOLINE

Composition : CITICOLINE TABLETS 500 MG

Indication : Citicoline on it's own can serve to enhance several different mental processes related to memory, learning, logical reasoning and focus.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ESCITALOPRAM

Composition : ESCITALOPRAM TABLETS USP 10/20 MG

Indication : Treatment of - major depressive episodes, panic disorder with or without agoraphobia, social anxiety disorder (social phobia), generalised anxiety disorder, obsessive-compulsive disorder.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOPENTIN 600

Composition : GABAPENTIN TABLETS / CAPSULES 100/300/600 MG

Indication : Gabapentin is used with other medications to prevent and control seizures. It is also used to relieve nerve pain following shingles (a painful rash due to herpes zoster infection) in adults.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



LEVETIRACETAM

Composition : LEVETIRACETAM TABLETS USP 250/500/1000 MG

Indication : It is used in combination with other seizure-control medications to treat and prevent seizures associated with epilepsy. Levetiracetam does not cure epilepsy and only works to control seizures as long as the medication is taken.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



PAROXETINE

Composition : PAROXETINE TABLETS USP 20/40 MG

Indication : Paroxetine tablets are indicated for the treatment of major depressive disorder.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



QUETIAPINE FUMARATE

Composition : QUETIAPINE TABLETS 25/100/200 MG

Indication : This medication is used to treat certain mental/mood conditions (such as schizophrenia, bipolar disorder, sudden episodes of mania or depression associated with bipolar disorder).

Pack : 1 x 10, 3 x 10 and 10x10 Blister

COMING SOON.....

- FLUNARIZINE HCL 5 MG / 10 MG
- CINNARIZINE 25 MG





ANTIFUNGAL & ANTHELMINTICS



ALBAGLOB

Composition : ALBENDAZOLE TABLETS 400 MG

Indication : Treatment of Parenchymal Neurocysticercosis, Parasitic Infections.
Treatment of Cystic Hydatid Disease of Liver, Lung & Peritoneum.

Pack : 1 x 1, 1 x 10, 3 x 10 and 10 x 10 Blister



CLOTRIMAZOLE

Composition : CLOTRIMAZOLE VAGINAL TABLETS 100/400 MG

Indication : Clotrimazole is an antifungal medication that fights infections caused by fungus. Clotrimazole vaginal (for use in the vagina) is used to treat vaginal candida (yeast) infections.

Pack : 1 x 6, 3 x 10 and 10 x 10 Blister / Alu Alu Strip



CYSTOGLY-N

Composition : DILOXANIDE FUROATE TABLETS 500 MG

Indication : Diloxanide is a medication used to treat amoeba infections. It is a second line treatment after paromomycin when no symptoms are present in places where infections are not common. For people who are symptomatic.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



FLUCAT

Composition : FLUCONAZOLE TABLETS/CAPSULES 50/150/200/400 MG

Indication : Coccidioidomycosis, Invasive Candidiasis, Mucosal Candidiasis including Oropharyngeal & Oesophageal candidiasis, Candiduria & Chronic Mucocutaneous Candidiasis.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



GLOMET

Composition : METRONIDAZOLE TABLETS 200/400/500 MG

Indication : Prophylaxis and treatment of identified / suspected anaerobic bacterial infections such as Bacteroides, Fusobacteria, Clostridia, Eubacteria, Anaerobic Cocci and Gardnerella Vaginalis, Trichomonas.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



GRISOMED

Composition : GRISEOFULVIN TABLETS 250/500 MG

Indication : Griseofulvin is an effective antifungal medicine used to treat infection of the skin, scalp, nails, feet, groin & other parts of the body.

Pack : 1 x 10, 3 x 10, 1 x 20 and 10x10 Blister



ITRACONAZOLE

Composition : ITRACONAZOLE CAPSULES 100/200 MG
Indication : Itraconazole is used to treat a variety of fungal infections. It belongs to a class of drugs known as azole antifungals. It works by stopping the growth of fungi.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



KETAGLO

Composition : KETOCONAZOLE TABLETS 200 MG
Indication : Treatment of systemic fungal infections in patients with failure or intolerance to other therapies: Blastomycosis, Coccidioidomycosis, Histoplasmosis, Chromomycosis & Paracoccidioidomycosis.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



NITAZOXANIDE

Composition : NITAZOXANIDE TABLETS 500 MG
Indication : This medication is used to treat diarrhoea caused by certain parasite infections of the intestines (Cryptosporidium parvum and Giardia Lamblia).
Pack : 1 x 10, 3 x 10 and 10x10 Blister



BACTROSEC

Composition : SECNIDAZOLE TABLETS 500 MG
Indication : Secnidazole is an effective medicine to treat infections caused by protozoa and certain strains of anaerobic bacteria. It is used to treat infections of the stomach, intestine, urinary tract and genital area.
Pack : 1 x 10, 3 x 10 and 10 x 10 and 10 x 1 x 2 Blister





ARV PRODUCTS



Abacavir Sulfate & Lamivudine Tablet

Composition : ABACAVIR 300/600 MG + LAMIVUDINE 150/300 MG TABLETS

Indication : Abacavir/Lamivudine is indicated in antiretroviral combination therapy for the treatment of Human Immunodeficiency Virus (HIV) infection in adults, adolescents and children weighing at least 25 kg before initiating treatment with abacavir.

Pack : 30/60 Tablets Bottle



Atazanavir & Ritonavir Tablets

Composition : ATAZANAVIR & RITONAVIR TABLETS 300/100 MG

Indication : Atazanavir/Ritonavir is indicated in antiretroviral combination therapy for the treatment of Human Immunodeficiency Virus (HIV-1) infections.

Pack : 30 Tablets Bottle



Darunavir Tablets

Composition : DARUNAVIR (DRV) 400/600/800 MG TABLETS

Indication : Darunavir co-administrated with low dose ritonavir is indicated in combination with other antiretroviral medicinal products for the treatment of patients with human immunodeficiency virus (HIV-1) infections.

Pack : 30/60 Tablets Bottle



Efavirenz Capsules

Composition : EFAVIRENZ CAPSULES 200/600 MG

Indication : This drug is used with other HIV medications to help control HIV infection. It helps to increase the amount of HIV in your body so your immune system can work better. This lowers your chance of getting HIV complications (such as new infections, cancer) & improves your quality of life.

Pack : 30/90 Capsules Bottle



Efavirenz, Lamivudine & Tenofovir Disoproxil Fumarate Tablets

Composition : EFAVIRENZ & LAMIVUDINE & TENOFOVIR 600/300/300 MG

Indication : This combination product is used by itself to help control HIV infection. It helps to decrease the amount of HIV in your body so your immune system can work better.

Pack : 30/60 Tablets Bottle



Emtricitabine & Tenofovir Tablets

Composition : TENOFOVIR & EMTRICITABINE TABLETS 300/200 MG

Indication : This product is used with other HIV medications to help control HIV infection. It helps to decrease the amount of HIV in your body so your immune system can work better. This lowers your chance of getting HIV complications (such as new infections, cancer) & improves your quality of life.

Pack : 30/60 Tablets Bottle



Ralteglob

Composition : RALTEGRAVIR TABLETS USP 400/600 MG

Indication : Raltegravir is indicated in combination with other antiretroviral medicinal products for the treatment of human immunodeficiency virus (HIV-1) infection.

Pack : 30/60 Tablets Bottle



Ritonavir Tablets

Composition : RITONAVIR 100 MG

Indication : Ritonavir is indicated in combination with other antiretroviral agents for the treatment of HIV-1 infected patients (adults and children of 2 years of age and older).

Pack : 30/60 Tablets Bottle



Sofosbuvir Tablets

Composition : SOFOSBUVIR TABLETS 150/200/300/400 MG

Indication : Sofosbuvir is indicated for the treatment of chronic Hepatitis C virus (HCV) infection as a component of a combination antiviral regimen for patients with HCV mono-infection and HCV/HIV-1 coinfection.

Pack : 28 Tablets Bottle



Tenofovir & Lamivudine Tablets

Composition : TENOFOVIR + LAMIVUDINE TABLETS 300/300 MG

Indication : Tenofovir/Lamivudine is indicated in anti-retroviral combination therapy for the treatment of human immunodeficiency virus (HIV) infection.

Pack : 30/60 Tablets Bottle



Tenofvir Tablets

Composition : TENOFOVIR 300 MG

Indication : Tenofvir Disoproxil 245 mg film-coated tablets are indicated in combination with other anti-retroviral medicinal products for the treatment of HIV-1 infected adults.

Pack : 30/60 Tablets Bottle



Lopinavir & Ritonavir Tablets USP

Composition : LOPINAVIR & RITONAVIR TABLETS 200/50 MG,

Indication : 400/100,40/10,100/25, 133.3/33.3 MG

Lopinavir/Ritonavir 200/50 mg tablets are indicated for the treatment of infected adults and children weighing 25 kg or more who are infected with human immunodeficiency virus type 1 (HIV- 1).

Pack : 120 Tablets Bottle



Nevirapine Tablets USP

Composition : NEVIRAPINE TABLETS USP 200 MG

Indication : Nevirapine is indicated in combination with other antiretroviral medicinal products for the treatment of HIV-1 infected adults, adolescents, and children of any age. Most of the experience with Nevirapine is in combination with nucleoside reverse transcriptase inhibitors (NRTIs).

Pack : 60 Tablets Bottle



Lamivudine & Zidovudine Tablets

Composition : LAMIVUDINE & ZIDOVUDINE TABLETS 150 + 300 MG / 30 + 60 MG

Indication : Lamivudine & Zidovudine 150 mg/300 mg Tablet is used with other antiretroviral medicines to treat HIV infection in adults and children. It reduces the amount of HIV in your body & keeps it at a low level. It also increases CD4 cell count in your blood.

Pack : 60 Tablets Bottle



Lamivudine, Zidovudine & Nevirapine Tablets

Composition : LAMIVUDINE, ZIDOVUDINE & NEVIRAPINE TABLETS

Indication : 150+200+300MG

The combination of lamivudine and zidovudine is used along with other medications to treat human immunodeficiency virus (HIV) infection. Lamivudine and zidovudine are in a class of medications called nucleoside reverse transcriptase inhibitors (NRTIs). They work by decreasing the amount of HIV in the blood.

Pack : 60 Tablets Bottle



Atazanavir Capsules

Composition : ATAZANAVIR CAPSULES 100/150 MG

Indication : Atazanavir is a prescription medicine approved by the U.S. Food and Drug Administration (FDA) for the treatment of HIV infection in adults and children 3 months of age and older who weigh at least 11 lb (5 kg). Atazanavir is always used in combination with other HIV medicines.

Pack : 60 Tablets Bottle



Abcavir Capsules

Composition : ABACAVIR CAPSULES 300 MG

Indication : Abcavir Mylan is indicated in antiretroviral combination therapy for the treatment of Human Immunodeficiency Virus (HIV) infection in adults, adolescents and children.

Pack : 60 Capsules Bottle



Emtricitabine & Tenofovir alafenamide Tablets

Composition : EMTRICITABINE & TENOFOVIR ALAFENNAMIDE TABLETS 200,10 MG / 200,25 MG

Indication : Combination of Emtricitabine (FTC) and Tenofovir alafenamide (TAF), both of them are HIV nucleosides analog reverse transcriptase inhibitors (NRTIs), and is indicated for the HIV-1 infection

Pack : 30 Tablets Bottle



Ribavirin Capsules

Composition : RIBAVIRIN CAPSULES 200 MG

Indication : Ribavirin is a nucleoside analogue and antiviral agent used to treat RSV infection, hepatitis C and some viral hemorrhagic fevers. For hepatitis C, it is used in combination with other medications such as simeprevir, sofosbuvir, and peg interferon alfa-2b or peg interferon alfa-2a.

Pack : 40 Capsules Bottle



Dolutegravir Tablets

Composition : DOLUTEGRAVIR TABLETS 50 MG

Indication : Dolutegravir is a human immunodeficiency virus type 1 (HIV-1) integrase strand transfer inhibitor (INSTI) indicated in combination with other antiretroviral agents for the treatment of HIV-1 infection in adults and children aged 12 years and older and weighing at least 40 kg.

Pack : 30 Tablets Bottle



Dolutegravir & Lamivudine Tablets

Composition : Dolutegravir & Lamivudine Tablets 50/300 MG
Indication : Combination of dolutegravir (integrase strand transfer inhibitor [INSTI]) and lamivudine (nucleoside analogue reverse transcriptase inhibitor [NRTI]) is indicated as a complete regimen for the treatment of human immunodeficiency virus type 1 (HIV-1) infection

Pack : 30 Tablets Bottle



Abacavir, Dolutegravir & Lamivudine Tablets

Composition : Abacavir, Dolutegravir & Lamivudine Tablets 600,50,300 MG
Indication : Combination of dolutegravir (integrase strand transfer inhibitor [INSTI]), abacavir, and lamivudine (both nucleoside analogue reverse transcriptase inhibitors) is indicated for the treatment of HIV-1 infection in adults and in pediatric patients weighing at least 40 kg.

Pack : 30 Tablets Bottle



Famciclovir Tablets

Composition : FAMCICLOVIR TABLETS 250 MG
Indication : ·For the treatment of herpes zoster and ophthalmic zoster in immunocompetent adults
·recurrent outbreaks of genital herpes caused by HSV and to prevent outbreaks from reoccurring (called chronic suppressive therapy)
·shingles (also known as herpes zoster) caused by VZV

Pack : 1 x 6 Tablets



Glovudine Tablets

Composition : LAMIVUDINE TABLETS 100/150/300 MG
Indication : Compensated liver disease with evidence of active viral replication, persistently elevated serum alanine aminotransferase (ALT) levels and histological evidence of active liver inflammation and/or fibrosis. Initiation of lamivudine treatment should only be considered when the use of an alternative antiviral agent with a higher genetic barrier is not available or appropriate

Pack : 1 x 10 Alu Alu



VCYCLOR

Composition : VALACYCLOVIR TABLETS 500/1000 MG
Indication : Valacyclovir is used to treat infections caused by certain types of viruses. In children, it is used to treat cold sores around the mouth (caused by herpes simplex) and chickenpox (caused by varicella zoster).

Pack : 10 x 10 Alu Alu



Zidovudine Capsules USP

Composition : ZIDOVUDINE 100/300 MG Capsules

Indication : Zidovudine is indicated in anti-retroviral combination therapy for Human Immunodeficiency Virus (HIV) infected adults and children. Zidovudine chemoprophylaxis is indicated for use in HIV-positive pregnant women (over 14 weeks of gestation) for prevention of maternal-foetal HIV transmission and for primary prophylaxis of HIV infection in newborn infants.

Pack : 10x10 Alu PVC



FAVIPIRAVIR TABLETS

Composition : FAVIPIRAVIR TABLETS 200/400 MG

Indication : Favipiravir is an antiviral medication used to treat influenza. It is also being studied to treat a number of other viral infections. Like the experimental antiviral drugs (T-1105 and T-1106), it is a pyrazinecarboxamide derivative.

Pack : 1x10 Alu Alu



CARDIOVASCULAR DRUGS



ATORVASTATIN

Composition : ATORVASTATIN TABLETS 10/20/40 MG

Indication : Atorvastatin is used along with a proper diet to help lower “bad” cholesterol and fats (such as LDL, triglycerides) and raise “good” cholesterol (HDL) in the blood. It belongs to a group of drugs known as “statins”. It works by reducing the amount of cholesterol made by the liver.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ATORVASTATIN & FENOFIBRATE

Composition : ATORVASTATIN & FENOFIBRATE TABLETS 10/160 MG

Indication : Atorvastatin uses include treatment of dyslipidemia and the prevention of cardiovascular disease. Atorvastatin reduces level of cholesterol, HDL and triglycerides which are responsible for cardiovascular disorders, Fenofibrate a lipid-lowering agent, prescribed for hyperchole-sterolemia.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ATORVASTATIN & EZETIMIBE

Composition : ATORVASTATIN & EZETIMIBE 20/10 & 40/10 & 80/10 MG

Indication : Atorvastatin is used along with a proper diet to help lower “bad” cholesterol and fats (such as LDL, triglycerides) and raise “good” cholesterol (HDL) in the blood. It belongs to a group of drug known as “statins”. It works by reducing the amount of cholesterol made by the liver.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



BISOPROLOL FUMARATE

Composition : BISOPROLOL FUMARATE TABLETS 2.5 & 5 & 10 MG

Indication : Treatment of hypertension, chronic stable angina pectoris, stable chronic heart failure with reduced systolic ventricular function in addition to ACE inhibitors, diuretics and optionally cardiac glycosides.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



BOSENTAN

Composition : BOSENTAN TABLETS 62.5/ 125 MG

Indication : Bosentan belongs to a class of medication called endothelin receptor antagonists, Bosentan is used to treat pulmonary arterial hypertension.

Pack : 1 x 10, 2X10, 3 x 10 and 10x10 Blister



CAPTOGLO

Composition : CAPTOPRIL TABLETS 25 MG

Indication : Captopril is an ACE inhibitor. ACE stands for Angiotensin Converting Enzyme. Captopril is used to treat high blood pressure (hypertension), congestive heart failure, kidney problems caused by diabetes, and improve survival after heart attack.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



CLOPIDOGREL + ASPIRIN

Composition : CLOPIDOGREL 75 + ASPIRIN TABLETS 75 MG
Indication : Clopidogrel and Aspirin are anti-platelet agent that is a drug that inhibits the ability of platelet to clump together as a part of a blood clot.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



DIPIGLO

Composition : AMLODIPINE BESYLATE TABLETS 5/10 MG
Indication : Hypertension, Chronic Stable Angina Pectoris
Pack : 1 x 10, 3 x 10 and 10x10 Blister



DIPIGLO-L

Composition : AMLODIPINE & LISINOPRIL 5/10 MG & 10/10 MG
Indication : Amlodipine & Lisinopril works well to lower BP and prevent chest pain. You can't miss does and you might get persistent swelling. Lisinopril is a good blood pressure-lowering medicine that protects kidney function.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



DIPIGLO-V & DIPIGLO-VH

Composition : AMLODIPINE & VALSARTAN TABLETS 5/160 MG & 5/320 MG
 AMLODIPINE, VALSARTAN & HCT TABLETS 10/160/12.5 MG
Indication : This product is used to treat high blood pressure. Lowering high blood pressure helps strokes, heart attacks and kidney problems.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



DRONEDARONE

Composition : DRONEDARONE TABLETS 400 MG
Indication : Dronedaronone is a heart rhythm medicine that helps maintain normal heartbeats in certain people with life-threatening rhythm disorders of the atrium (the upper chambers of the heart that allow blood to flow into the heart).
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ENAGLOB

Composition : ENALAPRIL TABLETS 5/10/20 MG
Indication : Enalapril 5 mg tablet is used in the treatment of high blood pressure and certain other heart conditions. It is important to maintain a proper diet and exercise regularly when taking this medicine. Do not take this medicine if you have a know allergy to it.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



EPLERENONE

Composition : EPLERENONE TABLETS 25/ 50 MG

Indication : This medicine is used alone or in combination with other medicines to treat high blood pressure. It works by blocking a chemical (Aldosterone) in your body which in turn lowers the amount of sodium and water the body retains.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



FENOglob

Composition : FEENOFIBRATE TABLETS 120/160/240 MG

Indication : Fenofibrate is used along with a proper diet to help lower "bad" cholesterol and fats (such as LDL, Triglycerides) and raise "good" cholesterol (HDL) in the blood.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOSARTAN

Composition : TELMISARTAN TABLETS 20/40/80/160 MG

Indication : Treatment of essential hypertension in adults, cardiovascular prevention (patients with H/O CHD, Stroke/PAD, Type II DM with target organ damage).

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOSARTAN H

Composition : TELMISARTAN + HCT TABLETS 40/12.5 MG & 80/12.5

Indication : Treatment of essential hypertension.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



IRBASARTAN

Composition : IRBASARTAN TABLETS 150/300 MG

Indication : Irbesartan is used to treat high blood pressure (Hypertension) and to help protect the kidneys from damage due to Diabetes. Lowering high blood pressure helps prevent strokes, heart attacks and kidney problems

Pack : 1 x 10, 3 x 10 and 10x10 Blister



IRBESARTAN & HCT

Composition : IRBESARTAN & HYDROCHLORTHIAZIDE 50/12.5 MG

Indication : Irbesartan Hydrochlorothiazide tablets are indicated for the treatment of hypertension. Patients whose blood pressure is not adequately controlled on monotherapy.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



IVABRADINE

Composition : IVABRADINE TABLETS 5/7.5 MG

Indication : Ivabradine tablets (Corlanor) are indicated to reduce the risk of hospitalization for worsening heart failure in patients with stable, symptomatic chronic heart failure with left ventricular ejection fraction with left ventricular ejection fraction $\leq 35\%$.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



LISINOPRIL

Composition : LISINOPRIL TABLETS 5/10 MG

Indication : Lisinopril is used to treat high blood pressure. Lowering high blood pressure helps prevent strokes, heart attacks and kidney problems. It is also used to treat heart failure and to improve survival after a heart attack.

Pack : 2 x 14, 1 x 10, 3 x 10 and 10x10 Blister



LOSARGLOB

Composition : LOSARTAN POTASSIUM TABLETS 25/50 MG

Indication : Losartan is used to treat high blood pressure (hypertension) and to help protect the kidneys from damage due to Diabetes. It is also used to lower the risk strokes in patients with high blood pressure and an enlarged heart. Lowering high blood pressure strokes, heart kidney problems.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



LOSARTAN HCT

Composition : LOSARTAN POTASSIUM + HCT TABLETS 50/12.5/100/25 MG

Indication : Losartan is used to treat high blood pressure (hypertension) and to help protect the kidneys from damage due to Diabetes. It is also used to lower the risk strokes in patients with high blood pressure and an enlarged heart. Lowering high blood pressure strokes, heart kidney problems.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



METHYLDOPA

Composition : METHYLDOPA TABLETS 250/500 MG

Indication : Methyldopa is used to treat high blood pressure. Lowering high blood pressure helps prevent strokes, heart attacks and kidney problems. It is also used to treat heart failure and to improve survival after a heart attack.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



NEBIVOLOL

Composition : NEBIVOLOL TABLETS 2.5 MG

Indication : Nebivolol is used to treat high blood pressure. Lowering high blood pressure helps prevent strokes, heart attacks, and kidney problems.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLODIPINE

Composition : NIFEDIPINE EXTENDED RELEASE 5/10/20/30/60/90 MG

Indication : This medication is used to prevent certain types of chest pain (Angina). It may allow you to exercise more and decrease the frequency of Angina attacks. Nifedipine belongs to a class of medications known as Calcium Channel Blocker.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



OLMESARTAN MEDOXOMIL

Composition : OLMESARTAN MEDOXOMIL TABLETS 20/40 MG

Indication : Olmesartan is used to treat high blood pressure (Hypertension). Lowering high blood pressure helps prevent strokes, heart attacks and kidney problems. Olmesartan belongs to a class of drugs called Angiotensin Receptor Blocker (ARB).

Pack : 1 x 10, 3 x 10 and 10x10 Blister



PERINDOPRIL ARGININE

Composition : PERINDOPRIL ARGININE TABLETS 2.5/5/10 MG

Indication : Perindopril shares the indications of ACE inhibitors as a class, including essential hypertension, stable coronary artery disease (reduction of risk of cardiac events in patients with a history of myocardial infarction and/or revascularization) and treatment of heart disease or heart failure.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



PLAVIDO

Composition : CLOPIDOGREL TABLETS 75 MG

Indication : Clopidogrel is used to reduce the rate of myocardial infarction and strokes.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



RAMIGLOB

Composition : RAMIPRIL TABLETS 2.5/5/10 MG

Indication : Ramipril 5 mg tablet is an Angiotensin Converting Enzyme (ACE) inhibitor. Ramipril 5 mg tablet is used for the treatment of Hypertension or high blood pressure.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ROSUGLOB

Composition : ROSUVASTATIN TABLETS 5/10/20/40 MG

Indication : Treatment of hypercholesterolaemia, prevention of cardiovascular events.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ROSUGLOB-EZ

Composition : ROSUVASTIN & EZETIMIBE TABLETS 20/10 MG
Indication : Rosuvastatin is used to reduce LDL, Triglycerides - "bad" cholesterol and fats and raise HDL - "good" cholesterol in the blood.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



SIMVASYN

Composition : SIMVASTATIN 5/10/20 MG
Indication : Simvastatin is used along with a proper diet to help lower "bad" cholesterol and fats (such as LDL, Triglycerides) and raise "good" cholesterol (HDL) in the blood. Simvastatin & Ezymibe are used to lower bad cholesterol and raise good cholesterol (HDL).
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ROSUGLOB-F

Composition : ROSUVASTATIN & FENOFIBRATE TABLETS 10/160 MG
Indication : Rosuvastatin is used to reduce LDL, Triglycerides ("bad") cholesterol and fats and raise "good" cholesterol (HDL).
Pack : 1 x 10, 3 x 10 and 10x10 Blister



SULBUTIAMINE

Composition : SULBUTIAMINE TABLETS 200 MG
Indication : Sulbutiamine is man-made chemical, similar to B Vitamin Thiamine. Unlike Thiamine which dissolves in water, Sulbutiamine dissolves in fats. Sulbutiamine is able to increase Thiamine levels in the brain.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



VALSARTAN

Composition : VALSARTAN TABLETS 40/80/160/320 MG
Indication : Valsartan is used to treat high blood pressure and heart failure. It is also used to improve the chance of living longer after a heart attack. In people with heart failure, it may also lower the chance of having to go to the hospital for heart failure.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



VALSARTAN HCT

Composition : VALSARTAN & HCT 320/160/80 & 12.5 MG
Indication : Valsartan and Hydrochlorothiazide is indicated for the treatment of hypertension, to lower blood pressure. Lowering blood pressure reduces the risk of fatal and nonfatal cardiovascular events, primarily strokes.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ELECTROLYTES



DIOCTAHEDRAL SMECTITE

Composition : DIOCTAHEDRAL SMECTITE POWDER 3.0 GM

Indication : Dioctahedral Smectite is used for Acute and Chronic Diarrhea, Irritable bowel syndrome in adults, Gastroesophageal reflux in infant and other conditions.

Pack : 10 Sachets x 3.0 gm



GITRAL M

Composition : ORAL REHYDRATION SALTS 4.2/20.5/27.9 GM

Indication : Treatment of Diarrhoea by reversing the process of dehydration, acidosis and loss of electrolytes associated with diarrhoea, whether caused by bacteria, viruses, cryptosporidia or inappropriate nutrition.

Pack : 10 Sachets



GITRAL M PLUS

Composition : ORAL REHYDRATION SALTS 20.5G & ZINC SULPHATE TABLETS 20MG

Indication : Zinc is critical to body's ability to fight disease without enough zinc, the immune system is compromised and the gut is less to keep fluids in the body zinc supplementation can prevent diarrhoea and pneumonia through several mechanisms, notably through its ability to restore immunity in children who have zinc deficiency. Together, zinc + ORS are proven to stop diarrhoea, restore strength and even save lives.

Pack : Combikit of 2 Sachets + 10 Tablets



KALARA

Composition : CALCIUM POLYSTYRENE SULFONATE 15 G

Indication : Calcium Polystyrene Sulfonate is used for reducing blood levels of potassium. It is used for the treatment of Hyperkalemia (High Potassium Levels) associated with kidney conditions such as anuria, severe oliguria, chronic kidney disease, etc. It is also used to reduce high potassium levels in patients who are undergoing regular dialysis.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ERECTILE DYSFUNCTION



FOR MEN

Composition : SILDENAFIL & DAPOXETINE TABLETS 50/60 MG

Indication : The Sildenafil 50 mg+ Dapoxetine 60 mg Tablet is the highly recommended distinctive solution to get over the problem of premature ejaculation. The main objective of the drug is to delay the process of ejaculation resulting in enhanced sexual pleasure to a man suffering from the problem of pre-ejaculation.

Pack : 1 x 4, 1 x 10, 1X1



LOVEGLOB

Composition : SILDENAFIL CITRATE TABLETS 50/100 MG

Indication : Sildenafil citrate in men with erectile dysfunction in an international, double-blind, placebo-controlled study: effect on the sexual experience and reducing feelings of anxiety the next intercourse attempt.

Pack : 1 x 4, 1 x 10, 1X1



TADALAFIL

Composition : TADALAFIL TABLETS 10/20 MG

Indication : Tadalafil for use as needed for erectile dysfunction. The recommended starting dose of Tadalafil for use as needed in most patients is 10 mg, taken prior to anticipated sexual activity. The dose may be increased to 20 mg or decreased to 5 mg, based on individual efficacy and tolerance.

Pack : 1 x 10, 1X4, 1X1



VARDENAFIL

Composition : VARDENAFIL TABLETS 5/10/20 MG

Indication : Vardenafil is used to treat male sexual function problems (Impotence or Erectile Dysfunction - ED). In a combination with sexual stimulation, Vardenafil works by increasing blood flow to the penis to help a man get and keep an erection.

Pack : 1 x 10, 1X4, 1X1



GASTROLOGY



AMEGHADOM

Composition : DOMPERIDONE TABLETS 10 MG
Indication : For the relief of the symptoms of nausea and vomiting.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



BISAMED

Composition : BISACODYL TABLETS 5 MG
Indication : Bowel block, belly pain, upset stomach, stimulant laxative
Pack : 1 x 10, 3 x 10, 7 x 15 and 10x10 Blister



BISOTIDINE

Composition : CIMETIDINE TABLETS 200/400 MG
Indication : Gastroesophageal Reflux Disease (GERD), Heartburn, Acid Dyspepsia, Zollinger-Ellison Syndrome, Erosive Esophagitis.
Pack : 1 x 10, 1 x 20, 3 x 10 and 10x10 Blister,



DISETRON-4/8

Composition : ONDANSETRON ORALLY DISINTEGRATING TABLETS 4/8 MG
Indication : Nausea and vomiting induced by Cytotoxic Chemotherapy and Radiotherapy, & for the prevention & treatment of Post-Operative Nausea & Vomiting (PONV).
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ESOMEPRAGLOBE

Composition : ESOMEPRAZOLE MAGNESIUM TABLETS 20/40 MG
Indication : Treatment of Erosive Reflux Oesophagitis, Prevention of Re-bleeding of Peptic Ulcers, Treatment of Zollinger Ellison Syndrome.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



ESOMEPRAGLOBE D

Composition : ESOMEPRAZOLE & DOMPERIDONE 20/10 MG
Indication : Acid reflux, ulcers, heal acid damage to the stomach and oesophagus.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



RABEGLOB-D

Composition : RABEPRAZOLE & DOMPERIDONE 20/10 MG
Indication : Duodenal or Benign Gastric Ulcers, GERD.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOMEZ-D

Composition : OMEPRAZOLE & DOMPERIDONE CAPSULES 20/10 MG
Indication : GERD, NSAID related Ulcers, Peptic Ulcer associated Bleeding Zollinger Ellison Syndrome.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCID

Composition : RANITIDINE TABLETS 150/300 MG
Indication : Ulcer in stomach & duodenum, hyper secretory upset stomach.
Pack : 1 x 10, 3 x 10, 10 x 10 and 30 x 10 Blister



GLOCID-D

Composition : RANITIDINE HCL & DOMEPRIDONE TABLETS 150/10 MG
Indication : Intractable nausea and vomiting, benign duodenal ulcer, gastric ulcer, inflammation of the esophagus, acid peptic disease, treatment for symptoms associated with idiopathic or diabetic gastroparesis and other conditions.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



LANSOglob

Composition : LANSOPRAZOLE DELAYED RELEASE CAPSULES 30 MG
Indication : Treatment of duodenal and gastric ulcer, symptomatic gastro-esophageal reflux disease, Zollinger-Ellison Syndrome.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



MAGNESIUM TABLETS

- Composition :** MAGNESIUM TABLETS 100 MG
Indication : Low amounts of magnesium in the blood. Normal functioning of cells, nerves, muscles, bones and the heart.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



OMEPRAGLOBE

- Composition :** OMEPRAZOLE DELAYED RELEASE CAPSULES 20/40 MG
Indication : Prevent ulcers of the swallowing tube (Esophagus). Gastroesophageal reflux disease (GERD, Acid Reflux).
Pack : 1 x 10, 1 x 14, 1 x 15, 2 x 7, 3 x 10 and 10x10 Blister



PANGLO-DSR

- Composition :** PANTOPRAZOLE SODIUM (EC) & DOMPERIDONE (SR) CAPSULES 40/10 MG
Indication : Duodenal or Benign Gastric Ulcers, Acid Reflux Disease, Relux Esophagitis, Dyspepsia & Bloating.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



PENTAGLOB 40

- Composition :** PANTOPRAZOLE TABLETS 40 MG
Indication : GERD, NSAIS related Ulcers, Peptic Ulcer, Bleeding Zollinger Elison Syndrome.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



RABEGLOB

- Composition :** RABEPRAZOLE SODIUM ENTERIC COATED TABLETS 20 MG
Indication : Healing of Erosive or Ulcerative GERD in adults. Healing of Duodenal Ulcers in adults.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



HYOSCINE BUTYLBROMIDE

Composition : HYOSCINE BUTYLBROMIDE TABLETS 10 MG

Indication : Crampy abdominal pain remove boulds, esophageal spasms, renalcolic & bladder spasms, improve respiratory secretions.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



LOPERAGLOBE

Composition : LOPERAMIDE CAPSULES 2 MG

Indication : Acute nonspecific diarrhea, mild traveler's diarrhea, irritable bowel syndrome, chronic diarrhea due to bowel resection and chronic diarrhea secondary to inflammatory bowel disease.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



URSOGLOB

Composition : URSODEOXYCHOLIC ACID TABLETS 150/300 MG

Indication : Treatment of Primary Biliary Cirrhosis (PBC) and for the dissolution of small to medium sized radiolucent, cholesterol- rich gall-stones.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



NEPHROLOGY & UROLOGY



DEFFERGLOB

Composition : DEFERASIROX TABLETS 100/250/500 MG

Indication : This medication is used to treat ongoing high levels of iron in the body caused by multiple blood transfusions. It is also used to treat high levels of iron in people with a certain blood disorder who do not require blood transfusions (non-transfusion-dependent thalassemia).

Pack : 4 x 7, 1 x 10, 3 x 10 and 10x10 Blister



FEBUGLOB

Composition : FEBUXOSTAT TABLETS 40/80 MG

Indication : Febuxostat is indicated for the prevention and treatment of hyperuricaemia in adult patients undergoing chemotherapy for haematologic malignancies at intermediate to high risk of Tumor Lysis Syndrome (TLS).

Pack : 1 x 10, 3 x 10 and 10x10 Blister

FINASTERIDE

Composition : FINASTERIDE TABLETS 1/5 MG

Indication : This medication is used to treat male pattern baldness (Androgenetic Alopecia) at the crown and in the middle of the scalp. It should be used adult by adult men only. This medication works by decreasing the amount of a natural body hormone (DHT). Decreasing the amount of DHT leads to increased hair regrowth and slower hair loss.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



RENAGLOB

Composition : KETOANALOGUES ESSENTIAL AMINO ACID TABLET

Indication : Ketoanalogues/Essential Amino Acid is used for the treatment, control, prevention and improvement of indelicient protein metabolism in chronic renal insufficiency and Uremia.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



SELAGLOB

Composition : SEVELAMER HYDROCHLORIDE TABLETS 400/800 MG
SEVELAMER CARBONATE TABLETS 400/800 MG

Indication : Sevelamer is used to lower high blood phosphorus (phosphate) levels in patients who are on dialysis due to severe kidney disease. Dialysis removes some phosphate from your blood.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



URIGLOB / URIGLOB D

Composition : TAMSULOSIN HCL MODIFIED RELEASE CAPSULES 400 MG

Indication : TAMSULOSIN & DUTASTERIDE CAPSULES

Tamsulosin 400 mg contains an active ingredients in the capsules which is a so called Alpha 1A-blocker that reduces muscle contraction in the Prostate and Urethra. This facilitates the flow of urine through the Urethra and AIDS Urination.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



ONCOLOGY & IMMUNOSUPPRESSANTS PRODUCTS



ABIRAGLOB

Composition : ABIRATERONE ACETATE TABLETS 250 MG

Indication : For the treatment of metastatic castration resistant prostate cancer in adult men who are asymptomatic or mildly symptomatic after failure of androgen deprivation therapy.

Pack : 12/60/120 Tablets Bottle



DASAGLOB 50

Composition : DASATINIB TABLETS 20/50/70 MG

Indication : Newly diagnosed Philadelphia chromosome positive (Ph+) chronic myelogenous leukaemia (CML) in the chronic phase. Chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib mesylate.

Pack : 30 Tablets Bottle



ERLOGLOB 150

Composition : ERLOTINIB TABLETS 150 MG

Indication : Locally advanced or metastatic non-small cell lung cancer (NSCLC) with EGFR activating mutations, either as 1 line or as switch maintenance treatment and stable disease after 1 line chemotherapy. Also used for metastatic pancreatic cancer.

Pack : 30 Tablets Bottle



ETOGLOB

Composition : ETOPOSIDE CAPSULES 50/100 MG

Indication : Treatment of small cell lung cancer (as first line in combination with other agents), refractory testicular tumors, also used for.. Hodgkin's disease, Malignant (Non-hodgkin's) lymphomas, Acute Non-lymphocytic leukemia

Pack : 4 & 8 Capsules Bottle



EVERGLOB

Composition : EVEROLIMUS TABLETS 0.75/5/10 MG

Indication : Treatment of adult patients with renal angiomyolipoma associated with Tuberous Sclerosis Complex (TSC). Treatment of patients with subependymal giant cell (SEGA) associated with Tuberous Sclerosis Complex (TSC).

Pack : 30 Tablets Bottle



LENAGLOB

Composition : LENALIDOMIDE CAPSULES 5/10/15/25 MG

Indication : For the treatment of newly diagnosed Multiple Myeloma, Myelodysplastic Syndromes, Mantle Cell Lymphoma.

Pack : 30 Tablets Bottle



GLOSUNIB

Composition : SUNITINIB MALATE CAPSULES 12.5/25/50 MG

Indication : The treatment of gastrointestinal stromal tumor (GIST) after disease progression on or intolerance to imatinib mesylate the treatment of advanced renal cell carcinoma (RCC).

Pack : 30 Capsules Bottle



AZAGLOB

Composition : AZATHIOPRINE TABLETS 50/100 MG

Indication : To enhance the survival of organ transplants, such as renal transplants, cardiac transplants and hepatic transplant and to reduce the corticosteroid requirements of renal transplant recipients.

Pack : 10x 10 Alu PVC



MERKGLOB

Composition : MERCAPTOPYRINE TABLETS 50 MG

Indication : For the treatment of Acute Lymphoblastic Leukaemia (ALL) / Acute Promyelocytic Leukaemia (APL) / Acute Myeloid Leukaemia M3 (AML M3).

Pack : 10x 10 Alu Alu



GLOUREA 500

Composition : HYDROXYUREA CAPSULES 200/500 MG

Indication : Chronic Myeloid Leukaemia, cancer of the Cervix & other solid type tumors in conjunction with Radio therapy, Sickle Cell Anemia (only approved drug), reduces frequency of painful crises, reduce the need for blood transfusions.

Pack : 10x 10 Alu PVC



DEXACEE

Composition : DEXAMETHASONE TABLETS 0.5/1/4/8 MG
Indication : Treatment of cancer Mammae, Ovarii, Prostate or Testis, Prophylaxis of Emesis induced by emetogenic chemotherapy, cerebral oedema or increased intracranial pressure due to brain tumor.
Pack : 10x10 & 5x8 AluPVC



LAPAGLOB

Composition : LAPATINIB TABLETS 250 MG
Indication : Lapatinib Tablets 250 mg is indicated for the treatment of patients with advanced or metastatic breast cancer whose tumors overexpress human epidermal growth factor receptor 2 (HER2) and who have received prior therapy including an anthracycline, a taxane, and trastuzumab.
Pack : 3x10 Alu Alu, 1x10 Alu Alu



MYCOFET

Composition : MYCOPHENOLATE MOFTIL TABLETS 250/500 MG
Indication : For the prophylaxis of acute transplant rejection in patients receiving allogeneic renal, cardiac or hepatic transplants (in combination with cyclosporin and corticosteroids).
Pack : 1x10 Strips & 10x10 Stips



GLOTEMOZ

Composition : TEMOZOLOMIDE CAPSULES 20/100/250 MG
Indication : For the treatment of adult patients with newly-diagnosed glioblastoma multiforme, for management of malignant glioma.
Pack : 1x5 Alu PVC/ Bottle



CYCLOGLOB

Composition : CYCLOSPORINE CAPSULES 25 MG
Indication : Cyclosporine is an immunosuppressant being used to prevent organ rejection after transplantation such as liver/Kidney transplant.
Pack : 6x5 Alu Alu



ANAGLOB

Composition : ANASTROZOLE TABLETS 1 MG

Indication : Adjuvant treatment of hr-p early breast cancer, first line treatment of hr-p or hr-unknown locally advanced or metastatic breast cancer, second line treatment of advanced breast cancer.

Pack : 3x14 Alu PVC & 3x10 Alu Alu



GLOTRAZ

Composition : LETROZOLE TABLETS 2.5 MG

Indication : Adjuvant treatment of HR-P invasive early breast cancer, Extended adjuvant Treatment of Hormone dependent invasive breast cancer, First line treatment for hormone dependent advanced breast cancer.

Pack : 3x10 Alu PVC



TREXGLO

Composition : METHOTREXATE TABLETS 2.5/5/10 MG

Indication : For the treatment of neoplastic disease, Treatment of severe cases of uncontrolled psoriasis. For treatment of adults with severe, active, classical or definite rheumatoid arthritis.

Pack : 3x10 Alu PVC



FLUTAMIDE

Composition : FLUTAMIDE TABLETS 250 MG

Indication : Flutamide is indicated for the treatment of advanced prostatic carcinoma in which suppression of testosterone effects is indicated. flutamide may be used in combination with an LHRH agonist, both on commencement of treatment or as an adjunctive therapy in patients already receiving an LHRH agonist. Flutamide may also be used in surgically castrated patients.

Pack : 3x10 Alu Alu



THALIGLOB

Composition : THALIDOMIDE CAPSULES 50/100 MG

Indication : As First line Therapy (in combination with melphalan and prednisone) for treatment of patients with untreated of patients with untreated multiple myeloma, aged > 65 years or ineligible for high dose chemotherapy

Pack : 3x10 Alu PVC



NILOTINIB

Composition : NILOTINIB CAPSULES 200 MG

Indication : Newly Diagnosed Philadelphia Chromosome Positive Chronic Myelogenous leukemia (CML) in the chronic phase.

Pack : 1x10 Alu Alu



GLOMATINIB

Composition : IMATINIB MESYLATE TABLETS 100/400 MG

Indication : Chronic Myeloid Leukemia, Acute Lymphoblastic Leukemia, Hyper-eosinophilic Syndrome or CEL, Aggressive Systemic Mastocytosis, Dermatofibrosarcoma protuberans, GIST, MDS/MPD.

Pack : 1x10 Alu Alu & 10X10 Alu Alu



PROSTAGLOB

Composition : BICALUTAMIDE TABLETS 50/150 MG

Indication : Treatment of advanced prostate cancer, alone or in combination with luteinizing hormone releasing hormone (LHRH) analogue.

Pack : 1x10 Alu PVC, 3x10 Alu PVC



GLOMELFA

Composition : MELPHALAN TABLETS 2/5 MG

Indication : Treatment of multiple myeloma and advanced ovarian adenocarcinoma. Alone or in combination for treatment of a proportion of patients suffering from advanced breast carcinoma.

Pack : 1x10 & 5x10, 1x10 Alu PVC



GLOCAPX

Composition : CAPECITABINE TABLETS 150/500 MG

Indication : Adjuvant treatment of patients following surgery of Stage-III (Dukes' Stage C) Colon Cancer, Metastatic Colorectal Cancer, Locally Advanced or Metastatic Breast Cancer after failure of Cytotoxic Chemotherapy (in combination).

Pack : 1x10 Alu Alu



GLOCARBAZIN

Composition : PROCARBAZINE CAPSULES 50 MG

Indication : Matulane is indicated for use in combination with other anticancer drugs for the treatment of Stage III and IV Hodgkin's disease.

Pack : 1x10 Alu Alu



TCOGLOB

Composition : TACROLIMUS CAPSULES 0.5/1/5 MG

Indication : Prophylaxis of transplant rejection in liver, kidney or heart allograft recipients.

Pack : 1x10, 10X10 Alu PVC



ZFTIGLO

Composition : GEFITINIB TABLETS 250 MG
Indication : Treatment of adult patients with locally advanced or metastatic nonsmallcell lung cancer (NSCLC) with activating mutations of EGFR TK.
Pack : 1x10 Alu PVC, 30's Bottle



SIROGLOB

Composition : SIROLIMUS TABLETS 1/2 MG
Indication : For the prophylaxis of organ rejection in adult patients at low to moderate immunological risk receiving a renal transplant.
Pack : 1x10 Strips



TAMGLOB

Composition : TAMOXIFEN TABLETS 10/20 MG
Indication : For the treatment of breast cancer.
To stimulate ovulation in anovulatory infertility.
Pack : 1x10, 3x10, 10x10's Alu PVC



GLOMUSTIN

Composition : ESTRAMUSTINE PHOSPHATE CAPSULES 140 MG
Indication : Carcinoma of the prostate, especially in cases unresponsive to, or relapsing after, treatment by conventional oestrogens (stibioestrol, polyoestradiol phosphate etc.) or by orchidectomy.
Pack : 1x10 Alu Alu



GLOSULFAN

Composition : BUSULFAN TABLETS 2 MG
Indication : Busulfan is used in pediatrics and adults in combination with cyclophosphamide or fludarabine/clofarabine as a conditioning agent prior to bone marrow transplantation, especially in chronic myelogenous leukemia (CML).
Pack : 1x10 Alu PVC



MYCOFET 180

Composition : MYCOPHENOLATE SODIUM TABLETS 180/360 MG
Indication : Mycophenolate Sodium Tablets 180/360 mg is used in combination with other medications to keep your body from attacking and rejecting your transplanted kidney. It belongs to a class of medications called immunosuppressant.
Pack : 1x10 Alu Alu Strip



STERODIAL ANTI INFLAMMATORY



BETAMETHASONE

Composition : BETAMETHASONE TABLETS 0.5 MG

Indication : Betamethasone 0.5 mg tablet is similar to the naturally occurring steroidal hormones (hydrocortisone/cortisone) produced by the adrenal glands. It is used to treat internal and external swelling associated with diseases like asthma, colitis, arthritis, severe skin allergies etc.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



DEFLAZACORT

Composition : DEFLAZACORT TABLETS 1/6/18/30 MG

Indication : Deflazacort is a steroid that reduces inflammation in the body. Deflazacort is not a cure for muscular dystrophy, but this medicine may improve muscle strength and slow the progression of disability.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



DEXACEE

Composition : DEXAMETHASONE TABLETS 0.5/1 MG

Indication : Dexamethasone is used to treat conditions such as arthritis, blood/hormone/immune system disorders, allergic reactions, certain skin and eye conditions, breathing problems, certain bowel disorders and certain cancers.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



PREDNISOLONE

Composition : PREDNISOLONE TABLETS 5/10 MG

Indication : Prednisolone Tablets are a corticosteroid which is used to relieve inflammation in conditions like arthritis and allergic disorders. Use with caution in the patients with Diabetes and other kidney disease.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister





VITAMINS AND MINERALS



CALCIGLO D3

Composition : CALCIUM CARBONATE WITH VITAMIN D3 TABLETS

Indication : As an adjunct to therapy for osteoporosis, as therapeutic supplementation of malnutrition e.g. in pregnancy and established Vitamin D dependent osteomalacia. Prevention and treatment of Calcium/Vitamin D deficiency especially in the housebound and institutionalized elderly subjects.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



DIOSMIN & HESPERIDIN

Composition : DOSMIN & HESPERIDINE TABLETS 50/450 MG

Indication : Haemorrhoids Chronic Venous Disease.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



FOLIC ACID

Composition : FOLIC ACID TABLETS 5 MG

Indication : Folic Acid is used for preventing and treating low blood levels of folate (folate deficiency), as well as its complications, including "tired blood" (Anemia) and the inability of the bowel to absorb nutrients properly. Folic Acid is also used for other conditions commonly associated with folate deficiency, including ulcerative colitis, liver disease, alcoholism and kidney dialysis.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



GLUCOSAMINE

Composition : GLUCOSAMINE TABLETS 500 MG

Indication : Glucosamine is sugar protein that helps your body build cartilage (the hard connective tissue located mainly on the bones near your joints). Glucosamine is a naturally occurring substance found in bones, bone marrow.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



G-TOTAL

Composition : MULTIVITAMIN & MULTIMINERAL CAPSULES

Indication : This medication is a multivitamin product used to treat or prevent vitamin deficiency due to poor diet, certain illnesses or during pregnancy. Vitamins are important building blocks of the body and help keep you in good health.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



GTOTAL-F

Composition : FERROUS FUMARATE, CYANOCOBALAMIN, FOLIC ACID

Indication : Treatment and prophylaxis of uncomplicated iron deficiency anaemia, vitamin B12 deficiencies, Addisonian anemia, folic acid deficiency and other conditions.

Pack : 1 x 10, 3 x 10 and 10 x 10 Blister



EFFERVESCENT & NUTRACEUTICAL PRODUCTS



RAP'DFIZZ BOOSTER +

VITAMIN C EFFERVESCENT TABLETS 500/1000 MG
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



RAP'DFIZZ IMMUNIFIER

VITAMIN C + ZINC EFFERVESCENT TABLETS
1000/12.5 & 500/12.5 MG
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



RAP'DFIZZ CALCIFY

CALCIUM CARBONATE + VITAMIN D3 EFFERVESCENT TABLETS
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



RAP'DFIZZ RESTORE

ELECTROLYTES ANTIOXIDANT CARBOHYDRATES 2:1
EFFERVESCENT TABLETS
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



GITRAL

ELECTROLYTE EFFERVESCENT TABLETS
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



GLOPAR-500

PARACETAMOL EFFERVESCENT TABLETS 500/1000 MG
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack



GLOPAR-C

PARACETAMOL & CAFFEINE EFFERVESCENT TABLETS
500/65 MG
Pack : 16 Tablets Strip Pack / 20 Tablets Tube Pack

COMING SOON...

Paracetamol and Diclofenac 500/50 mg

Sildenafil 50/100 mg

Acetaminophen, Chlorpheniramine Maleate,
Dextromethorphan HBR, Phenylephrine HCL
250/2/10/5 mg

Aspirin, Chlorpheniramine Maleate,
Dextromethorphan HBR, Phenylephrine Bitartrate
325/2/10/7.5 mg

Anhydrous Citric Acid, Aspirin, Sodium Bicarbonate
1000/325/1916 mg

Aspirin, Chlorpheniramine Maleate, Phenylephrine Bitartrate
325/2/7.8 mg

Calcium Carbonate 500/1000 mg

Acetaminophen USP, Diphenhydramine HCL 500/25 mg



EFFERVESCENT & NUTRACEUTICAL PRODUCTS



VITAMIN D3 1000 IU

Vitamin D3 1000 IU/ 5000 IU TABLETS
Pack : 90 Tablets Bottle



ZINC 100

Zinc Caplets 100 mg
Pack : 60 Caplet Bottle



VITAMIN C 1000 CHEWABLE TABLETS

VITAMIN C CHEWABLE TABLETS 500/1000 MG
Pack : 100 Tablets Bottle

COMING SOON...

- ZMA(Zinc Magnesium Aspartate) 90 Capsule
- OMEGA 3,6 & 9 60 Capsule
- BCCA (Branched Chain Amino Acid) 90 Capsule
- Korean Panax Ginseng 90 Capsule
- Probiotic 60 Capsule
- Omega-3 Fish Oil 60 Capsule
- Vitamin B12 Capsule 100 Capsule
- L-Arginine 90 Capsule
- Fat Burner 90 Capsule
- Biotin 90 Capsule
- Vitamin C + Zinc + Vitamin D3 Chewable Tablets
- Ferrous Ascorbate with Folic acid Tablets
- Vitamin B-Complex Tablets
- Silymarin, L-Glutathione, N-Acetyl, Cysteine L-Carnitine, Choline with Antioxidants & Micronutrients Tablets.
- Digestive Enzyme Capsules
- Ginseng, Lycopene, Multivitamin & Multiminerals Capsules
- Biotin, Multivitamin & Multiminerals Tablets
- Lutein, Zeaxanthin and Multivitamin Capsules
- Calcium+ Magnesium+ Vitamin D3+ Zinc Tablets 3X10 Tab.
- Glucosamine, Collagen peptides II & Vitamin C Capsule 3X10 Cap.



CEPHALOSPORINS & BETALACTAM



GLOXIM 200

Composition : CEFIXIME TABLETS USP 200 / 500 MG

Indication : Cefixime is indicated for the treatment of certain infections caused by susceptible bacteria Label, 12, 13. These infections include respiratory tract infections, otitis media, skin and skin structure infections, bone infections and genitourinary tract infections.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOXIM 100 DT

Composition : CEFIXIME DISPERSIBLE TABLETS 50 / 100 / 200 / 500 MG

Indication : For use in the treatment of the following infections when caused by susceptible strains of the designated microorganisms: (1) uncomplicated UTI caused by E. coli and P. mirabilis, (2) otitis media caused by H. influenzae (beta-lactamase +ve and -ve strains), M. catarrhalis (most of which are beta-lactamase +ve), and S. pyogenes, (3) pharyngitis and tonsillitis caused by S. pyogenes, (4) acute bronchitis and acute exacerbations of chronic bronchitis caused by S. pneumoniae and H. influenzae (beta-lactamase +ve and -ve strains), and (5) uncomplicated gonorrhea (cervical/urethral) caused by N. gonorrhoeae (penicillinase- and non-penicillinase-producing strains).

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOROXIM 125 DT

Composition : CEFUROXIME AXETIL DISPERSIBLE TABLET 125 / 250 MG

Indication : Cefuroxime is a cephalosporin antibiotic and is used to treat certain infections caused by bacteria. These include pharyngitis, otitis media, sinusitis, and bronchitis. They also include urinary tract infections, gonorrhea, Lyme disease, and impetigo.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DROXIGLO 500

Composition : CEFADROXIL TABLETS USP 500 MG

Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; S. pneumoniae, H. influenzae, staphylococci, S. pyogenes (Group A beta-hemolytic streptococci), E. coli, P. mirabilis, Klebsiella sp, coagulase-negative staphylococci and Streptococcus pyogenes.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



DROXIGLO 250 DT

Composition : CEFADROXIL DISPERSIBLE TABLETS 250 MG

Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; S. pneumoniae, H. influenzae, staphylococci, S. pyogenes (group A beta-hemolytic streptococci), E. coli, P. mirabilis, Klebsiella sp, coagulase-negative staphylococci and Streptococcus pyogenes.

Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCFIN 500

Composition : CEPGALEXIN CAPSULES USP 50 / 100 / 250 / 500 MG
Indication : Cefalexin is a semi synthetic cephalosporin antibiotic for oral administration. Cefalexin is indicated in the treatment of the following infections: Respiratory tract infections; otitis media; skin and soft tissue infections; bone and joint infections; genito-urinary infections, including acute prostatitis and dental infections.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOXIM 500

Composition : CEFUROXIME AXETIL TABLETS USP 250/500 MG
Indication : For the treatment of the following infections (skin, UTI, ENT) caused by; S. pneumoniae, H. influenzae, staphylococci, S.pyogenes (Group A beta-hemolytic streptococci), E.coli, P.mirabilis, Klebsiella sp, coagulase-negative staphylococci and Streptococcus pyogenes.
Pack : 1 x 10, 3 x 10 and 10x10 Blister



GLOCFDINIR

Composition : CEFDINIR FOR ORAL SUSPENSION USP 125 MG
Indication : Cefdinir is an antibiotic indicated in the treatment Community-Acquired Pneumonia, Acute Maxillary Sinusitis, otitis media, strep throat, and cellulitis. Uncomplicated infections caused by staphylococcus aureus
Pack : 50 ml Bottle



GLOXIM SUSPENSION

Composition : CEFIXIME FOR ORAL SUSPENSION USP 50 MG / 100 MG
Indication : For use in the treatment of the following infections when caused by susceptible strains of the designated microorganisms: (1) Uncomplicated UTI caused by E. Coli and P.mirabilis, (2) Otitis media caused by H. influenzae (beta-lactamase +ve and -ve strains), M. Catarrhalis (most of which are beta-lactamase +ve) and S. pyogenes, (3) Pharyngitis and tonsillitis caused by S. pyogenes, (4) Acute bronchitis and acute exacerbations of chronic bronchitis caused by S. pneumoniae and H. influenzae (beta-lactamase +ve and -ve strains) and (5) Uncomplicated gonorrhoea (cervical/urethral) caused by N. gonorrhoeae (penicillinase and non-penicillinase producing strains).
Pack : 50 ml Bottle



GLOCEFIN

Composition : CEFALEXIN ORAL SUSPENSION BP 250MG/5ML

Indication : Cefalexin is a semi synthetic cephalosporin antibiotic for oral administration. Cefalexin is indicated in the treatment of the following infections: Respiratory tract infections; otitis media; skin and soft tissue infections; bone and joint infections; genito-urinary infections, including acute prostatitis and dental infections.

Pack : 60 ML



GLOMOXX

Composition : AMOXICILLINE POWDER FOR ORAL SUSPENSION 250 MG/5ML

Indication : Amoxicillin Oral Suspension is indicated for the treatment Acute bacterial sinusitis, Acute Otitis media, Acute streptococcal tonsillitis and pharyngitis, Acute exacerbation of chronic bronchitis, Community acquired pneumonia, Acute cystitis, Asymptomatic bacteriuria in pregnancy

Pack : 100 ML

FINISHED FORMULATION - BETALACTAM

CEPHALOSPORIN PRODUCTS

	STRENGTH
Cefadroxil & Clavulanic Acid Tablets	250+62.5 / 500+125 mg
Cefadroxil & Clavulanate Potassium granules for oral suspension	250+62.5 mg / 5 ml
Cefadroxil Oral Suspension	125 mg / 5 ml
Cefdinir Capsules USP	300 mg
Cefixime Tablets IP	100 / 200 mg
Cefixime Tablets USP	400 mg
Cefixime & Ofloxacin Tablets	100 / 100, 200 / 200 mg
Cefixime & Clavulanate Potassium Dispersible Tablets	50 / 31.25 mg, 100 / 62.5 mg
Cefixime & Clavulanate Potassium Tablets	200 mg / 125 mg
Cefixime Dispersible Tablets IP	50 / 200 mg
Cefixime For Oral Suspension IP	25 mg / 5 ml, 50 mg / 5 ml, 100 mg / 5 ml
Cefixime For Oral suspension USP	200 mg
Cefpodoxime & Clavulanate Potassium Granules For Oral Sus.	50 mg + 31.25 mg / 5 ml
Cefpodoxime Granules For Oral Suspension	50 mg / 5 ml
Cefpodoxime Proxetil & Potassium Clavulanate Tablet	125 mg+31.25 mg / 250 mg+62.5 mg
Cefpodoxime Proxetil & Ofloxacin Tablet	100+100 / 100+200 / 200+100 / 200+200 mg
Cefpodoxime Proxetil Tablet	100 / 200 mg
Cefuroxime Axetil & Potassium Clavulanate Tablets	125+31.25 mg / 250+62.5 mg
Cefuroxime Axetil For Oral Suspension	125 mg+5 ml
Cefuroxime Axetil Tablets USP	250 / 500 mg
Cephalexin Capsules	250/500 mg
Cephalexin Dispersible Tablets	125 / 250 mg
Cephalexin For Oral Suspension	125 mg / 5 ml

PENICILLIN PRODUCTS

	STRENGTH
Amoxicillin + Clavulanic Acid F.C. Tablets	250+125 mg / 500+125 mg
Amoxicillin + Clavulanic Acid Suspension	125+31.5 mg / 5 ml, 200+28.5 mg / 5 ml
Amoxicillin + Potassium Clavulanate Suspension	250+62.5 mg / 5 ml
Amoxicillin + Potassium Clavulanate Suspension	400+57 mg / 5 ml
Amoxicillin Capsules	250 / 500 mg
Amoxicillin Suspension	125+250 mg / 5 ml
Amoxicillin Tablets	250 mg
Ampicillin + Cloxacillin Capsules	250+250 mg
Ampicillin Dispersible Tablets	250 mg



FINISHED FORMULATION BETALACTAM



CEPHALOSPORINS PRODUCTS

STRENGTH

Cefadroxil & Clavulanic Acid Tablets	250+62.5/500+125 mg
Cefadroxil & Clavulanate Potassium granules for oral suspension	250+62.5 mg/5 ml
Cefadroxil Tablets	500 mg
Cefadroxil dispersible tablets	250 mg
Cefadroxil oral Suspension	125 mg/ 5 ml
Cefdinir Capsules USP	300 mg
Cefdinir for Oral Suspension USP	125 mg/5 ml
Cefixime Tablets IP	100/200 mg
Cefixime Tablets USP	400 mg
Cefixime and Ofloxacin Tablets	100/100, 200/200 mg
Cefixime And Clavulanate Potassium Dispersible Tablets	50/31.25 mg, 100/62.5 mg
Cefixime And Clavulanate Potassium Tablets	200 mg/125 mg
Cefixime Dispersible Tablets IP	50/100/200 mg
Cefixime for oral suspension IP	25 mg/5 ml, 50 mg/5 ml, 100 mg/5 ml
Cefixime for oral suspension USP	200 mg
Cefpodoxime and Clavulanate Potassium granules for oral Sus.	50 mg + 31.25 mg/5 ml
Cefpodoxime granules for oral suspension	50 mg/5 ml
Cefpodoxime Proxetil & Potassium Clavulanate Tablet	125 mg+31.25 mg/ 250 mg+62.5 mg
Cefpodoxime Proxetil & Ofloxacin Tablet	100+100/100+200/200+100/200+200 mg 100/200 mg
Cefpodoxime Proxetil Tablet	125 mg
Cefuroxime Axetil Dispersible	125+31.25 mg/250+62.5 mg
Cefuroxime Axetil & Potassium Clavulanate tablets	125 mg+5 ml
Cefuroxime Axetil for Oral Suspension	250/500 mg
Cefuroxime Axetil Tablets USP	250/500 mg
Cephalexin Capsules	125/250 mg
Cephalexin dispersible Tablets	125 mg/5 ml
Cephalexin for oral suspension	

PENICILLIN PRODUCTS

STRENGTH

Amoxicillin + Clavulanic acid F.C.Tablets	250+125 mg/500+125 mg
Amoxicillin + Clavulanic acid Suspension	125+31.5 mg/5 ml, 200+28.5 mg/5 ml
Amoxicillin + Potassium Clavulanate Suspension	250+62.5 mg/5 ml
Amoxicillin + Potassium Clavulanate Suspension	400+57 mg/5 ml
Amoxicillin Capsules	250/500 mg
Amoxicillin Suspension	125+250 mg/5 ml
Amoxicillin Tablets	250 mg
Ampicillin + Cloxacillin Capsules	250+250 mg
Ampicillin dispersible Tablets	250 mg



TASTE MASKED & DIRECT COMPRESSION GRANULES

Pharmaceutical Formulation Intermediates DC (Direct Compression Granules)

What is a DC?

DC is the intermediate product between an API and a Finished Dosage. The proportion that DC could be outsourced as per customer requirement without much technology risk at their end. Customer will get ready granules with proven quality and data of stability to meet international standard.

Why is Direct compression Granules ?

- The DC granules are taken directly from the drums to a hopper, where they are directly compressed into tablets.
- It decrease the overall cost of the manufacturers and in-turn the customers, which finally result in an decrease cost of product to the end consumer.

Save Process Time | Reduces Vendor Development Cost | Simplifies Supply Chain Management | Lower Testing Cost / Reduces | Reduces Capital Expenditure | Regulatory Benefits | Develops Dry-Bending with other APIs

Desired properties: Leading to finished dosage manufacturers getting favorable outcomes from their bioequivalence studies.

Dry Blending: We possess the capability for some Pharmaceutical Formulation Intermediates to be dry-blended with other APIs without the need for further granulation to obtain homogeneous mixtures.

We back our production line with cGMP & WHO GMP manufacturing infrastructure. To support our Pharmaceutical Formulation Intermediate, we have prominent tie up with API manufacturer for DMF.

Direct Drum to Hopper product with Unique formula.

- Sustain released Direct compression granules – Metformin SR suitable to 500 mg , 850 mg & 1 gm Tablets
- Extended released
- Rapid released
- Taste masking of formula for paediatric suspension

DIRECT COMPRESSION GRANULES

Ciprofloxacin	65%, 75%	Lomefloxacin	75%
Ibuprofen	66%, 70%, 90%	Amlodipine	1.35%
Ascorbic acid (Vit. C)	90%	Rosuvastatin	3.13%, 6.25%, 13.0%
Paracetamol	83%, 66%, 90%, 95%	Clarithromycin	60%
Metformin	90%, 95%	Secnidazole	65%
Metformin SR	75%	Finasteride	4%
Telmisartan HCL	60%	Albendazole DC	49%
Metronidazole DC	80%, 90%	Doxycycline pre mix granules	50%
Naproxen DC	80%, 90%	Azithromycin DC	60%
Atenolol DC	90%	Furosemide DC	71%
Betahistine DC	8/16/24%	Sildenafil Citrate	16.12%
Sevelamer HCL DC	75%,84%	Ofloxacin	57.14/62.89%
Aceclofenac	50%	Carbamazepine	1.36%
Atorvastatin	6.66/13.33%	Glibenclamide and Metformin	68.96/0.68%
Clopidogrel	26.78%	Glibenclamide	1.36%
Fluconazole	50%	Lisinopril	2.50%
Paracetamol & Caffeine		Ciprofloxacin (Taste masked Granules)	20%
Meloxicam	65%	Azithromycin (Taste masked Granules)	7.5%,20%
Simvastatin	13.33%	Artemether and Lumefantrine (Taste masked Granules)	
Tinidazole	65%	Clarithromycin (Taste Masked Granules)	22%
Ketoprofen ODT	60%	Ibuprofen (Taste Masked Granules)	10%



FINISHED FORMULATION OINTMENTS & CREAMS



PRODUCTS NAME	CATEGORY	PACK SIZE
Beclomethasone Cream BP	Corticosteroid	15 g Aluminum Tube
Betamethasone Dipropionate Cream BP 0.05% w/w	Corticosteroid	15 g Aluminum Tube
Betamethasone Dipropionate Cream IP 0.1%	Corticosteroid	15 g Aluminum Tube
Betamethasone Dipropionate, Clotrimazole, Gentamicin Sulphate Cream	Corticosteroid	15 g Aluminum Tube
Betamethasone Valerate, Gentamicin Sulfate, Tolnaftate and Idochlorhydroxyquinoline Cream	Corticosteroid	30 g Aluminum Tube
Clindamycin Phosphate Gel	Topical Antibiotic	30 g Lami Tube
Clobetasol Propionate Cream BP	Topical Steroid	30 g Lami Tube
Clobetasol Propionate Cream USP	Topical Steroid	30 g Lami Tube
Clotrimazole and Beclomethasone Cream	Topical Steroid	15/30 g Alu. Tube
Clotrimazole Vaginal Cream BP 1% w/w	Topical Antifungal	30 g Aluminum Tube
Clotrimazole Vaginal Cream USP 1% w/w	Topical Antifungal	30 g Aluminum Tube
Clotrimazole Vaginal Cream USP 2% w/w	Topical Antifungal	30 g Aluminum Tube
Clotrimazole, Beclomethasone and Neomycin Cream	Topical Antifungal	30 g Lami Tube
Diclofenac Diethylamine, Methyl Salicylate, Oleum lini & Menthol Gel	NSAID	30 g Lami Tube
Diclofenac Gel	NSAID	20/30/50 g Lami Tube
Hydrocortisone Acetate Cream BP 1.0%w/w	Topical Steroid	15 g Aluminum Tube
Ketoconazole Cream 2%w/w	Topical Antifungal	20 g Lami Tube
Metronidazole Gel BP	Anti-infective	30 g Aluminum Tube
Miconazole Nitrate Cream BP	Anti-infective	15 g Aluminum Tube
Precipitated Sulfur Cream	Anti-infective	25 g Lami Tube
Salicylic Acid Ointment	NSAID	25 g Lami Tube
Silver Sulfadiazine And Chlorhexidine Gluconate Cream	Anti-infective	30/50 g Alu. Tube
Silver Sulfadiazine Cream USP 1.0%w/w	Topical Antifungal	10/15 g Alu. Tube
Terbinafine Hydrochloride Cream 1% w/w		



FINISHED FORMULATION (ONCO)

Dedicated **Anti-Cancer** (CYTOTOXIC) Oral Facilities



ONCOLOGY PRODUCT	BRAND NAME	STRENGTH
Abiraterone Tablets	ABIRAGLOB	250 mg
Anastrozole Tablets	ANAGLOB	1 mg
Bicalutamide Tablets	PROSTAGLOB	50/150 mg
Busulphan Tablets	GLOSUFAN	2 mg
Capecitabine Capsules / Tablets	GLOCAPX	150/500 mg
Cyclophosphamide Tablets	CYCLOGLOB	25/50 mg
Cyclosporine Capsules	SPORGLOB	25/50/100 mg
Dasatinib Tablets	DASAGLOB	50 mg
Erlotinib Tablets	ERLOGLOB	150 mg
Estramustine Capsules	GLOMUSTIN	140 mg
Etoposide Capsules	ETOGLOB	50/100 mg
Fludarabine Phosphate Tablets	FLUDAGLOB	10 mg
Flutamide Tablets	FLITAGLOB	250 mg
Gefitinib Tablets	ZEFTIGLO	250 mg
Hydroxyurea Capsules	GLOUREA	500 mg
Imatinib Mesylate Capsules / Tablets	GLOMATINIB	100/400 mg
Lenalidomide Capsules	LENAGLOB	5/10/15/25 mg
Letrozole Tablets	GLOTRAZ	2.5 mg
Melphalan Tablets	GLOMELFA	2/5 mg
Mercaptopurine Tablets	MERKGLOB	50 mg
Methotrexate Tablets	TREXGLO	2.5/5/10 mg
Procarbazine Capsules	GLOCARBAZIN	50 mg
Sunitinib Capsules	SUTINIB	25/50 mg
Tamoxifen Tablets	TAMGLOB	10/20 mg
Temozolomide Capsules	GLOTEMOZ	20/100/250 mg
Thalidomide Capsules	THALIGLOB	50/100 mg
IMMUNO SUPPREMENTS	BRAND NAME	STRENGTH
Azathioprine Tablets	AZAGLOB	50/100 mg
Dexamethasone Tablets	DEXACEE	4/8 mg
Everolimus Tablets	EVERGLOB	0.75/5/10 mg
Mycophenolate Mofetil Tablets	MYCOFET	250/500 mg
Mycophenolate Sodium Tablets	MYCOFET-S	180/360 mg
Sirolimus Tablets	SIROGLOB	1 mg
Tacrolimus Capsules	TCOGLOB	0.5/1/5 mg



Dedicated Oral Solid Dosage Facilities

ANALGESIC & ANTISPASMODICS		ANTI MALARIAL		CNS	
Aceclofenac	100 mg	Kit of Sulfadoxine Pyrimethamine & Artesunate		Betahistine HCL	8/16/24 mg
Aceclofenac + Paracetamol	100+500 mg	Artemether + Lumefantrine	25/50/100/200/KIT	Citicoline	500 mg
Celecoxib	100/200mg	Artemether + Lumefantrine Dry Sus.	20+120/40+240/80+480 mg	Gabapentin	300/600 mg
Diclofenac Potassium + Paracetamol	50+500 mg	Chloroquine Phosphate	60 ml	Levetiracetam	250/500 mg
Diclofenac Sodium	50/100 mg	Comipack of Artesunate & Amodiaquine	250 mg	Quetiapine	400 mg
Diclofenac Potassium	50/100 mg	Dihydroartemisinin + Piperaquine	160+320 mg	ERECTROYTES	
Diclofenac Sodium + Vit. B1+ Vit B6 + Vit B12		Dihydroartemisinin + Piperaquine Dry Sus..	40+320 mg	Diocetahedral Smectite Powder	3.0 g
Drotaverine Hydrochloride	40/80 mg	Primaquine	80+640 mg	Oral Rehydration Salts	27.9 / 21.8/20.5/4.2 gm
Etoricoxib	60/90/120 mg	Quinine Sulphate	7.5/15 mg	Oral Rehydration Salts and Zinc	20.5gm/20mg
Ibuprofen	200/400 mg	Artemether + Mefloquine	300+375/600+750 mg	ERECTILE DYSFUNCTION	
Ibuprofen + Paracetamol + Caffeine	200+ 325+30 mg	ANTIFUNGAL / ANTHELMINTICS		Sildenafil citrate	50 / 100mg
Indometacin	25 mg	Albendazole	400 mg	Tadalafil	10/20 mg
Naproxen	500 mg	Clotrimazole vaginal	100 mg	Vardenafil	5/10/20 mg
Nebumetone	500/750 mg	Diloxanide furoate	500 mg	GASTROLOGY	
Nebumetone + paracetamol	500+500 mg	Fluconazole	50/150/200/400 mg	Bisacodyl	5 mg
Nimesulide	50/100 mg	Grisofulvin	250/500 mg	Cimetidine	200/400 mg
Orphenadrine + Paracetamol	35+450 mg	Ketoconazole	200 mg	Compound magnesium (Antacid)	---
Paracetamol + Caffeine	500+30 mg	Metronidazole	200/400/500 mg	Domperidone	10 mg
Paracetamol + Dicyclomine	500+20 mg	Secnidazole	500 mg/ 1gm	Esomeprazole & Domperidone	20 /10 mg
Tapentadol Hcl	50/75/100 mg	Tinidazole	500 mg	Esomeprazole Mag. Di & Trihydrate	20/40 mg
Paracetamol	325/500 mg	ARV PRODUCT		Hyoscine Butylbromide	10 mg
ANTI BACTERIAL		Abacavir+lamivudine	300+150/600+300 mg	Lansoprazole	30 mg
Azithromycin	100/250/500 mg	Atazanavir + Ritonavir	300+100 mg	Loperamide	2 mg
Azithromycin dry sup.	200/ 5 ml	Darunavir (DRV)	600 mg	Omeprazole	20 mg
Ciprofloxacin	250/500 mg	Efavirenz	200+90/600+90 mg	Ondansetron	4 /8 mg
Ciprofloxacin + Tinidazole	500 + 600 mg	Emtricitabine +Tenofovir	200+300 mg	Pantoprazole + Domperidone	40+10 mg
Clarithromycin	250/500 mg	Famciclovir	250/500 mg	Rabeprazole + Domperidone	20+10 mg
Clindamycin	150/300/ 600 mg	Lamivudine +Zidovudine + Efavirenz	150+300+600 mg	Rabeprazole Sodium	20 mg
Doxycycline	100 mg	Lamivudine + Zidovudine	150+300 mg	Ranitidine	150 / 300 mg
Erythromycin Stearate	250/500 mg	Sofosbuvir	150/200/300/400 mg	Ranitidine Hcl + Domperidone	150+10 mg
Esomeprazole+Clarithromycin+Tinidazole	40+250+500 gm kit	CARDIOVASCULAR DRUGS		Ursodeoxycholic Acid	300 / 150 mg
Fluconazole+Azithromycin+Secnidazole	150+1+1gm kit	Amlodipine	5/10 mg	NEPHROLOGY & UROLOGY	
Lansoprazole+Clarithromycin+Tinidazole	30+250+500 gm kit	Amlodipine Besylate + Lisinopril	5 + 5 mg	Alpha Ketoanalogue & Essential Amino Acids	
Omeprazole+Clarithromycin+Tinidazole	20+250+500 gm kit	Amlodipine Besylate and Atenolol	5 + 10 mg	Deferasirox	100/400/250/500 mg
Levofloxacin	250/500 mg	Amlodipine + Valsartan + HCT	10+160 + 25 mg	Febuxostat	40/80 mg
Lincomycin	250/500 mg	Atorvastatin	10/20 mg	Finasteride	1/5 mg
Moxifloxacin	400 mg	Atorvastatin + Ezetimibe	10 + 10 mg	Sevelamer Carbonate	400/800 mg
Norfloxacin	400mg	Atorvastatin + Fenofibrate	10 +160 mg	Sevelamer Hydrochloride	400/800 mg
Ofloxacin+Ornidazole	200 + 500 mg	Bosentan	62.5/125 mg	Tamsulosin + Dutasteride	400+500 mcg
Sparfloxacin	200 /400 mg	Captopril	25/50 mg	Tamsulosin HCL + Finasteride	400 mcg+5 mg
ANTI COLD, ANTI ALLERGIC		Clopidogrel	75 mg	Tamsulosin HCL	400 mcg
Chlorpheniramine	8/4 mg	Dronedarone (as Hydrochloride)	25 mg	STEROIDAL ANTI INFLAMMATORY	
Cetirizine	10 mg	Enalapril	2.5/5/10/20 mg	Betamethasone	0.5 mg
Desloratadine	5 mg	Eplerenone	25/50 mg	Deflazacort	1/6/18/30 mg
Fexofenadine Hcl	60/120/180 mg	Fenofibrate	145/160/200 mg	Dexamethasone	0.5/ 1 mg/4 mg/ 8 mg
Levocetirizine	5/10 mg	Irbesartan	150/300mg	Prednisolone	5/10 mg
Levocetirizine hcl + Montelukast	5+10 mg	Irbesartan + Hydrochlorothiazide	150+12.5 mg	VITAMINS AND MINERALS	
Loratadine	10 mg	Lisinopril	5/10 mg	Ascorbic Acid Tablets	100/500mg
Montelukast	5/10 mg	Lisinopril + Amlodipine	5+10/10+10 mg	Calcium Carbonate (500 mg) With Vitamin D3	---
Paracetamol (500 mg) + Phenylephrine hydrochloride (5 mg) + Cetirizine + Zinc Gluconate		Losartan + Hydrochlorothiazide	50 +12.5 mg	Colecalciferol Granules	1 g
Paracetamol, Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & CPM Tablets Kit		Losartan Potassium	25/50 mg	Ferrous sulphate (100 mg) and Folic acid	0.5 mg
ANTI DIABETICS		Methyldopa	250 mg	Folic Acid	5 mg
Glibenclamide	2.5/ 5 mg	Nebivolol	2.5 mg	Multivitamin	---
Gliclazide	30/80 mg	Nifedipine ER	5/10/20 mg		
Glimepiride	1/ 2/4 mg	Perindopril	2.5/5/10 mg		
Glibenclamide + Metformin	5/500 mg	Ramipril	5/10mg		
Glimepiride + Metformin	2 /500 mg	Rosuvastatin	10/20mg		
Glimepiride + Pioglitazone +Metformin	2+15+500 mg	Rosuvastatin + Ezetimibe	20 +10 mg		
Metformin	500/850/1000 mg	Rosuvastatin + Micronised Fenofibrate	10 + 67 mg		
Pioglitazone HCL + Metformin HCL	15 +500 mg ER	Simvastatin	5/10/20 mg		
Sitagliptin + Metformin	50+500 mg	Simvastatin + Ezetimibe	10 +10 mg		
Sitagliptin	25/50/100 mg	Telmisartan	20/40/80 mg		
Voglibose + Metformin HCL	2+500 mg SR	Telmisartan + Hydrochlorothiazide	40+12.5 mg		
Voglibose Mouth Dissolving	0.2/0.3 mg	Valsartan	80/160/320 mg		
		Valsartan + Hydrochlorothiazide	160+12.5mg		

Facilities Accredited

WHO-GMP & ISO 9001 for Quality System



Globela® Pharma Pvt. Ltd.
 "Every Life Is Precious"



GLOBAL PRESENCE



AFRICA

- | | | | | |
|----------|--------|-------------|-------------|-------|
| Nigeria | Kenya | Ivory Coast | Tanzania | Benin |
| Ghana | Uganda | Senegal | Togo | Niger |
| Ethiopia | Malawi | Rwanda | South Sudan | Mali |

LATIN AMERICA / CIS

- | | | | | |
|-----------|------------|------------|------------|------------|
| Ecuador | Chile | Paraguay | Colombia | Bosnia |
| Venezuela | Peru | Guyana | Bolivia | Gautemala |
| Armenia | Tajikistan | Kyrgyzstan | Uzbekistan | Costa Rica |

MIDDLE EAST

- | | | | |
|-------|------|------|-------|
| Yemen | Iraq | Iran | Syria |
|-------|------|------|-------|

ASIA

- | | | | |
|-----------|---------|-------------|-------|
| Sri Lanka | Myanmar | Philippines | India |
| Cambodia | Vietnam | Afghanistan | Nepal |

CERTIFICATIONS & AWARDS



Dun & Bradstreet



ISO



GMP



WHO-GMP



UBM-INDIA AWARD

Globela Pharma Pvt. Ltd.

Regd. Off. :
 Plot-357, 358, Sachin GIDC, Surat-394230, Gujarat, India
 Tel. : +91-261-2398058/59. Website : www.globelapharma.com
 Email : info@globelapharma.com

Globela Pharma LLC

Office :
 P.O. BOX 8236, JERSEYCITY, NJ-07308
 Cell : +1(917) 724-1489
 Email : priyank@globelapharma.com