



**HASCO-LEK**  
Reliable medicines since 1984

# About Hasco Group



## Dear Business Partners,

Allow us to introduce HASCO, a family-owned group of companies covering various sectors of pharmaceutical industry and healthcare services for almost 40 years.

Our group includes drug manufacturing plants, R&D center, distribution center and hospitals, among others. Since the creation of the oldest part of the group, Hasco-Lek, we have endeavoured to become pharma and healthcare leader, delivering top quality products, services and solutions, fulfilling the needs and expectations of patients and business partners.

We have built our business on important values in order to be perceived as a reliable, fair and valued employer, engaging the staff who is both talented and open to new challenges.

Currently, being driven by the idea of extending our business to international markets, we are seeking partners who have similar priorities to HASCO group, which are health and safety of patients as well as well as familial relations with employees.

We aim at developing your current business into new heights by supporting it with our capital, know-how and proven portfolio. We invite you to share our values through cooperation based on a win-win principle.

We hope that next pages will be a pleasant reading, convincing you that trust in Hasco Group will be beneficial for you and your employees.

Sincerely,

Agnieszka Han  
Vice President of the Management Board at Hasco-Lek

Tomasz Han, Ph.D.  
Vice President of the Management Board at Hasco-Lek

Maciej Podraza  
Vice President of the Management Board at Hasco-Lek



# Since 1984

1984

 **HASCO-LEK**

Pharmaceutical Production Company HASCO-LEK was established by Dr. Stanisław Han as a privately-owned and fully independent company.

1990-1991



Start of registered drugs production.

1999



Soft Gelatine Capsules Department was opened.

2000



Opening of new building on Zmigrodzka street, where the headquarters is located (administrations Staff).

The first Polish company to be granted the Good Manufacturing Certificate, confirming the European production standard.

Tablets Department was launched.

2002



The company is the first to encapsulate a liquid substance – loratadine in a soft capsule. This is how antihistamine Loratan was developed. To this day, it is the only such a product on the Polish market.

2003



The Manufacturer's Pharmaceutical Distribution Centre PROCEFAR Ltd. dedicated to local sales was established.

2006



Establishment of the HASCO-LEK Foundation.

Signing of an agreement between the Medical University of Wrocław and Hasco-Lek, regarding the creation of a new specialty at the Faculty of Pharmacy – Industrial pharmacy. This is the first undertake of this type in the country.

2010




Marks the start of newly equipped GMP-certified manufacturing plant of liquid forms in Wrocław – Siechnice district.

2017



Opening of Vratislavia Medica – St John Paul II Hospital in Wrocław. It's one of the most modern medical centres in Poland.

2018



New office of the company in Warsaw, for:

- sales, marketing and business development
- registration and reimbursement
- medical team.

2019




Hasco-Lek celebrates 35th anniversary.

2022



2022: Hasco Group was actively involved in helping Ukraine after the Russian invasion by providing care for refugees and support for people who stay in Ukraine by providing access to essential medicines.

2023



Change of Hasco-Lek S.A. Management Board to next generation of the Han family, Agnieszka Han, Tomasz Han, and long-time employee Maciej Podraza.



**100%**  
POLISH  
CAPITAL



**43**  
TRADE DESTINATIONS  
ALL AROUND THE WORLD



**97%**  
OF STAFF EMPLOYED  
UNDER A CONTRACT  
OF EMPLOYMENT



**350**  
PRODUCTS  
IN OUR PORTFOLIO



**1000**  
EMPLOYEES



**2**  
MODERN  
PRODUCTION PLANTS




**2**  
OFFICES IN KEY  
BUSINESS AREAS  
OF POLAND




**39**  
YEARS OF  
HISTORY

**European quality standards confirmed  
by well-know certification:**

**GMP [Good Manufacturing Practice]**  
**PN-EN ISO 13485:2016**  
**PN-EN-ISO 22000:2018**



**Hasco-Lek's value sales increased by 55% in the last 7 years.**



**Hasco-Lek keeps stable position among Top 10 companies selling OTC products.  
In 2023, Hasco-Lek ranks at 4th position on Polish market in terms of OTC product sales volume.**

Data source: IQVIA MAT07/2023  
Currency exchange rate: 1 EURO/4,5 PLN

# Business Cooperation

## Business development – we grow together with our Partners

From the beginning of its activities, Hasco-Lek has been open to setting long term business relations with companies seated in different countries. We have started from developing trade relations with partners closest to us in Europe, to later expand cooperation with companies from different continents. Today, we are proud to employ advanced cooperation models, partnering with major pharmaceutical companies from all over the world. Until now our products have been delivered to 43 countries. We are grateful to our business partners for their trust and keeping long term business relations, some of which date back over 20 years.

Companies who are interested in a cooperation can select from different business models:



### Distribution

We introduce Hasco-Lek products to foreign markets where they are sold under our own labels. Our products are

delivered to even the most remote regions of the world, like Libya and Vietnam which makes Hasco-Lek a brand recognizable across 15 distribution markets. Hasco-Lek is planning to strengthen its position in EU and Middle East markets by expanding presence of the most efficient medicine from the portfolio.



### In and out Licensing

From our broad portfolio, we have selected a list of CTD dossier products that are up to date with European GMP requirements.

We offer to license and supply our products with release by EU QP. Enabling our customers' sustainable growth is key for our out-licensing operations & we are offering to co-create value together with them. Apart from our own product development activities with our own resources, we are expanding our product portfolio through In-license, to deliver our customers new high-quality products, we invest in the acquisition of new dossiers.



### Private Label

We also manufacture products under external customers' brands, offering comprehensive support

for the production of pharmaceuticals, food supplements and cosmetics. This cooperation model is dedicated to major international companies, mostly from Western Europe.



### Contract Manufacturing

We support our clients, partners and distributors in establishing their new brands or expanding their current portfolio

with Hasco-Lek pharmaceuticals, food supplements and cosmetics with the proven formulas under private labels and customers' own brands.

# Production Capabilities

Manufacturing plant in Wroclaw with an area of 18 000 sq. m



Manufacturing plant in Siechnice with an area of 10 000 sq. m




## 8 modern forms of products:

- Soft gelatin capsules (including twist off)
- Syrups
- Suspensions
- Drops
- Tablets
- Ointments
- Gels
- Suppositories

## Flexible packaging:

- Unitary boxes with blisters
- Bottles
- Sachets
- Bulk
- Other forms per clients' request

## Number of products manufactured in 2022



We were the very first Polish pharmaceutical company to obtain an international Good Manufacturing Practice certificate. We completed the certification process back when it was not obligatory for Polish manufacturers. This allowed us to be one of the first Polish companies to expand our international reach even before Poland joined the European Union.

# Export Markets

Development of international sales allowed our products to reach as many as 43 countries. We plan on further expansion into new markets, including on other continents.



- |            |                |           |              |                |
|------------|----------------|-----------|--------------|----------------|
| Albania    | Czech Republic | Israel    | Netherlands  | Sweden         |
| Armenia    | Estonia        | Italy     | Norway       | Switzerland    |
| Australia  | Finland        | Jemen     | Portugal     | Turkey         |
| Austria    | France         | Latvia    | Romania      | Turkmenistan   |
| Azerbaijan | Georgia        | Libya     | Saudi Arabia | Ukraine        |
| Belarus    | Germany        | Lithuania | Serbia       | United Kingdom |
| Belgium    | Greece         | Macedonia | Slovakia     | Vietnam        |
| Bulgaria   | Hungary        | Moldova   | Slovenia     |                |
| Cyprus     | Ireland        | Mongolia  | Spain        |                |

# Our Portfolio

**KETOKAPS<sup>®</sup>**

**JUVIT<sup>®</sup>**

**MEL**

**Ulgix<sup>®</sup>**

**MENSIL<sup>®</sup>**

**Hascovir<sup>®</sup>**

**IBUM<sup>®</sup>**

Our brands, such as IBUM, Hascovir, Ulgix and Juvit, are well-known and trusted by patients throughout Poland. During almost 40 years of market presence, we have learnt a lot about the patients' needs and we are willing to share our know-how in effective promotion on the domestic market, as well as to combine it with the local experience of our partners to reach mutual success abroad. We are excited to present our best products on the next pages and invite you to initiate collaboration with our company. Our portfolio covers medicines, medical devices, food supplements and cosmetics in various forms (soft capsules, tablets, gels, ointments, liquids etc), from a range of therapeutic groups pain relief, cold&flu, anti-infectives, gastrointestinal system, venous circulation, allergies and children's health support.

**GRIPBLOCKER<sup>®</sup>**

**VALUSED<sup>®</sup>**

**Bioty<sup>®</sup>lek**

**Allefin<sup>®</sup>**

**DIH<sup>®</sup>**

**Hasco sept<sup>®</sup>**

**DESLODYNA<sup>®</sup>**



**Active ingredient/dosage:** (OTC) Levocetirizini dihydrochloridum 5 mg  
**Indication:** Symptomatic treatment of allergic rhinosinusitis




**Active ingredient/dosage:** (OTC) Diphenhydramini hydrochloridum 20 mg + Lidocaini hydrochloridum monohydricum 10 mg in 1 g  
**Indication:** Symptomatic treatment of inflammatory and allergic skin lesions associated with itching following insect bites and contact with plants, e.g. nettle

**Active ingredient/dosage:** (OTC) Desloratadinum 2,5 mg, 5 mg  
**Indication:** To relieve symptoms related to: allergic rhinitis and hives



**Active ingredient/dosage:** (RX) Desloratadinum 2,5 mg, 5 mg  
**Indication:** To relieve symptoms related to: allergic rhinitis and hives



**Active ingredient/dosage:** (OTC) Aciclovir 50 mg/g  
**Indication:** Cold sores infections caused by Herpes Simplex Virus



**Active ingredient/dosage:** (OTC) Aciclovir 50 mg/g  
**Indication:** Cold sores infections caused by Herpes Simplex Virus



**Active ingredient/dosage:** (RX) Aciclovir 800 mg  
**Indication:** Chickenpox and shingles infections caused by Varicella-Zoster Virus



**Active ingredient/dosage:** (OTC) Aciclovir 200 mg, 400 mg  
**Indication:** Cold sores infections caused by Herpes Simplex Virus





**Active ingredient/dosage:** (MD) Simethicone 147 mg/ml

**Indication:** Flatulence and colic



**Active ingredient/dosage:** (OTC) 1 ml (about 20 drops) contains Vitamin C 100 mg, 1 drop contains about 5 Mg of Vitamin C

**Indication:** Vitamin C deficiency, especially in artificially fed infants, diet low in vitamin C, scurvy, Moeller-Barlow's disease, during convalescence



**Active ingredient/dosage:** (OTC) One drop contains 0,025 mg cholecalciferol (corresponds to 500 IU vitamin D3)

**Indication:** Vitamin D and mineral deficiency



**Active ingredient/dosage:** (RX) One drop contains 0,0125 mg cholecalciferol (corresponds to 500 IU vitamin D3)

**Indication:** Vitamin D and mineral deficiency



**Active ingredient/dosage:** (DS) Vegetable oil MCT Cholecalciferol (Vitamin D3) 400 i.u. (in 2 pump doses) DL- tocopherol – antioxidant, Vitamin D3

**Indication:** Supplementation in breastfed newborns and infants



**Active ingredient/dosage:** (OTC) Paracetamol 300 mg, Pseudoephedrine 30 mg, Dextromethorphan 12 mg

**Indication:** Short-term treatment of symptoms of colds, flu, flu-like symptoms, sinusitis (fever, runny nose, cough, headache, sore throat, muscle pain and joint pain)



**Active ingredient/dosage:** (OTC) Benzydamine Hydrochloride 1,5 mg/g, 3mg/ml

**Indication:** Pharyngitis, inflammation of oral mucosa and throat



**Active ingredient/dosage:** (OTC) Benzydamine Hydrochloride 3 mg

**Indication:** Pharyngitis, inflammation of oral mucosa and throat





**Active ingredient/dosage:** (MD) Simethicone 80 mg, 240 mg

**Indication:** Accumulation of gases in the stomach and intestines, feeling of fullness, flatulence, belching, before diagnostic examinations in the abdominal cavity using imaging techniques (e.g. ultrasound and endoscopy)



**Active ingredient/dosage:** (OTC) Nifuroxazide 100 mg, 200 mg

**Indication:** Acute or chronic diarrhea in the course of bacterial infections of the gastrointestinal tract



**Active ingredient/dosage:** (RX) Nifuroxazide 220 mg/5 ml

**Indication:** Acute or chronic diarrhea in the course of bacterial infections of the gastrointestinal tract



**Active ingredient/dosage:** (RX) Tadalafil 2,5 mg, 5 mg, 20 mg

**Indication:** Erectile dysfunction, benign prostatic, pulmonary hypertension

**Active ingredient/dosage:** (OTC) Tadalafil 10 mg

**Indication:** Erectile dysfunction, pulmonary hypertension



# Pain relief



**Active ingredient/dosage:** (OTC) Ibuprofen 200 mg, 400 mg, 600 mg

**Indication:** Headaches, migraine, fever, muscle and joint pains, neuralgias, menstrual pains, toothaches, post-injury pains

**Active ingredient/dosage:** (OTC) Ibuprofen 200 mg/ 400 mg, Pseudoephedrine Hydrochloride 30 mg/ 60 mg

**Indication:** Symptoms of blocked nose and nasal sinuses with headache and pain caused by blocked sinuses



**Active ingredient/dosage:** (OTC/RX) Ketoprofen 25 mg, 50 mg, 100 mg

**Indication:** Symptomatic treatment of acute pain of various origins



**Active ingredient/dosage:** (OTC) Ibuprofen 200 mg/5 ml

**Indication:** Fever, pain of various origin (headache, throat and muscle pain, toothache, post-surgery pain, dental pain due to teething, post-injury pain, ear pain occurring in the middle ear inflammation)



**Active ingredient/dosage:** (OTC/RX) Meloxicam 7,5 mg, 15 mg

**Indication:** Muscle, joint and bone pains related to rheumatoid diseases and degenerative joint disease



**Active ingredient/dosage:** (OTC) Diclofenac 2%

**Indication:** Muscle and joint pains, post injury pain, sport injuries, back pain, osteoarthritis

# Venous circulation



**Active ingredient/dosage:** (OTC) Diosmin Micronized 1000 mg, 500 mg

**Indication:** Chronic venous insufficiency



**Active ingredient/dosage:** (OTC) Calcium Dobesilate Monohydrate 250 mg, 500 mg

**Indication:** Chronic venous insufficiency



## PRODUCT LIST

### ALLERGIES

#### ATC: D 04 AB 01

**Product name** Allefin, gel  
**Active ingredient/dosage** Diphenhydramini hydrochloridum 20 mg + Lidocaini hydrochloridum monohydricum 10 mg in 1 g  
**Status** OTC  
**Indication** Symptomatic treatment of allergic and inflammatory skin lesions accompanied by itching resulting from insect bites and contact with certain plants, e.g. nettle, jellyfish burns  
**Packaging and form** Tube of 5 g, 30 g  
**Classification** WEU

#### ATC: R 06 AE 09

**Product name** Allefin Allergy, coated tablets  
**Active ingredient/dosage** Levocetirizini dihydrochloridum 5 mg  
**Status** OTC  
**Indication** Symptomatic treatment of allergic rhinitis and urticaria  
**Packaging and form** Unit box of 10 coated tablets  
**Classification** Generic

#### ATC: A 12 AA 20

**Product name** Calcium Hasco (raspberry and strawberry flavour), syrup  
**Active ingredient/dosage** Calcium gluconolactobionate anhydrous 29,4 g/100 ml, Calcium lactobionate dihydrate 6,4 g/100 ml (115,6 mg Ca<sup>2+</sup>/5 ml)  
**Status** OTC  
**Indication** Calcium deficiency in the body, e.g. during pregnancy or lactation, in the treatment of osteoporosis, as an auxiliary in the treatment of allergy symptoms  
**Packaging and form** Bottle of 150 ml  
**Classification** WEU

**Product name** Calcium Hasco Allergy (without artificial colorants and flavoring substances), syrup  
**Active ingredient/dosage** Calcium gluconolactobionate anhydrous 29,4 g/100 ml, calcium lactobionate dihydrate 6,4 g/100 ml (115,6 mg Ca<sup>2+</sup>/5 ml)  
**Status** OTC  
**Indication** Calcium deficiency in the body, e.g. during pregnancy or lactation, in the treatment of osteoporosis, as an auxiliary in the treatment of allergy symptoms  
**Packaging and form** Bottle of 150 ml  
**Classification** WEU

#### ATC: D 07 AD 01

**Product name** Clobetaxon, ointment  
**Active ingredient/dosage** Clobetasol 0,5 mg/g  
**Status** Rx  
**Indication** Symptomatic treatment of skin diseases reacting to corticosteroids; psoriasis; lichen planus, lupus erythematosus (DLE), and recurrent eczema  
**Packaging and form** Tube of 25 g  
**Classification** WEU

#### ATC: D 07 AC 13

**Product name** Mometaxon, ointment  
**Active ingredient/dosage** Mometaxon 1 mg/g  
**Status** Rx  
**Indication** Treatment of any inflammatory and itchy skin conditions that respond to topical glucocorticoid treatment, such as psoriasis, atopic dermatitis, and irritant or allergic contact dermatitis  
**Packaging and form** Tube of 15 g  
**Classification** WEU

#### ATC: R 06 AX 27

**Product name** Deslodine, coated tablets  
**Active ingredient/dosage** Desloratadinum 5 mg  
**Status** Rx  
**Indication** To relieve symptoms related to: allergic rhinitis and hives  
**Packaging and form** Unit box of 30, 90 coated tablets  
**Classification** Generic

**Product name** Deslodine fast junior, orally disintegrating tablets  
**Active ingredient/dosage** Desloratadinum 2,5 mg  
**Status** OTC  
**Indication** To relieve symptoms related to: allergic rhinitis and hives  
**Packaging and form** Unit box of 10 orally disintegrating tablets  
**Classification** Generic

**Product name** Deslodine fast, orally disintegrating tablets  
**Active ingredient/dosage** Desloratadinum 5 mg  
**Status** OTC  
**Indication** To relieve symptoms related to: allergic rhinitis and hives  
**Packaging and form** Unit box of 10 orally disintegrating tablets  
**Classification** Generic

**Product name** Deslodine, oral solution  
**Active ingredient/dosage** Desloratadinum 0,5 mg/ml  
**Status** Rx  
**Indication** To relieve symptoms related to: allergic rhinitis and hives  
**Packaging and form** Bottle of 60 ml, 150 ml  
**Classification** Generic

#### ATC: R 06 AA 04

**Product name** Clemastinum Hasco, tablets  
**Active ingredient/dosage** Clemastine 1 mg (in the form of Clemastine Fumarate)  
**Status** Rx  
**Indication** Relieving symptoms of skin allergies and allergic rhinitis  
**Packaging and form** Unit box of 30 tablets  
**Classification** Generic

**Product name** Clemastinum Hasco, syrup  
**Active ingredient/dosage** Clemastine 1 mg/10 ml (in the form of Clemastine Fumarate)  
**Status** Rx  
**Indication** Relieving symptoms of skin allergies and allergic rhinitis  
**Packaging and form** Bottle of 100 ml  
**Classification** Generic

#### ATC: R 06 AX 13

**Product name** Loratan pro, soft capsules

**Active ingredient/dosage** Loratadine 10 mg  
**Status** OTC  
**Indication** Symptomatic treatment of allergic rhinitis and chronic idiopathic urticaria  
**Packaging and form** Unit box of 10 soft capsules  
**Classification** Generic

**Product name** Loratan, soft capsules  
**Active ingredient/dosage** Loratadine 10 mg  
**Status** Rx  
**Indication** Symptomatic treatment of allergic rhinitis and chronic idiopathic urticaria  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Generic

#### ATC: R 03 AX 17

**Product name** Ketotifen Haso, syrup  
**Active ingredient/dosage** 5 ml of syrup contains: Ketotifen 1 mg (in the form of Ketotifen Hydrofumarate 1,38 mg)  
**Status** Rx  
**Indication** Prevention of bronchial asthma and for symptomatic treatment allergic rhinitis and allergic conjunctivitis  
**Packaging and form** Bottle of 100 ml  
**Classification** WEU

### ANTI-INFECTIVES

#### ATC: J 05 AB 01

**Product name** Hascovir Control, tablets  
**Active ingredient/dosage** Aciclovir 200 mg  
**Status** OTC  
**Indication** Cold sores and genital herpes infections caused by Herpes Simplex Virus  
**Packaging and form** Unit box of 25 tablets  
**Classification** Generic

**Product name** Hascovir Control MAX, tablets  
**Active ingredient/dosage** Aciclovir 400 mg  
**Status** OTC  
**Indication** Prevention of recurrence of Herpes Simplex Virus  
**Packaging and form** Unit box of 30, 60 tablets  
**Classification** Generic

**Product name** Hascovir, tablets  
**Active ingredient/dosage** Aciclovir 200 mg  
**Status** Rx  
**Indication** Treatment of infections caused by the Varicella-Zoster Virus  
**Packaging and form** Unit box of 30 tablets  
**Classification** Generic

**Product name** Hascovir, tablets  
**Active ingredient/dosage** Aciclovir 400 mg  
**Status** Rx  
**Indication** Treatment of infections caused by the Varicella-Zoster Virus  
**Packaging and form** Unit box of 30 tablets  
**Classification** Generic

**Product name** Hascovir, tablets

**Active ingredient/dosage** Aciclovir 800 mg  
**Status** Rx  
**Indication** Treatment of infections caused by the Varicella-Zoster Virus  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

**Product name** Hascovir, oral suspension  
**Active ingredient/dosage** Aciclovir 200 mg/5 ml  
**Status** Rx  
**Indication** Treatment of skin infections and genital herpes infections caused by Herpes Simplex Virus, prevention of recurrence of Herpes Simplex Virus, treatment of infections caused by the Varicella-Zoster Virus  
**Packaging and form** Bottle of 150 ml  
**Classification** WEU

**Product name** Hascovir, oral suspension  
**Active ingredient/dosage** Aciclovir 400 mg/5 ml  
**Status** Rx  
**Indication** Treatment of skin infections and genital herpes infections caused by Herpes Simplex Virus, prevention of recurrence of Herpes Simplex Virus, treatment of infections caused by the Varicella-Zoster Virus  
**Packaging and form** Bottle of 150 ml  
**Classification** WEU

#### ATC: D 06 BB 03

**Product name** Hascovir pro, cream  
**Active ingredient/dosage** Aciclovir 50 mg/g  
**Status** OTC  
**Indication** Topical treatment of cold sores and herpetic lesions on the face caused by Herpes Simplex Virus  
**Packaging and form** Tube of 5 g  
**Classification** WEU

**Product name** Hascovir Lipogel, gel  
**Active ingredient/dosage** Aciclovir 50 mg/g  
**Status** OTC  
**Indication** Topical treatment of cold sores and herpetic lesions on the face caused by Herpes Simplex Virus  
**Packaging and form** Tube of 3 g lipogel  
**Classification** WEU

#### ATC: D 01 AC 01

**Product name** Clotrimazolom Hasco, cream  
**Active ingredient/dosage** Clotrimazol 10 mg/g  
**Status** OTC  
**Indication** Treatment of fungal skin infections, candidiasis of the skin, and mucous membranes of the external genital organs  
**Packaging and form** Tube of 20 g  
**Classification** Generic

#### ATC: D 01 AE 14

**Product name** Hascofungin, cream  
**Active ingredient/dosage** Ciclopirox Olamine 1 g/100 g  
**Status** OTC  
**Indication** Local treatment of mycosis of the skin  
**Packaging and form** Tube of 30 g  
**Classification** Generic

**Product name** Hascofungin, skin liquid  
**Active ingredient/dosage** Ciclopirox Olamine 10 mg/g  
**Status** OTC  
**Indication** Local treatment of mycosis of the skin  
**Packaging and form** Bottle of 30 ml  
**Classification** Generic

#### ATC: J 01 XE 03

**Product name** Furaginum Hasco, tablets  
**Active ingredient/dosage** Furazidinum 50 mg  
**Status** OTC  
**Indication** Treatment of acute and recurrent uncomplicated infections of the lower urinary tract  
**Packaging and form** Box of 30 tablets  
**Classification** WEU

**Product name** Furaginum Hasco Max, tablets  
**Active ingredient/dosage** Furazidinum 100 mg  
**Status** OTC  
**Indication** Treatment of acute and recurrent uncomplicated infections of the lower urinary tract  
**Packaging and form** Box of 30 tablets  
**Classification** WEU

#### ATC: J 02 AC 01

**Product name** Fluconazin, syrup  
**Active ingredient/dosage** Fluconazole 5 mg/ml  
**Status** Rx  
**Indication** Treatment of fungal infections  
**Packaging and form** Bottle of 150 ml  
**Classification** WEU

### CARDIOVASCULAR

#### ATC: C 07 AB 07

**Product name** Bicardef, coated tablets  
**Active ingredient/dosage** Bisoprolol Fumarate 5 mg or 10 mg  
**Status** Rx  
**Indication** Ischemic heart disease (angina pectoris)  
**Packaging and form** Unit box of 30, 60, 90 coated tablets  
**Classification** Generic

#### ATC: B 01 AC 06

**Product name** Anacard medica protect, gastro-resistant tablets  
**Active ingredient/dosage** Acidum acetylsalicylicum 75 mg  
**Status** OTC  
**Indication** Ischemic heart disease  
**Packaging and form** Unit box of 60 gastro-resistant tablets  
**Classification** WEU

**Product name** Anacard protect, gastro-resistant tablets  
**Active ingredient/dosage** Acidum acetylsalicylicum 150 mg  
**Status** OTC  
**Indication** Ischemic heart disease  
**Packaging and form** Unit box of 30, 60 gastro-resistant tablets  
**Classification** WEU

### CHILDREN'S HEALTH SUPPORT

#### ATC: A 11 GA 01

**Product name** Juvit C, oral drops  
**Active ingredient/dosage** 1 ml (about 20 drops) contains Vitamin C 100 mg, 1 drop contains about 5 mg of Vitamin C  
**Status** OTC  
**Indication** Treatment of vitamin C deficiency, especially for formula fed infants, scurvy, Moeller-Barlow's disease, during convalescence, and diet low in vitamin C  
**Packaging and form** Bottle of 40 ml  
**Classification** WEU

#### ATC: A 11 CC 05

**Product name** Juvit D3, 20 000IU/ml, oral drops  
**Active ingredient/dosage** One drop contains 0,0125 mg cholecalciferol (corresponds to 500 IU vitamin D3)  
**Status** Rx  
**Indication** Prevention and treatment of rickets, osteomalacia, and Vitamin D deficiency  
**Packaging and form** Bottle of 10 ml  
**Classification** WEU

**Product name** Juvit D3 Max, oral drops  
**Active ingredient/dosage** One drop contains 0,025 mg cholecalciferol (corresponds to 500 IU vitamin D3)  
**Status** OTC  
**Indication** Vitamin D and mineral deficiency  
**Packaging and form** Bottle of 10 ml  
**Classification** WEU

#### ATC: A 01 AD 11

**Product name** Bobodent, gel  
**Active ingredient/dosage** Lidocaine Hydrochloride Monohydrate 0,5 g/100 g (Excipients: Chamomile Dry Extract 0,5 g, Thyme Dry Extract 0,5 g)  
**Status** OTC  
**Indication** Topical treatment to relieve pain during teething, eruption of wisdom teeth, inflammation of the oral mucosa and gums  
**Packaging and form** Tube of 10 g  
**Classification** WEU

**Product name** Bobogast, oral emulsion  
**Active ingredient/dosage** Simethicone 147 mg/ml  
**Indication** Flatulence and colic  
**Packaging and form** Bottle of 40 g  
**Classification** Medical Device

**Product name** Juvit Baby D3, (with dispensing pump) oral drops  
**Active ingredient/dosage** Cholecalciferol (Vitamin D3) 10 µg (400 IU)/2 dispensing pump  
**Indication** Supplementation the daily diet with vitamin D. The product is recommended for infants from the first days after birth, regardless the way of feeding  
**Packaging and form** Bottle of 10 ml  
**Classification** Dietary supplement

### COLD & FLU

#### ATC: A 01 AD 02

**Product name** Hascosept Lemon-Honey or Mint flavor, lozenges  
**Active ingredient/dosage** Benzydamine Hydrochloride 3 mg  
**Status** OTC  
**Indication** Treatment of inflammation symptoms of the mouth and throat (pain, redness, swelling)  
**Packaging and form** Unit box of 8, 24 lozenges  
**Classification** Generic

**Product name** Hascosept Dental, oral spray  
**Active ingredient/dosage** Benzydamine Hydrochloride 1,5 mg/g  
**Status** OTC  
**Indication** Treatment of inflammation symptoms of the mouth and throat in bacterial and viral infections (pain, redness, swelling, canker sores), in conditions after surgery in laryngology and dentistry  
**Packaging and form** Bottle of 30 g with dispenser (spray)  
**Classification** Generic

**Product name** Hascosept Forte, oral spray  
**Active ingredient/dosage** Benzydamine Hydrochloride 3 mg/ml  
**Status** OTC  
**Indication** Treatment of inflammation symptoms of the mouth and throat in bacterial and viral infections (pain, redness, swelling, canker sores), in conditions after surgery in laryngology and dentistry  
**Packaging and form** Bottle of 30 ml with dispenser (spray)  
**Classification** Generic

**Product name** Hascosept, oral solution  
**Active ingredient/dosage** Benzydamine Hydrochloride 1,5 mg/g  
**Status** OTC  
**Indication** Pharyngitis, inflammation of oral mucosa and throat  
**Packaging and form** Bottle of 100 g  
**Classification** Generic

#### ATC: N 02 BE 01

**Product name** Paracetamol Hasco, coated tablets  
**Active ingredient/dosage** Paracetamol 500 mg  
**Status** OTC  
**Indication** Pain and fever of various origin  
**Packaging and form** Unit box of 6, 30 coated tablets  
**Classification** Generic

**Product name** Paracetamol Hasco, suspension  
**Active ingredient/dosage** Paracetamol 120 mg/5 ml  
**Status** OTC  
**Indication** Pain and fever of various origin  
**Packaging and form** Bottle of 150 g  
**Classification** WEU

**Product name** Paracetamol Hasco, suspension, orange flavor  
**Active ingredient/dosage** Paracetamol 120 mg/5 ml  
**Status** OTC  
**Indication** Pain and fever of various origin  
**Packaging and form** Bottle of 150 g  
**Classification** WEU

**Product name** Paracetamol Hasco Forte, suspension  
**Active ingredient/dosage** Paracetamol 240 mg/5 ml  
**Status** OTC  
**Indication** Pain and fever of various origin  
**Packaging and form** Bottle of 85 ml  
**Classification** WEU

#### ATC: N 02 BE 51

**Product name** Gripblocker Express, soft capsules  
**Active ingredient/dosage** Paracetamol 300 mg, Pseudoephedrine 30 mg, Dextromethorphan 12 mg (300 mg + 30 mg + 12 mg)  
**Status** OTC  
**Indication** Short-term treatment of symptoms of colds, flu, flu-like symptoms, sinusitis (fever, runny nose, cough, headache, sore throat, muscle pain and joint pain)  
**Packaging and form** Unit box of 10, 20 soft capsules  
**Classification** WEU

#### ATC: R 05 CB 06

**Product name** Ambroksol Hasco Max, coated tablets  
**Active ingredient/dosage** Ambroxol Hydrochloride 60 mg  
**Status** OTC  
**Indication** Acute and chronic lung and bronchi diseases, with disorder in mucus secretion and problems with its transport  
**Packaging and form** Unit box of 15 coated tablets  
**Classification** Generic

#### ATC: R 05 DB 13

**Product name** Natussic, syrup  
**Active ingredient/dosage** Butamirati Citras 7,5 mg/5 ml  
**Status** OTC  
**Indication** Symptomatic treatment of cough of various origins  
**Packaging and form** Bottle 100 ml, 200 ml  
**Classification** Generic

#### ATC: R 05 DA 09

**Product name** Tussidex, soft capsules  
**Active ingredient/dosage** Dextromethorphan Hydrobromide 30 mg  
**Status** OTC  
**Indication** Symptomatic treatment of acute, dry cough  
**Packaging and form** Unit box of 10 soft capsules  
**Classification** WEU

#### ATC: R 03 CC 02

**Product name** Salbutamol Hasco, syrup  
**Active ingredient/dosage** Salbutamol 2 mg/5 mg  
**Status** Rx  
**Indication** Treatment of bronchial spasms in the course of bronchial asthma and in reversible airway obstruction  
**Packaging and form** Bottle of 100 ml  
**Classification** WEU

#### ATC: R 01 BA 52

**Product name** ACTI-trin, syrup  
**Active ingredient/dosage** Triprolidine HCL 1,25 mg, Pseudoephedrine HCL 30 mg, Dextromethorphan Hydrobromide 10 mg in 5 ml  
**Status** OTC

**Indication** Symptomatic treatment of influenza, common cold and other upper respiratory tract infections  
**Packaging and form** Bottle of 100 ml  
**Classification** WEU

## DIGESTIVE SYSTEM

### ATC: A 07 AX 03

**Product name** Nifuroksazyd Hasco, coated tablets  
**Active ingredient/dosage** Nifuroxazide 100 mg  
**Status** OTC  
**Indication** Acute or chronic diarrhea in the course of bacterial infections of the gastrointestinal tract  
**Packaging and form** Unit box of 24 coated tablets  
**Classification** Generic

**Product name** Nifuroksazyd 200 Hasco, coated tablets  
**Active ingredient/dosage** Nifuroxazide 200 mg  
**Status** OTC  
**Indication** Acute or chronic diarrhea in the course of bacterial infections of the gastrointestinal tract  
**Packaging and form** Unit box of 12 coated tablets  
**Classification** Generic

**Product name** Nifuroksazyd Hasco, oral suspension  
**Active ingredient/dosage** Nifuroxazide 220 mg/5 ml  
**Status** Rx  
**Indication** Acute or chronic diarrhea in the course of bacterial infections of the gastrointestinal tract  
**Packaging and form** Bottle of 100 g  
**Classification** Generic

### ATC: A 06 AD 11

**Product name** Lactulosum Hasco, syrup  
**Active ingredient/dosage** 5 ml of syrup contains: Lactulose 2,5 mg  
**Status** OTC  
**Indication** Constipation, prevention and treatment of hepatic encephalopathy  
**Packaging and form** Bottle of 150 ml, 500 ml  
**Classification** WEU

### ATC: A 03 AD 02

**Product name** Spastyna Max, tablets  
**Active ingredient/dosage** Drotaverine 80 mg  
**Status** OTC  
**Indication** Smooth muscle contractions related to bile ducts diseases (e.g. cholelithiasis), supplementary in contractions of alimentary tract (e.g. gastritis), smooth muscles of urinary tract (e.g. kidney stones), and gynecological diseases (e.g. painful menstruation)  
**Packaging and form** Unit box of 20 tablets  
**Classification** WEU

### ATC: L 02 AB 01

**Product name** Megastril, suspension  
**Active ingredient/dosage** Megestrol Acetate 40 mg/ml  
**Status** Rx  
**Indication** Treatment of loss of appetite (anorexia) or weight loss as a

result of cancer or acquired immunodeficiency syndrome (AIDS)  
**Packaging and form** Bottle of 240 ml  
**Classification** Generic

**Product name** Ulgix - Flatulence, soft capsules  
**Active ingredient/dosage** Simethicone 80 mg/ capsule  
**Indication** Accumulation of gases in the stomach and intestines, feeling of fullness, flatulence, belching, before diagnostic examinations in the abdominal cavity using imaging techniques (e.g. ultrasound and endoscopy)  
**Packaging and form** Unit box of 25, 100 soft capsules  
**Classification** Medical Device

**Product name** Ulgix - Flatulence Max, soft capsules  
**Active ingredient/dosage** Simethicone 240 mg/capsule  
**Indication** Accumulation of gases in the stomach and intestines, feeling of fullness, flatulence, belching, before diagnostic examinations in the abdominal cavity using imaging techniques (e.g. ultrasound and endoscopy)  
**Packaging and form** Unit box of 15, 30 soft capsules  
**Classification** Medical Device

**Product name** Gastrobutin IBS, controlled and sustained release tablets  
**Active ingredient/dosage** Sodium Butyrate 200 mg/ tablet  
**Indication** Short-chain fatty acid deficiency in diet  
**Packaging and form** Unit box of 30 and 60 modified release enteric-coated tablets  
**Classification** Dietary Supplement

**Product name** Liveran Complete, soft capsules  
**Active ingredient/dosage** Schisandra Chinensis extract 40 mg, Artichoke Extract 75 mg, Choline 82,5 mg, Silybum Marianum extract 6,3 mg, (Including Silymarin 5 mg) Vit. B2 1 mg Vit. B1 1 mg/ capsule  
**Indication** Product ingredients support the proper liver activity and digestion process  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary Supplement

## ERECTILE DISORDER

### ATC: G 04 BE 08

**Product name** Menero MED, coated tablets  
**Active ingredient/dosage** Tadalafil 2,5 mg  
**Status** Rx  
**Indication** Treatment of erectile dysfunction in adult men  
**Packaging and form** Unit box of 10, 12 coated tablets  
**Classification** Generic

**Product name** Menero MED, coated tablets  
**Active ingredient/dosage** Tadalafil 5 mg  
**Status** Rx  
**Indication** Treatment of erectile dysfunction and benign prostatic hyperplasia in adult men  
**Packaging and form** Unit box of 28 coated tablets  
**Classification** Generic

**Product name** Menero MED, coated tablets

**Active ingredient/dosage** Tadalafil 20 mg  
**Status** Rx  
**Indication** Treatment of erectile dysfunction, idiopathic pulmonary arterial hypertension associated with collagen vascular disease in adult men  
**Packaging and form** Unit box of 4 coated tablets  
**Classification** Generic

**Product name** Tadalafil Mensil, film-coated tablets  
**Active ingredient/dosage** Tadalafil 10 mg  
**Status** OTC  
**Indication** Treatment of erectile dysfunction in adult men  
**Packaging and form** Unit box of 2 coated tablets  
**Classification** Generic

## NERVOUS SYSTEM

### ATC: N 05 AL 05

**Product name** Amipryd, tablets  
**Active ingredient/dosage** Amisulpride 100 mg, 200 mg, 400 mg  
**Status** Rx  
**Indication** Treating of acute and chronic schizophrenia  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

### ATC: N 05 AA 03

**Product name** Promazine Hasco, coated tablets  
**Active ingredient/dosage** Promazine hydrochloride 25 mg, 50 mg, 100 mg  
**Status** Rx  
**Indication** Short-term adjunctive treatment of moderate to severe psychomotor agitation  
**Packaging and form** Unit box of 60 coated tablets  
**Classification** WEU

### ATC: N 07 CA 02

**Product name** Cinnarizinum Hasco, tablets  
**Active ingredient/dosage** Cinnarizine 25 mg  
**Status** Rx  
**Indication** Treatment of cerebral circulation disorders, Meniere's disease, prevention of motion sickness  
**Packaging and form** Unit box of 50 tablets  
**Classification** Generic

### ATC: N 06 BX 03

**Product name** MemoniQ, coated tablets  
**Active ingredient/dosage** Piracetam 1200 mg  
**Status** Rx  
**Indication** Treatment of myoclonus, dyslexic disorders in children, dizziness of central and peripheral origin.  
**Packaging and form** Unit box of 60 coated tablets  
**Classification** WEU

### ATC: N 06 BX 18

**Product name** Vincetan, tablets  
**Active ingredient/dosage** Vinpocetine 5 mg  
**Status** Rx  
**Indication** Treatment of chronic cerebral circulation insufficiency  
**Packaging and form** Unit box of 100 tablets

**Classification** Generic

**Product name** Vincetan Forte, tablets  
**Active ingredient/dosage** Vinpocetine 10 mg  
**Status** Rx  
**Indication** Treatment of chronic cerebral circulation insufficiency  
**Packaging and form** Unit box of 90 tablets  
**Classification** Generic

### ATC: N 05 BB 01

**Product name** Hydroxyzinum Hasco, coated tablets  
**Active ingredient/dosage** Hydroxyzine hydrochloride 10 mg  
**Status** Rx  
**Indication** Symptomatic treatment of anxiety in adults and pruritus, premedication before surgery  
**Packaging and form** Unit box of 30 coated tablets  
**Classification** WEU

**Product name** Hydroxyzinum Hasco, coated tablets  
**Active ingredient/dosage** Hydroxyzine hydrochloride 25 mg  
**Status** Rx  
**Indication** Symptomatic treatment of anxiety in adults and pruritus, premedication before surgery  
**Packaging and form** Unit box of 30 coated tablets  
**Classification** WEU

**Product name** Hydroxyzinum Hasco, syrup  
**Active ingredient/dosage** Hydroxyzine Hydrochloride 10 mg/5 ml  
**Status** Rx  
**Indication** Symptomatic treatment of anxiety in adults and pruritus, premedication before surgery  
**Packaging and form** Bottle of 200 ml  
**Classification** WEU

### ATC: N 05 AB 10

**Product name** Perazin, tablets  
**Active ingredient/dosage** 1 tablet of Perazin contains 42.1 mg of perazine dimaleate, which corresponds to 25 mg of perazine  
**Status** Rx  
**Indication** Treatment of various forms of schizophrenia and acute psychotic disorders  
**Packaging and form** Unit box of 20, 30, 50 tablets  
**Classification** WEU

**Product name** Perazin, tablets  
**Active ingredient/dosage** 1 tablet of Perazin contains 84.2 mg of perazine dimaleate, which corresponds to 50 mg of perazine  
**Status** Rx  
**Indication** Treatment of various forms of schizophrenia and acute psychotic disorders  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

**Product name** Perazin, tablets  
**Active ingredient/dosage** 1 tablet of Perazin contains 168.4 mg of perazine dimaleate, which corresponds to 100 mg of perazine  
**Status** Rx  
**Indication** Treatment of various forms of schizophrenia and acute

psychotic disorders  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

**Product name** Perazin, tablets  
**Active ingredient/dosage** 1 tablet of Perazin contains 336.8 mg of perazine dimaleate, which corresponds to 200 mg of perazine.  
**Status** Rx  
**Indication** Treatment of various forms of schizophrenia and acute psychotic disorders  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

#### ATC: N 05 AL 01

**Product name** Sulpiryd Hasco, tablets  
**Active ingredient/dosage** Sulpiride 50 mg, 100 mg, 200 mg  
**Status** Rx  
**Indication** Treatment of: acute and chronic psychoses occurring in schizophrenia  
**Packaging and form** Unit box of 24, 30 tablets  
**Classification** WEU

#### ATC: N 05 AH 02

**Product name** Clozapine Hasco, tablets  
**Active ingredient/dosage** Clozapinum 25mg, 100 mg  
**Status** Rx  
**Indication** Treatment in treatment-resistant schizophrenia, psychosis in Parkinson's disease  
**Packaging and form** Unit box of 50, 100 tablets  
**Classification** Generic

#### ATC: N 05 CM

**Product name** Valused, oral liquid  
**Active ingredient/dosage** Passiflorae herbae tinctura + Lupuli floris tinctura + Valerianae radiceis intractum (420 mg + 336 mg + 42 mg)/ml  
**Status** OTC  
**Indication** Helpful in periodic states of nervous tension and periodic difficulties in falling asleep due to nervousness  
**Packaging and form** Bottle of 90 g  
**Classification** Traditional Herbal Medicinal Product

**Product name** Valused Night Plus, coated tablets  
**Active ingredient/dosage** Valerianae extractum hydroalcoholicum siccum 154 mg + Lupuli floris extractum siccum 34,75 mg + Passiflorae herbae extractum siccum 20 mg  
**Status** OTC  
**Indication** Helpful in nervous tension caused by stress, and in periodic difficulties in falling asleep due to nervousness  
**Packaging and form** Unit box of 30 coated tablets  
**Classification** Traditional Herbal Medicinal Product

### PAIN RELIEF

#### ATC: M 01 AE 01

**Product name** IBUM Sprint, soft capsules  
**Active ingredient/dosage** Ibuprofen 200 mg

**Status** OTC  
**Indication** Pains of various origins of weak to moderate intensity: headaches, migraine, fever, muscle and joint pains, neuralgias, toothaches, post-injury pains, menstrual pains  
**Packaging and form** Unit box of 10, 30, 60 soft capsules  
**Classification** Generic

**Product name** Ibum Express Forte, soft capsules  
**Active ingredient/dosage** Ibuprofen 400 mg  
**Status** OTC  
**Indication** Pains of various origins of weak to moderate intensity: headaches, migraine, fever, muscle and joint pains, neuralgias, toothaches, post-injury pains, menstrual pains  
**Packaging and form** Unit box of 12, 24, 36 soft capsules  
**Classification** Generic

**Product name** IBUM Supermax, soft capsules  
**Active ingredient/dosage** Ibuprofen 600 mg  
**Status** OTC  
**Indication** Acute, moderate pain of various origins: headaches, migraine, fever, muscle and joint pains, neuralgias, menstrual pains, toothaches, post-injury pains  
**Packaging and form** Unit box of 10 soft capsules  
**Classification** WEU

**Product name** IBUM for children, suppositories  
**Active ingredient/dosage** Ibuprofen 60 mg or 125 mg  
**Status** OTC  
**Indication** Pains of various origins of weak to moderate intensity: headache, throat and muscle pain, toothaches, post-surgery pain, dental pain due to teething, post-injury pain, ear pain occurring in the middle ear inflammation; febrile conditions in the course of influenza  
**Packaging and form** Unit box of 10 suppositories  
**Classification** WEU

**Product name** IBUM Forte, suspension (raspberry and strawberry, pure flavor)  
**Active ingredient/dosage** Ibuprofen 200 mg/5 ml  
**Status** OTC  
**Indication** Febrile conditions in the course of influenza, colds or other infectious diseases; pains of various origins of weak to moderate intensity: headaches, throat and muscle pains, toothaches, pains after dental procedures, teething pain, joint and bone pains, due to musculoskeletal injuries (e.g. sprains), ear pain occurring in the middle ear inflammation  
**Packaging and form** Bottle of 100 g  
**Classification** Generic

#### ATC: M 01 AE 51

**Product name** IBUM Sinuses, tablets  
**Active ingredient/dosage** Ibuprofen 200 mg, Pseudoephedrine Hydrochloride 30 mg  
**Status** OTC  
**Indication** Symptoms of blocked nose and nasal sinuses with headache and pain caused by blocked sinuses  
**Packaging and form** Unit box of 20 tablets  
**Classification** WEU

**Product name** IBUM Sinuses Max, tablets  
**Active ingredient/dosage** Ibuprofen 400 mg, Pseudoephedrine Hydrochloride 60 mg  
**Status** OTC  
**Indication** Symptoms of blocked nose and nasal sinuses with headache and pain caused by blocked sinuses  
**Packaging and form** Unit box of 12 tablets  
**Classification** WEU

#### ATC: M 02 AA 13

**Product name** IBUM Sport, gel  
**Active ingredient/dosage** Ibuprofen 50 mg/g, Levomenthol 30 mg/g  
**Status** OTC  
**Indication** Local anti-inflammatory and analgetic effect for treatment symptomatic myalgia, back pain, musculoskeletal disorders  
**Packaging and form** Tube of 50 g, 100 g  
**Classification** WEU

#### ATC: M 02 AA 15

**Product name** Mel Max Actigel  
**Active ingredient/dosage** Diclofenac 2%  
**Status** OTC  
**Indication** Topical treatment of post-traumatic inflammation of tendons, ligaments, muscles and joints, backpain, inflammation of soft tissues  
**Packaging and form** Tube 50 g, 100 g and 180 g  
**Classification** WEU

#### ATC: M 01 AC 06

**Product name** Mel, orally disintegrating tablets  
**Active ingredient/dosage** Meloxicam 7,5 mg  
**Status** OTC  
**Indication** Anti-inflammatory and analgesic drug used in osteoarticular, muscle pain in course of rheumatoid and degenerative joint diseases  
**Packaging and form** Unit box of 10, 20, 30 orally disintegrating tablets  
**Classification** WEU

**Product name** Mel Forte, orally disintegrating tablets  
**Active ingredient/dosage** Meloxicam 15 mg  
**Status** Rx  
**Indication** Short-term symptomatic treatment of exacerbations of osteoarthritis; long-term symptomatic treatment of rheumatoid arthritis  
**Packaging and form** Unit box of 20, 30 orally disintegrating tablets  
**Classification** WEU

#### ATC: M 01 AE 02

**Product name** Naproxen 250 Hasco, tablets  
**Active ingredient/dosage** Naproxenum 250 mg  
**Status** Rx  
**Indication** Rheumatoid arthritis, osteoarthritis, juvenile rheumatoid arthritis, ankylosing spondylitis, an acute attack of gout, pain of various origins of moderate intensity, fever  
**Packaging and form** Unit box of 30, 50 tablets  
**Classification** Generic

**Product name** Naproxen 500 Hasco, tablets  
**Active ingredient/dosage** Naproxenum 500 mg  
**Status** Rx

**Indication** Rheumatoid arthritis, osteoarthritis, juvenile rheumatoid arthritis, ankylosing spondylitis, an acute attack of gout, pain of various origins of moderate intensity, fever  
**Packaging and form** Unit box of 15, 30 tablets  
**Classification** Generic

#### ATC: M 02 AA 12

**Product name** Naproxen Hasco, gel  
**Active ingredient/dosage** Naproxenum 100 mg/g (10%)  
**Status** OTC  
**Indication** Muscle and joint pains, post injury pains, osteoarthritis, soft tissue injuries; joints and tendons injuries  
**Packaging and form** Tube of 50 g, 100g  
**Classification** WEU

**Product name** Naproxen, 1,2 % gel  
**Active ingredient/dosage** Naproxenum natricum 12 mg/g  
**Status** OTC  
**Indication** Muscle and joint pains, post injury pains, osteoarthritis, soft tissue injuries; joints and tendons injuries  
**Packaging and form** Tube of 50 g  
**Classification** WEU

#### ATC: M 01 AE 03

**Product name** Ketokaps, soft capsules  
**Active ingredient/dosage** Ketoprofen 25 mg  
**Status** OTC  
**Indication** Symptomatic treatment of acute pain of various origins  
**Packaging and form** Unit box of 30 capsules  
**Classification** WEU

**Product name** Ketokaps Max, soft capsules  
**Active ingredient/dosage** Ketoprofen 50 mg  
**Status** OTC  
**Indication** Symptomatic treatment of acute pain of various origins  
**Packaging and form** Unit box of 10, 20 capsules  
**Classification** WEU

**Product name** Ketokaps Med, soft capsules  
**Active ingredient/dosage** Ketoprofen 100 mg  
**Status** Rx  
**Indication** Symptomatic treatment of acute pain of various origins; osteoarthritis, rheumatoid arthritis and ankylosing spondylitis  
**Packaging and form** Unit box of 30, 60 capsules  
**Classification** WEU

### VENOUS CIRCULATION

#### ATC: C 05 CA 03

**Product name** DIH, coated tablets  
**Active ingredient/dosage** Diosmin Micronized 500 mg  
**Status** OTC  
**Indication** Treatment of chronic venous insufficiency; symptomatic treatment of haemorrhoids  
**Packaging and form** Unit box of 60 coated tablets  
**Classification** WEU

**Product name** DIH Max Comfort, coated tablets

**Active ingredient/dosage** Diosmin Micronized 1000 mg  
**Status** OTC  
**Indication** Treatment of chronic venous insufficiency; symptomatic treatment of haemorrhoids  
**Packaging and form** Unit box of 30 or 60 coated tablets  
**Classification** WEU

#### ATC: C 05 BX 01

**Product name** Calcium Dobesilate Hasco, tablets  
**Active ingredient/dosage** Calcium Dobesilate Monohydrate 250 mg  
**Status** Rx  
**Indication** Symptomatic treatment of chronic venous insufficiency, diabetic retinopathy.  
**Packaging and form** Unit box of 30 tablets  
**Classification** Generic

**Product name** Calcium Dobesilate Hasco, tablets  
**Active ingredient/dosage** Calcium Dobesilate Monohydrate 500 mg  
**Status** Rx  
**Indication** Treatment of clinical symptoms of chronic venous insufficiency, and non-proliferative diabetic retinopathy  
**Packaging and form** Unit box of 30 tablets  
**Classification** Generic

#### ATC: C 05 BX 01

**Product name** Dobenox, coated tablets  
**Active ingredient/dosage** Calcium Dobesilate Monohydrate 250 mg  
**Status** OTC  
**Indication** Treatment of chronic venous insufficiency; symptomatic treatment of haemorrhoids  
**Packaging and form** Unit box of 30 coated tablets  
**Classification** WEU

**Product name** Dobenox Forte, coated tablets  
**Active ingredient/dosage** Calcium Dobesilate Monohydrate 500 mg  
**Status** OTC  
**Indication** Treatment of chronic venous insufficiency; symptomatic treatment of haemorrhoids  
**Packaging and form** Unit box of 30, 60 coated tablets  
**Classification** WEU

#### ATC: C 05 BA 03

**Product name** Heparin-Hasco, gel  
**Active ingredient/dosage** Heparin 250 IU/g  
**Status** OTC  
**Indication** Supportive treatment of varices, hematomas, thrombotic and embolic conditions, sprains, contusions  
**Packaging and form** Tube of 35 g  
**Classification** WEU

**Product name** Heparin-Hasco forte, gel  
**Active ingredient/dosage** Heparin 1000 IU/g  
**Status** OTC  
**Indication** Supportive treatment of varices, hematomas, thrombotic and embolic conditions, sprains, contusions  
**Packaging and form** Tube of 35 g  
**Classification** WEU

#### ATC: C 05 CA 54

**Product name** Sapoven T, gel  
**Active ingredient/dosage** 1 g of gel contains: 20 mg of troxerutin (Troxerutinum) and 100 mg of Aesculus horse chestnut seed concentrate hippocastanum L  
**Status** OTC  
**Indication** Chronic venous insufficiency  
**Packaging and form** Tube of 30 g  
**Classification** WEU

**Product name** DIH Cramp, soft capsules  
**Active ingredient/dosage** Micronized diosmin 150 mg, Magnesium 30 mg, Troxerutin 25 mg, Vitamin C 6 mg/1 capsule  
**Indication** For people with a tendency of legs swelling formation; feeling of "heavy legs", swollen and tired legs; working in a sitting or standing position  
**Packaging and form** Unit box of 60 soft capsules  
**Classification** Dietary Supplement

**Product name** DIH Cyclo, soft capsules  
**Active ingredient/dosage** Micronized Diosmine 200 mg, Ruscus Aculeatus L Extract 100 mg (including ruscogenins 5 mg)/capsule  
**Indication** The product is recommended especially for people: prone to leg swelling and cellulite, with heavy and tired legs, working in a standing position, spending much time in a sitting position, with couperose skin and prone to spider veins  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary Supplement

**Product name** DIH Lipogel  
**Active ingredient/dosage** Diosmine, menthol, sodium hydroxide, sodium heparin  
**Indication** Skin with a tendency to so called "spider veins effect"  
**Packaging and form** Tube of 100 g  
**Classification** Cosmetic

#### OTHER

#### ATC: J05 AX 05

**Product name** Viruzine Forte, syrup  
**Active ingredient/dosage** Inosine pranobex 500 mg/5 ml  
**Status** OTC  
**Indication** Antiviral and immune boosting  
**Packaging and form** Bottle of 100 ml  
**Classification** Hybrid

#### ATC: J 05 AX 06 / J 05 AX 07

**Product name** Viruzine Forte, 1000 mg, tablets  
**Active ingredient/dosage** Inosine pranobex 1000 mg  
**Status** OTC  
**Indication** Antiviral and immune boosting  
**Packaging and form** Unit box of 10, 30 tablets  
**Classification** WEU

#### ATC: A 11 HA 05

**Product name** Biotylek, tablets

**Active ingredient/dosage** Biotin 5 mg  
**Status** OTC  
**Indication** Treatment of biotin deficiency with symptoms such as hair loss, nail and hair growth disorders, inflammation of the skin around the eyes, nose, perineum  
**Packaging and form** Unit box of 30, 60 tablets  
**Classification** WEU

**Product name** Biotylek Max, tablets  
**Active ingredient/dosage** Biotin 10 mg  
**Status** OTC  
**Indication** Treatment of biotin deficiency with symptoms such as hair loss, nail and hair growth disorders, inflammation of the skin around the eyes, nose, perineum  
**Packaging and form** Unit box of 30 tablets  
**Classification** WEU

**Product name** Aromatol, liquid  
**Active ingredient/dosage** Levomenthol 1,72 g; Lemon oil 0,57 g; Ceylon cinnamon bark oil 0,24 g; Field mint oil 0,24 g; Lavender oil 0,24 g; Citronella oil 0,1 g; Clove oil 0,1 g in 100 g  
**Status** OTC  
**Indication** Common cold (for rubbing, inhalation or gargling), in headaches, muscle pains, after insect bites (external use); dyspeptic disorders (internal use), e.g. flatulence, indigestion  
**Packaging and form** Bottle of 100 ml, 150 ml, 250 ml  
**Classification** Other

**Product name** MARSHMALLOW SYRUP  
**Active ingredient/dosage** 100 g of the syrup contains 35,9 g of marshmallow root macerate (Althaea officinalis L, radix) (equivalent of 5 g of marshmallow root)  
**Status** OTC  
**Indication** Traditional herbal medicinal product used as a soothing agent of cough irritation in upper respiratory tract mucosa  
**Packaging and form** Bottle 125 g  
**Classification** Traditional Herbal Medicinal Product

**Product name** Rekitin Immuno, soft capsules  
**Active ingredient/dosage** 500 mg shark liver oil (incl. 100 mg alkylglycerols, 8,5 mg of squalen), 4 mg garlic extract (incl. 0,04 mg allicin, 0,08 mg alliin), 400 µg vitamin A, 1000 IU (25 µg) vitamin D3, 2 mg zinc/capsule  
**Indication** The period of reduced immunity, increased exposure to flu and colds  
**Packaging and form** Unit bottle of 120 soft capsules  
**Classification** Dietary supplement

**Product name** Remedio (Vitamin C Liposomal), liquid  
**Active ingredient/dosage** 1000 mg Vitamin C/sachet  
**Indication** Helps to maintain proper functioning of the immune system and energy metabolism; reduction of tiredness and fatigue; support of nervous system; increase of iron absorption  
**Packaging and form** Unit box of 30 sachets (6 g each)  
**Classification** Dietary supplement

**Product name** Remedio (Vitamin D3 Liposomal), liquid  
**Active ingredient/dosage** 50 µg (2000 IU) Vitamin D/sachet  
**Indication** Vitamin D supports bone mineralization, immunological system and muscle function  
**Packaging and form** Unit box of 30 sachets (5 g each)  
**Classification** Dietary supplement

**Product name** Omega-3 Forte Naturkaps, soft capsules  
**Active ingredient/dosage** 1000 mg fish oil/capsule  
**Indication** Deficiency of Omega-3 fatty acids. The product is especially recommended for people: prone to stress, smoking, consuming insufficient amounts of sea fish  
**Packaging and form** Unit box of 60 soft capsules  
**Classification** Dietary supplement

**Product name** Calcium Gluconicum, tablets  
**Active ingredient/dosage** Calcium Gluconate 503,4 mg (eqv. 45 mg calcium)/tablet  
**Indication** In calcium deficiency in the diet, in states of increased demand for calcium  
**Packaging and form** Unit box of 50 tablets  
**Classification** Dietary supplement

**Product name** Recalcin Complex, tablets  
**Active ingredient/dosage** Glucosamine Sulphate Sodium Salt 500 mg, Chondroitine Sulphate Sodium Salt (90%) 440 mg, niacin (Vitamin PP) 6 mg, 20 µg selenium/tablet  
**Indication** Degenerative joint disease; cartilage degeneration; convalescence  
**Packaging and form** Unit box of 45 tablets  
**Classification** Dietary supplement

**Product name** Blumag Jedyny, hard capsules  
**Active ingredient/dosage** Magnesium Oxide 621,9 mg (eqv. 375 mg magnesium), Vitamin B6 1,4 mg/capsule  
**Indication** Supplementing the daily diet with magnesium and vitamin B6  
**Packaging and form** Unit box of 30 hard capsules  
**Classification** Dietary supplement

**Product name** Blumag Cardio Jedyny, soft capsules  
**Active ingredient/dosage** Magnesium Oxide 621,9 mg (eqv. 375 mg magnesium), Vitamin B6 1,4 mg, Omega-3 Fatty Acids 253 mg (152 mg EPA, 101 mg DHA)/capsule  
**Indication** In states of fatigue, weakness, nervous tension and increased susceptibility to stress, increased physical exertion  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Magmil Bio Special, tablets  
**Active ingredient/dosage** Magnesium Lactate 1000 mg (eqv. 100 mg magnesium), Vitamin B6 0,21 mg/tablet  
**Indication** Diet low in magnesium and vitamin B6, in the states: fatigue and weakness, increased nervous tension, excessive irritability, muscle cramps, increased susceptibility to stress, increased physical exertion and when abusing coffee, cigarettes  
**Packaging and form** Box of 30 tablets  
**Classification** Dietary supplement

**Product name** Mg Magnesium + Vitamin B6 Hasco, tablets  
**Active ingredient/dosage** Magnesium Lactate 600 mg (eqv. 60 mg magnesium), Vitamin B6 1,4 mg/tablet  
**Indication** Supplementing the daily diet with magnesium and vitamin B6  
**Packaging and form** Unit box of 60 tablets  
**Classification** Dietary supplement

**Product name** Organic Zinc NaturTabs Fresh Mint, tablets  
**Active ingredient/dosage** Zinc 7 mg/tablet  
**Indication** Organic zinc helps remove bad breath and restore fresh breath  
**Packaging and form** Unit box of 50 tablets  
**Classification** Dietary supplement

**Product name** Menostop, soft capsules  
**Active ingredient/dosage** Isoflavone Complex 40% 75 mg (eqv. 30 mg isoflavones)/capsule  
**Indication** Supplementing the diet with soy isoflavones during menopausal period  
**Packaging and form** Unit box of 30 and 60 soft capsules  
**Classification** Dietary supplement

**Product name** Provisio (Prowzrok), soft capsules  
**Active ingredient/dosage** Bilberry Dry Extract 20 mg, Beta-Carotene 2 mg, Vitamin E 2,7 mg/capsule  
**Indication** Product is intended for people: exposed to excessive effort causing eye strain  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Tokovit E 100 natural, soft capsules  
**Active ingredient/dosage** Vitamin E 67 mg of alphatocopherol equivalent ( 100 I. U.)/capsule  
**Indication** Supplements the daily diet with Vitamin E  
**Packaging and form** Unit box of 30, 60 soft capsules  
**Classification** Dietary supplement

**Product name** Tokovit E 200 natural, soft capsules  
**Active ingredient/dosage** Vitamin E 134 mg of alphatocopherol equivalent ( 200 I. U.)/capsule  
**Indication** Supplements the daily diet with Vitamin E  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Tokovit E 370 natural, soft capsules  
**Active ingredient/dosage** Vitamin E 250 mg of alpha-tocopherol equivalent (370 IU)/capsule  
**Indication** Supplements the daily diet with Vitamin E  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Tokovit A+E natural, soft capsules  
**Active ingredient/dosage** Vitamin A 750 g (2500 IU), Vitamin E 47 mg of alpha-tocopherol equivalent ( 70 I.U.)/ capsule  
**Indication** Supplement the daily diet with Vitamin E and Vitamin A  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Vitaminum A + E, soft capsules  
**Active ingredient/dosage** Vitamin A 750 g (2500 IU), Vitamin E 10 mg/capsule  
**Indication** Supplements the daily diet with vitamin E and vitamin A  
**Packaging and form** Unit box of 30 soft capsules  
**Classification** Dietary supplement

**Product name** Vitaminum B complex, tablets  
**Active ingredient/dosage** Niacin (Vitamin B3) 16 mg, Pantothenic Acid (Vitamin B5) 6 mg, Vitamin B6 1,4 mg, Riboflavine (Vitamin B2) 1,4 mg, Thiamine (Vitamin B1) 1,1 mg/tablet  
**Indication** Supplements the daily diet with B group vitamins  
**Packaging and form** Unit box of 50 coated tablets  
**Classification** Dietary supplement

**Product name** Vitaminum B complex forte, tablets  
**Active ingredient/dosage** Niacin (Vitamin B3) 40 mg, Pantothenic Acid (Vitamin B5) 5 mg, Vitamin B6 5 mg, Riboflavine (Vitamin B2) 5 mg, Thiamine (Vitamin B1) 3 mg/tablet  
**Indication** Supplement the daily diet with B Vitamins  
**Packaging and form** Unit box of 50 coated tablets  
**Classification** Dietary supplement

**Product name** Vitaminum D3 1000, soft capsules  
**Active ingredient/dosage** Vitamin D 25 µg (1000 IU)/capsule  
**Indication** Vitamin D supports bone mineralization, immunological system and muscle function  
**Packaging and form** Unit box of 60 soft capsules  
**Classification** Dietary supplement

**Product name** Vitaminum D3 2000, soft capsules  
**Active ingredient/dosage** Vitamin D 50 µg (2000 IU)/capsule  
**Indication** Vitamin D supports bone mineralization, immunological system and muscle function  
**Packaging and form** Unit box of 60 soft capsules  
**Classification** Dietary supplement

## Notes





**Headquarters and manufacturing site**

**P.P.F. Hasco-Lek S.A.**

Żmigrodzka 242E,  
51-131 Wrocław, Poland  
tel. +48 71 352 95 22

**Office in Warsaw**

Aleje Jerozolimskie 154,  
02-326 Warszawa, Poland

**Contact us:**

**Export of finished products  
and contract manufacturing:**

[export@hasco-lek.pl](mailto:export@hasco-lek.pl)

**License In/Out:**

[license\\_dbd@hasco-lek.pl](mailto:license_dbd@hasco-lek.pl)