



| API | CAS | Purity |
|--------------------------|--------------|--------|
| Larotrectinib(LOXO-101) | 1223405-08-0 | ≥99.0% |
| Entrectinib | 1108743-60-7 | ≥99.0% |
| Repotrectinib (TPX-0005) | 1802220-02-5 | ≥99.0% |
| Brigatinib | 1197953-54-0 | ≥99.0% |
| Amenamevir(ASP 2151) | 841301-32-4 | ≥99.0% |
| Pranoprofen | 52549-17-4 | ≥99.0% |
| Camostat Mesilate | 59721-29-8 | ≥99.5% |
| Dotinurad | 1285572-51-1 | ≥98.0% |
| Nintedanib | 656247-17-5 | ≥99.0% |
| Regorafenib | 755037-03-7 | ≥99.0% |
| Neticonazole | 130726-68-0 | ≥99.0% |
| Daprodustat, GSK1278863 | 960539-70-2 | ≥99.0% |
| CEFQUINOME SULFATE | 118443-89-3 | ≥98.0% |
| Ceftiofur hydrochloride | 103980-44-5 | ≥98.0% |
| Ruxolitinib | 941678-49-5 | ≥99.0% |
| Pidotimod | 121808-62-6 | ≥98.0% |
| Levosimendan | 141505-33-1 | ≥99.0% |
| LeterMovir | 917389-32-3 | ≥99.0% |
| OPICAPONE | 923287-50-7 | ≥99.0% |
| Finerenone (BAY 94-8862) | 1050477-31-0 | ≥99.0% |
| Bumetanide | 28395-03-1 | ≥99.0% |
| Gefapixant | 1015787-98-0 | ≥99.0% |

| API | CAS | Purity |
|----------------|--------------|--------|
| Dabrafenib | 1195765-45-7 | |
| Febuxostat | 144060-53-7 | |
| Rimegepant | 1289023-67-1 | |
| Ubrogepant | 1374248-77-7 | |
| Upatinib | 1310726-60-3 | |
| Isosulfan blue | 68238-36-8 | |



INTERMEDIATES PRODUCT LIST

| Product Name | CAS | Purity |
|----------------------------------------------------------------------------------------------------|--------------|--------|
| Intermediates of Larotrectinib 拉罗替尼中间体 | | |
| 2-(2-bromoethyl)-1,3-dioxane | 33884-43-4 | ≥98.0% |
| (R)-5-[2-(2,5-difluorophenyl)-1-pyrrolidine] pyrazole and [1,5- a] pyrimidine-3-amine | 1223404-88-3 | ≥99.0% |
| (R)-3-nitro-5-[2-(2,5-difluorophenyl)-1-pyrrolidine] pyrazole and [1,5- a] pyrimidine | 1223404-90-7 | ≥99.0% |
| 5-chloro-3-nitropyrazole [1,5-a] pyrimidine | 1363380-51-1 | ≥99.0% |
| (R)-2-(2,5-Difluorophenyl)pyrrolidine | 1218935-59-1 | ≥98.0% |
| (R)-2-(2,5-difluorophenyl) pyrrolidine (R)-2-hydroxybutyric acid | 1919868-77-1 | ≥98.0% |
| (R)-2-(2,5-difluorophenyl) pyrrolidine hydrochloride | 1218935-60-4 | ≥98.0% |
| Intermediates of Entrectinib 恩曲替尼中间体 | | |
| 2-amino-4-(4-methyl-1-piperazine) tert-butyl benzoate | 1034975-35-3 | ≥98.0% |
| 4-(4-methylpiperazine-1-yl)-2-[(tetrahydropyran-4-yl)(2,2,2-trifluoroacetyl) amino] teflon acetate | 1034975-62-6 | ≥98.0% |
| 5-(3,5-difluorobenzyl)-2-fluorobenzonitrile | 1108745-25-0 | ≥98.0% |
| 5-(3,5- difluorobenzyl)-1 h- azole-3-amine | 1108745-30-7 | ≥99.0% |
| Intermediates of Repotrectinib (TPX-0005) 洛普替尼中间体 | | |
| 5-chloropyrazole [1,5- a] pyrimidine-3-ethyl formate] | 1224944-77-7 | ≥99.0% |
| Ethyl 5-oxo-4,5-dihydropyrazolo [1,5-a]pyrimidine-3-carboxylate | 926663-00-5 | ≥99.0% |
| Intermediates of Brigatinib 布格替尼中间体 | | |
| 1-Methy1-4-(piperidin-4-yl)-piperazine | 53617-36-0 | ≥98.0% |
| 1-Methy1-4-(piperidin-4-yl)-piperazine 3HCL | 1621519-77-4 | ≥98.0% |
| [2-Methoxy-4-[4-(-methylpiperazine-1-yl)piperidin-1-yl]amine | 761440-75-9 | ≥98.0% |
| Intermediates of Ibrutinib 依鲁替尼中间体 | | |
| 3-(4-Phenoxyphenyl)-1H- pyrazole and [3,4- d] pyrimidine-4-amine | 330786-24-8 | ≥98.0% |
| Intermediates of Prapropfen 普拉洛芬中间体 | | |
| 7-(2-chloropropyl)-5 h-[1]- benzopyran [2,3- b] pyridine | 146330-68-9 | ≥98.0% |

| Product Name | CAS | Purity |
|------------------------------------------------------------|--------------|--------|
| 5H-[1]- benzopyran [2,3- b] pyridine-5-ol | 6722-09-4 | ≥98.0% |
| 5H-[1]- benzopyran [2,3- b] pyridine-5-ketones | 6537-46-8 | ≥98.0% |
| 5 H-[1]- benzopyran [2,3- b] pyridine | 261-27-8 | ≥98.0% |
| Intermediates of Alectinib 艾乐替尼中间体 | | |
| 2-(4-ethyl-3-iodophenyl)-2-Methylpropanoic acid | 1256584-73-2 | ≥98.0% |
| Intermediates of AMenaMevir 阿莫奈韦中间体 | | |
| 2H-Thiopyran-4-carboxylicacid,tetrahydro-(9Cl) | 89489-53-2 | ≥98.0% |
| 1,1-Dioxo-hexahydro-1l6-thiopyran-4-carboxylic acid | 64096-87-3 | ≥98.0% |
| 4-(1,2,4-oxadiazol-3-yl)Benzenamine | 59908-70-2 | ≥98.0% |
| Intermediates of Posaconazole 泊沙康唑中间体 | | |
| 1,3-PROPANEDIOL, 2-[2-(2,4-DIFLUOROPHENYL)-2-PROPEN-1-YL]- | 165115-73-1 | ≥98.0% |
| Intermediates of Bromfenac sodium 溴芬酸钠中间体 | | |
| 7-(4-Bromobenzoyl)indole | 91714-50-0 | ≥98.0% |
| 3-chloro-7-(4-bromobenzoyl)-indole | 91714-51-1 | ≥98.0% |
| Intermediates of Olprinone 奥普力农中间体 | | |
| 6-bromoimidazo[1,2-a]pyridine | 6188-23-4 | ≥98.0% |
| propan-2-one compound with imidazo[1,2-a]pyridine (1:1) | 116355-08-9 | ≥98.0% |
| Intermediates of PARECOXIB SODIUM 帕瑞昔布钠中间体 | | |
| 5-Methyl-3,4-diphenylisoxazole | 37928-17-9 | ≥98.0% |
| Neticonazole 奈康唑中间体 | | |
| E)-2-(1-(1H-imidazol-1-yl)-2-(methylthio)vinyl)phenol | 138206-46-9 | ≥98.0% |
| 2-BROMO-2'-HYDROXYACETOPHENONE | 2491-36-3 | ≥98.0% |

| | | |
|----------------------------------------------------|-------------|--------|
| Intermediates of Bosutinib 博舒替尼中间体 | | |
| 2-CYANO-N-(2,4-DICHLORO-5-METHOXYPHENYL) ACETAMIDE | 846023-24-3 | ≥98.0% |

| Product Name | CAS | Purity |
|-----------------------------------------------------------------------------------|--------------|--------|
| 2-(3-CHLOROPROPOXY)-1-METHOXY-4-NITROBENZENE | 92878-95-0 | ≥98.0% |
| Intermediates of Lifitegrast 利非司特中间体 | | |
| Benzyl (S)-2-amino-3-(3-(methylsulfonyl)phenyl)propanoate | 1194550-59-8 | ≥98.0% |
| 非布司他中间体 Intermediates of Febuxostat | | |
| E thyl 2-(3-formyl-4-hydroxyphenyl)-4-methyl thiazole-5-carboxylate | 161798-01-2 | ≥98.0% |
| 依折麦布中间体 | | |
| (4S)-3-[(5R)-5-(4-FLUOROPHENYL)-5-HYDROXYPENTANOYL]-4-PHENYL-1,3-OXAZOLIDIN-2-ONE | 189028-95-3 | ≥98.0% |
| 曲氟尿苷中间体 | | |
| 1 -Chloro-3,5-di-(4-chlorobenzoyl)-2-deoxy-D-ribose | 21740-23-8 | ≥98.0% |
| Mobocertinib莫博替尼系列 | | |
| Mobocertinib (TAK-788) | 1847461-43-1 | ≥98.0% |
| 2,4-Dihydroxypyrimidine-5-carboxylic acid | 23945-44-0 | ≥98.0% |
| isopropanyl 2,4-dichloropyrimidine-5-carboxylate | 69312-43-2 | ≥98.0% |
| Ligand配体 | | |
| 3,4-diphenylsulfonyl-1,2,5-oxadiazole-2-oxide | 66074-00-8 | ≥98.0% |
| 3-phenylsulfonyl-4-(3-hydroxypropoxy)-1,2,5-oxadiazole-2-oxide | 361541-87-9 | ≥95.0% |
| 3-phenylsulfonyl-4-[3-(3-carboxypropoxy) propoxy]-1,2,5-oxadiazole-2-oxide | 1393477-75-2 | ≥95.0% |

| | | |
|---------------------------------------------------------------------------------------------------------|-------------|--------|
| 头孢吡普酯中间体 | | |
| (5-Methyl-2-oxo-1,3-dioxol-4-yl)methyl 4-nitrophenyl carbonate | 173604-87-0 | ≥98.0% |
| Phosphonium, [(3'R)-1'-[(1,1-dimethylethoxy)carbonyl]-2-oxo[1,3'-bipyrrolidin]-3-yl]triphenyl-, bromide | 376653-42-8 | ≥98.0% |

| Product Name | CAS | Purity |
|----------------------------------------------------------------------------------------------------------------------------|--------------|--------|
| (3'R)-tert-butyl-3-bromo-2-oxo-1,3'-bipyrrolidine-1'-carboxylate | 1217259-64-7 | ≥98.0% |
| (3'R)-3-bromo-1,3'-bipyrrolidin-2-one | 1217259-67-0 | ≥98.0% |
| (3'R)-allyl 3-bromo-2-oxo-1,3'-bipyrrolidine-1'-carboxylate | 209468-19-9 | ≥98.0% |
| 盐酸阿罗洛尔中间体 | | |
| 5-Acetylthiophene-2-carboxylic acid | 4066-41-5 | ≥98.0% |
| 5 -ACETYLTHIOPHENE-2-CARBOXAMIDE | 68257-89-6 | ≥98.0% |
| 5 -(2-sulfanylidene-3H-1,3-thiazol-4-yl)thiophene-2-carboxamide | 52560-89-1 | ≥98.0% |
| 非奈利酮中间体 | | |
| 4-Amino-2-hydroxy-5-methylpyridine | 95306-64-2 | ≥98.0% |
| 4-Formyl-3-methoxybenzotrile | 21962-45-8 | ≥98.0% |
| Ethyl 2-cyanoacetoacetate | 65193-87-5 | ≥98.0% |
| 莱特莫韦中间体 | | |
| Methyl (2E)-3-(2-amino-3-fluorophenyl)acrylate | 690664-20-1 | ≥98.0% |
| 2-Propenoic acid, 3-[3-fluoro-2-[(phenoxy carbonyl)amino]phenyl]-, methyl ester, (2E)- | 1791412-01-5 | ≥98.0% |
| 1-(3-Methoxyphenyl)piperazine | 16015-71-7 | ≥98.0% |
| 1-(3-Methoxyphenyl)piperazine dihydrochloride | 6968-76-9 | ≥98.0% |
| 1-(3-Methoxyphenyl)piperazine dihydrochloride | 16015-70-6 | ≥98.0% |
| 4 -Quinazolineacetic acid, 8-fluoro-1,2,3,4-tetrahydro-3-[2-Methoxy-5-(trifluoroMethyl)phenyl]-2-oxo-, Methyl ester | 917389-21-0 | ≥98.0% |
| 1-(3-HYDROXYPHENYL)PIPERAZINE | 59817-32-2 | ≥98.0% |
| 2 -Methoxy-5-(trifluoromethyl)aniline | 349-65-5 | ≥98.0% |
| 2 -Propenoic acid, 3-[3-fluoro-2-[[[2-methoxy-5-(trifluoromethyl)phenyl]amino]carbonyl]amino]phenyl]-, methyl ester, (2E)- | 917389-26-5 | ≥98.0% |
| LeterMovir | 917389-32-3 | ≥99.0% |
| Infigratinib Intermediates 英菲格拉替尼中间体 | | |

| Product Name | CAS | Purity |
|-----------------------------------------------------------|--------------|--------|
| 4-Chloro-6-(methylamino)pyrimidine | 65766-32-7 | ≥98.0% |
| 1-Ethyl-4-(4-nitrophenyl)piperazine | 115619-00-6 | ≥98.0% |
| 3,5-Dimethoxyaniline | 10272-07-8 | ≥98.0% |
| 2,6-Dichloro-3,5-dimethoxyaniline | 872509-56-3 | ≥98.0% |
| DOTINURAD 中间体 | | |
| 3,5-Dichloro-4-Methoxybenzoyl chloride | 29568-76-1 | ≥95.0% |
| 3,5-DICHLORO-4-METHOXYBENZOIC ACID | 37908-97-7 | ≥98.0% |
| 3-CHLORO-4-METHOXYBENZOIC ACID | 37908-96-6 | ≥98.0% |
| Pyrazolopyrimidine intermediates 吡唑并嘧啶类中间体 | | |
| 5-chloropyrazole [1,5- a] pyrimidine-3-formaldehyde] | 1256162-94-3 | ≥98.0% |
| 5-Chloropyrazolo[1,5-a]pyrimidine-3-carbonitrile | 1224288-92-9 | ≥98.0% |
| 5-Chloropyrazolo[1,5-a]pyrimidine | 29274-24-6 | ≥98.0% |
| 4-Aminopyrazolo[3,4-d]pyrimidine | 2380-63-4 | ≥98.0% |
| Side Chain intermediates of penem drugs 培南类药物侧链中间体 | | |
| Ertapenem side chain | 219909-83-8 | ≥98.0% |
| Biopenem side chain | 153851-71-9 | ≥98.0% |
| Doripenem side chain | 491878-06-9 | ≥98.0% |
| Side Chain of Tebipenem pivoxil | 179337-57-6 | ≥98.0% |
| Others | | |
| 1H-Imidazole-4-carboxylic acid | 1072-84-0 | ≥98.0% |
| Ethyl imidazole-4-carboxylate | 23785-21-9 | ≥98.0% |
| Methyl 4-imidazolecarboxylate | 17325-26-7 | ≥98.0% |
| 4-Ethoxycarbonylimidazole-2-thiol | 64038-64-8 | ≥98.0% |
| 1-Aminocyclopropanecarboxylic acid | 22059-21-8 | ≥98.0% |
| 1-Aminocyclobutanecarboxylic acid | 22264-50-2 | ≥98.0% |
| N-Boc-1-aminocyclobutanecarboxylic acid | 120728-10-1 | ≥98.0% |
| BOC-1-Amino-1-cyclopropanecarboxylic acid | 88950-64-5 | ≥98.0% |
| 1-(Boc-amino)cyclopropanecarboxylic acid | 107017-73-2 | ≥98.0% |
| 1,4-Diethoxynaphthalene | 27294-37-7 | ≥99% |

| Product Name | CAS | Purity |
|-------------------------------------------------------------------------|--------------|--------|
| 1,2:4,5-Di-O-isopropylidene-beta-D-erythro-2,3-hexodiulo-2,6-pyranose | 18422-53-2 | ≥98.0% |
| Ethyl 6-bromo-2-ethyl-8-methyl-imidazo[1,2-a]pyridine-3-carboxylic acid | 2416792-31-7 | ≥98.0% |
| 6-Bromo-2-ethyl-N,8-dimethylimidazo[1,2-a]pyridin-3-amine | 1628264-07-2 | ≥98.0% |
| 6-Bromo-N,2-diethyl-8-methylimidazo[1,2-a]pyridin-3-amine | 1628264-11-8 | ≥98.0% |
| N1,N2-Bis(4-hydroxy-2,6-dimethylphenyl)oxalamide | 1809288-95-6 | ≥98.0% |
| 4-Amino-3,5-dimethylphenol | 3096-70-6 | ≥98.0% |
| N,N'-Bis(2,4,6-trimethoxyphenyl)oxalamide (BTMPO) | 957476-07-2 | ≥98.0% |
| N1,N2-Bis([1,1'-biphenyl]-2-yl)ethanediamide | 21022-17-3 | ≥98.0% |
| 2-Iodobenzenesulfonic Acid | 63059-25-6 | ≥98.0% |
| 2-IODOBENZENESULFONIC ACID SODIUM SALT | 62973-69-7 | ≥98.0% |
| 2-CHLORO-5,6,7,8-TETRAHYDRO-1,6-NAPHTHYRIDINE HYDROCHLORIDE | 766545-20-4 | ≥98.0% |
| (Z)-3-(3-chloropropyl)-7,8-diethyl-1H-benzo[d] azepin-2 (3H)-one | 85175-59-3 | ≥98.0% |
| 3-BROMOPROPIONALDEHYDE DIMETHYL ACETAL | 36255-44-4 | ≥98.0% |
| 2,4(1H,3H)-Pyrimidinedione,5-chloro-6-(chloromethyl)-(9Cl) | 73742-45-7 | ≥98.0% |
| 2-(2-Bromoethyl)-1,3-dioxolane | 18742-02-4 | ≥98.0% |
| Phenol, 2-[1-(1H-imidazol-1-yl)-2-(methylthio)ethenyl]- | 138206-46-9 | ≥98.0% |
| 4-Amino-3,5-dichloropyridine N-oxide | 91872-02-5 | ≥98.0% |
| 3-Aminophenylacetylene | 54060-30-9 | ≥98.0% |
| 2,5,6-Trichloronicotinic acid | 54718-39-7 | ≥98.0% |
| 2,6-DICHLOROQUINOLINE | 1810-72-6 | ≥98.0% |
| Methyl 3-Fluoro-4-(1-piperazinyl)benzoate | 234082-10-1 | ≥98.0% |
| 4-Hydroxy-2-nitroanisole | 15174-02-4 | ≥97.0% |
| N-(tert-Butoxycarbonyl)-4-piperidone | 79099-07-3 | ≥98.0% |
| 5-hydroxy-1-methylimidazolidine-2,4-dione | 84210-26-4 | ≥98.0% |

| Product Name | CAS | Purity |
|---------------------------------------------------------------------------------------------------|--------------|--------|
| (2-BROMOETHYNYL)TRIISOPROPYLSILANE | 111409-79-1 | ≥98.0% |
| 1-(1,1-dimethylethyl)-N-(1H-imidazol-1-ylmethoxy-λ4-sulfanylidene)-1,1-dimethyl-Silanamine | 2305948-67-6 | ≥98.0% |
| 2 -BROMO-4-FLUORO-5-NITROPHENOL | 84478-87-5 | ≥98.0% |
| 4-amino-6-chloro-5-fluoro-ethyl ester | 2454397-74-9 | ≥98.0% |
| 7-chloro-8-fluoropyrido[4,3-d]pyrimidine-2,4(1H,3H)-dione | 2454397-75-0 | ≥98.0% |
| 2 -chloro-3-fluoropyridin-4-aMine | 1227577-03-8 | ≥98.0% |
| 6-cyano-1,1-(ethylenedioxy)-7-[(ethoxycarbonyl)methyl]-5-oxo-Δ6(8)- tetrahydroindolizine | 58610-65-4 | ≥98.0% |
| 2-bromo-N-isopropylacetamide | 75726-96-4 | ≥98.0% |
| 1 -BOC-5-AMINO-INDAZOLE | 129488-10-4 | ≥98.0% |
| 1-(2,2-diMethoxyethyl)-5-Methoxy-6-(Methoxycarbonyl)-4-oxo-1,4- dihydropyridine-3-carboxylic acid | 1335210-23-5 | ≥98.0% |
| 7-AMINO-3-CHLOROMETHYL-3-CEPHEM-4-CARBOXYLIC ACID P-METHOXYBENZYL ESTER, HYDROCHLORIDE | 113479-65-5 | ≥95.0% |
| ETHYL ISOCYANATOACETATE | 2949-22-6 | ≥98.0% |
| N 1-[3-(1-pyrrolidinyl)propyl]-1,3-Propanediamine 3HCl | 52198-72-8 | ≥98.0% |
| 4 -CHLORO-3-CHLOROSULFONYLBENZOIC ACID | 2494-79-3 | ≥98.0% |
| 4 -octylphenylmethanethiol | 869650-47-5 | ≥98.0% |
| 2 -CHLORO-5-FLUORO-4-IODOPYRIDINE | 884494-49-9 | ≥98.0% |
| 6 -BROMO-4-CHLOROQUINOLINE | 65340-70-7 | ≥98.0% |
| 4 -Amino-3,5-dichloropyridine N-oxide | 91872-02-5 | ≥98.0% |
| PYRIDINE-3-SULFONYL CHLORIDE HYDROCHLORIDE | 16133-25-8 | ≥98.0% |
| 1-Ethyl-3-methyl-1H-pyrazole-5-carboxylic acid | 50920-65-5 | ≥98.0% |
| 2-Bromo-5-hydroxypyrazine | 374063-92-0 | ≥98.0% |
| (3,5-DIMETHYL-ISOXAZOL-4-YL)-ACETIC ACID | 2510-27-2 | ≥98.0% |
| Tetrakis(4-hydroxyphenyl)ethylene | 119301-59-6 | ≥98.0% |

| Product Name | CAS | Purity |
|----------------------------------------------------------------------------------------------------------------------|--------------|--------|
| Pyrazolo[1,5-a]pyrimidin-7(4H)-one, 3-(1-cyclohexen-1-yl)-6-(4-methoxyphenyl)-2-phenyl-5-(2-pyridinylamino)-/AG270 | 2201056-66-6 | ≥98.0% |
| 8-benzyl-2-(furan-2-ylmethyl)-6-phenylimidazo[1,2-a]pyrazin-3(7H)-one | 1374040-24-0 | ≥98.0% |
| 2-Bromo-5-hydroxypyrazine | 374063-92-0 | ≥98.0% |
| 5-(2-PYRIDYL)-1,2-DIHYDROPYRIDIN-2-ONE | 381233-78-9 | ≥98.0% |
| 7-Benzyl-2,4-dichloro-5,6,7,8-tetrahydropyrido[3,4-d]pyrimidine | 1059735-34-0 | ≥97.0% |
| (4aS,9bR)-Ethyl 6-bromo-5-(2-(methylamino)-2-oxoethyl)-3,4,4a,5-tetrahydro-1H-pyrido[4,3-b]indole-2(9bH)-carboxylate | 2098497-32-4 | ≥98.0% |
| 2S)-2-hydroxy-2-phenylacetic acid; (4aS,9bR)-6-bromo-1H,2H,3H,4H,4aH,5H,9bH-pyrido[4,3-b]indole | 1059630-13-5 | ≥98.0% |
| CAPRYLOHYDROXAMIC ACID | 7377-03-9 | ≥98.0% |
| O-[[4-cyclohexyl-3-(trifluoromethyl)phenyl]methyl]hydroxylamine | 800379-62-8 | ≥98.0% |
| (1H-Pyrazol-3-yl)-hydrazine.2HCl | 727993-51-3 | ≥98.0% |
| DICYCLOPENTANYL METHACRYLATE | 34759-34-7 | ≥98.0% |
| LORCASERIN | 616202-92-7 | ≥98.0% |
| Sodium New Houttuynonate | 83766-73-8 | ≥98.0% |
| 4-chloro-6-Methoxy-7-(3-Morpholinopropoxy)quinazoline | 196195-13-8 | ≥98.0% |
| 6-chloro-2-methyl-2H-indazol-5-ylamine | / | ≥98.0% |
| 4-(Cyclohex-1-en-1-yl)-3-phenyl-1H-pyrazol-5-amine | 2201057-79-4 | ≥98.0% |
| 4-Nitrobenzotrile | 619-72-7 | ≥98.0% |
| 2-ethylisothiourea hydrobromide | 1071-37-0 | ≥98.0% |
| 5-Chloro-2-methyl-4-nitroaniline | 13852-51-2 | ≥98.0% |
| 3-tert-butyl-6-(ethylthio)-1,3,5-triazine-2,4(1H,3H)-dione | 1360105-53-8 | ≥98.0% |
| 6-chloro-2-methyl-2H-indazol-5-amine | 1893125-36-4 | ≥98.0% |
| 6-Chloro-5-nitro-1H-indazole | 101420-98-8 | ≥98.0% |
| 2-chloro-3,4-bis((4-methoxybenzyl)oxy)-N-(2-(pyrrolidin-1-yl)ethyl)benzamide | 1225208-44-5 | ≥98.0% |

| Product Name | CAS | Purity |
|-----------------------------------------------------------------------------------------------------------------------|--------------|--------|
| 2-chloro-3,4-bis((4-methoxybenzyl)oxy)benzoic acid | 137054-46-7 | ≥98.0% |
| 5-Fluoro-1(3H)-isobenzofuranone | 700-85-6 | ≥98.0% |
| 3 -AMINO-PIPERIDINE-2,6-DIONE | 29883-25-8 | ≥98.0% |
| piperidin-4-yl [1,1'-biphenyl]-2-ylcarbamate | 171722-92-2 | ≥98.0% |
| 1-[2-(Methylamino)ethyl]piperidin-4-yl biphenyl-2-ylcarbamate | 743460-48-2 | ≥98.0% |
| 2-Aminodiphenyl | 90-41-5 | ≥98.0% |
| N-BOC-4-Hydroxypiperidine | 109384-19-2 | ≥98.0% |
| N-Benzyl-N-methylethanolamine | 101-98-4 | ≥98.0% |
| Methyl 4-(chloromethyl)benzoate | 34040-64-7 | ≥98.0% |
| Piperidine-4-carboxamide | 39546-32-2 | ≥98.0% |
| (Z)-2-(5-Amino-1,2,4-thiadiazol-3-yl)-2-(((1-(tert-butoxy)-2-methyl-1-oxopropan-2-yl)oxy)imino)acetic acid | 76028-96-1 | ≥98.0% |
| N-[2-[[[1-Methyl-5-[(triphenylmethyl)amino]-1H-pyrazol-4-yl]amino]carbonyl]amino]ethyl]carbamic acid tert-butyl ester | 689293-69-4 | ≥98.0% |
| 2-(2-isopropyl-4-Methoxyphenoxy)acetonitrile | 927872-64-8 | ≥98.0% |
| 5 -(2-isopropyl-4-Methoxy-phenoxy)-pyrimidine-2,4-diamine | 865304-71-8 | ≥98.0% |
| 4-bromo-2-propan-2-ylphenol | 26307-50-6 | ≥98.0% |
| B ENZENEAZOMALONONITRILE | 6017-21-6 | ≥98.0% |
| 1-(2-fluoro-benzyl)-1H-pyrazolo[3,4-b]pyridine-3-carboxamide hydrochloride | 256499-19-1 | ≥98.0% |
| (2-FLUORO-BENZYL)-HYDRAZINE | 51859-98-4 | ≥98.0% |
| 3 -CYANO-2-OXO-PROPANOIC ACID ETHYL ESTER | 53544-13-1 | ≥98.0% |
| 1 -(2-fluorobenzyl)-1H-pyrazolo[3,4-b]pyridine-3-carbonitrile | 256376-65-5 | ≥98.0% |
| 1-(2-Fluoro-6-trifluoromethyl-benzyl)-6-methyl-1H-pyrimidine-2,4-dione | 830346-47-9 | ≥98.0% |
| 5-(2-Fluoro-3-methoxyphenyl)-1-[[2-fluoro-6-(trifluoromethyl)phenyl]methyl]-6-methyl-2,4(1H,3H)-pyrimidinedione | 1150560-59-0 | ≥98.0% |

| Product Name | CAS | Purity |
|----------------------------------------------------------------------------------------------------------|--------------|--------|
| 1-(2-Fluoro-6-(trifluoromethyl)benzyl)-5-iodo-6-methylpyrimidine- 2,4(1H,3H)-dione | 1150560-54-5 | ≥98.0% |
| 2-Hydroxy-3-nitropyridine | 6332-56-5 | ≥98.0% |
| 3 -Nitrosalicylic acid | 85-38-1 | ≥98.0% |
| 5 -Aminolevulinic acid hydrochloride | 5451-09-2 | ≥98.0% |
| 7 β - amino - 3 - [4 - pyridyl - 2 - thiazole sulfur radical] - 3 - cephem - 4 - carboxylic acid ·2HCl | 400827-64-7 | ≥98.0% |
| 1,4-Diethoxynaphthalene | 27294-37-7 | ≥98.0% |
| 5-bromo-6-chloro-1H-pyrrolo[2,3-b]pyridine | 1190321-59-5 | ≥98.0% |
| 4-Chloro-3-nitro-5-sulphamoylbenzoic acid | 22892-96-2 | ≥98.0% |
| 6'-Cyano-2',3'-dihydro-5'-oxo-spiro[1,3-dioxolane-2,1'(5'H)-indolizine]-7'-acetic Acid Ethyl Ester | 58610-65-4 | ≥98.0% |
| 7-METHYL-1,5-DIOXO-1,2,3,5-TETRAHYDRO-INDOLIZINE-6-CARBONITRILE | 58610-63-2 | ≥98.0% |
| 4-(4-Methoxyphenyl)-1-butanol | 52244-70-9 | ≥98.0% |
| 1-Amino-1-cyclobutanecarboxylic acid hydrochloride | 98071-16-0 | ≥98.0% |
| Ethyl2-(6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-1-yl)acetate | 869113-97-3 | ≥98.0% |
| 2,4-Dichloro-5-methoxyaniline | 98446-49-2 | ≥98.0% |
| (Z)-2,5-Dichloro-N'-hydroxy-4,6-dimethyl-3-pyridinecarboxamide | 923288-59-9 | ≥98.0% |
| 4-((2-Cyanopropan-2-yl)amino)-2-fluoro-N-methylbenzamide | 915087-32-0 | ≥98.0% |
| methyl 2-oxo-1,2-dihydroquinoline-6-carboxylate | 68882-86-0 | ≥98.0% |
| 3-(5-(aminomethyl)-1-oxoisindolin-2-yl)piperidine-2,6-dione hydrochloride | 1158264-69-7 | ≥98.0% |
| Buthiazide | 2043-38-1 | ≥98.0% |
| 3-CHLOROMETHYL-1-METHYL-1H-[1,2,4]TRIAZOLE | 135206-76-7 | ≥98.0% |
| 2-(2-Chlorethyl)-1-methylpiperidiniumchlorid | 58878-37-8 | ≥98.0% |
| 2-Ethyl-2-oxazoline | 10431-98-8 | ≥98.0% |
| 2'-Fluoroacetophenone | 445-27-2 | ≥98.0% |

| Product Name | CAS | Purity |
|----------------------------------------------------------|--------------|--------|
| 5 -Bromo-2-methoxyphenol | 37942-01-1 | ≥98.0% |
| BOC-SAR-OH | 13734-36-6 | ≥98.0% |
| 4-METHOXY-A-((3-METHOXY PHENYL)THIOACETOPHENONE | 63675-73-0 | ≥98.0% |
| N-(chloroacetyl)methanesulfonamide | 202658-88-6 | ≥98.0% |
| 4-(Trifluoromethyl)benzhydrazide | 339-59-3 | ≥98.0% |
| 3-BroMopyridine-2-thiol | 65938-86-5 | ≥98.0% |
| TRIMETHYLHYDRAZINEHYDROCHLORIDE | 60597-20-8 | ≥98.0% |
| Trimethylhydrazine | 1741-01-1 | ≥98.0% |
| TERT-BUTYL 1,2,2-TRIMETHYLHYDRAZINE-1-CARBOXYLATE | 232615-10-0 | ≥98.0% |
| Levosimendan | 141505-33-1 | ≥99.0% |
| N-[4-(2-bromopropanoyl)phenyl]acetamide | 63514-63-6 | ≥98.0% |
| 2,5-Dichloro-4,6-diMethylnicotinonitrile | 91591-63-8 | ≥98.0% |
| 3,4-DIMETHOXY-5-NITRO-BENZALDEHYDE | 22027-96-9 | ≥98.0% |
| 4-HYDROXY-3-METHOXY-5-NITROBENZOIC ACID | 15785-54-3 | ≥98.0% |
| 5,6-Dimethoxy-1-indanone | 2107-69-9 | ≥98.0% |
| (2-AMINO-2-METHYL-PROPYL)-CARBAMIC ACID TERT-BUTYL ESTER | 95034-05-2 | ≥98.0% |
| 4-Chloro-3-nitro-5-sulphamoylbenzoic acid | 22892-96-2 | ≥98.0% |
| N ,N'-Diisopropylcarbodiimide | 693-13-0 | ≥98.0% |
| 2 -(ISOPROPYLAMINO)ETHANOL | 109-56-8 | ≥98.0% |
| N,N,N'-TRIMETHYLETHYLENEDIAMINE | 142-25-6 | ≥98.0% |
| Intermediates of Dabrafenib达拉非尼中间体 | | |
| 2,6-Difluorobenzenesulfonyl chloride | 60230-36-6 | |
| Methyl 3-amino-2-fluorobenzoate | 1195768-18-3 | |
| 2-chloro-4-methylpyrimidine | 13036-57-2 | |

| Product Name | CAS | Purity |
|--------------------------------------------------------------------------------------------------------------------|--------------|--------|
| 2,2-DIMETHYLTHIOPROPIONAMIDE | 630-22-8 | |
| Intermediates of Febuxostat 非布司他中间体 | | |
| Ethyl 2-(3-formyl-4-hydroxyphenyl)-4-methylthiazole-5-carboxylate | 161798-01-2 | |
| Ethyl 2-(3-Cyano-4-hydroxyphenyl)-4-methyl-1,3-thiazole-5-carboxylate | 161798-02-3 | |
| ETHYL 2-(3-FORMYL-4-ISOBUTOXYPHENYL)-4-METHYLTHIAZOLE-5-CARBOXYLATE | 161798-03-4 | |
| Ethyl 2-(3-cyano-4-isobutoxyphenyl)-4-methyl-5-thiazolecarboxylate | 160844-75-7 | |
| Intermediates of Rimegepant 瑞美吉泮中间体 | | |
| (6S,9R)-6-(2,3-Difluorophenyl)-6,7,8,9-tetrahydro-9-[[tris(1-methylethyl)silyl]oxy]-5H-cyclohepta[b]pyridin-5-one | 1190363-46-2 | |
| 1-piperidin-4-yl-3H-imidazo[4,5-b]pyridin-2-one,dihydrochloride | 781649-84-1 | |
| Intermediates of Ubrogapant 乌布吉泮中间体 | | |
| (3S,5S,6R)-3-amino-6-methyl-5-phenyl-1-(2,2,2-trifluoroethyl)piperidin-2-one | 1375470-88-4 | |
| (3'S)-1',2',5,7-Tetrahydro-2'-oxospiro[6H-cyclopenta[b]pyridine-6,3'-[3H]pyrrolo[2,3-b]pyridine]-3-carboxylic acid | 1375541-21-1 | |
| Intermediates of Upatinib 乌帕替尼中间体 | | |
| (3R,4S)-3-(2-Bromoacetyl)-4-ethyl-1-pyrrolidinecarboxylic acid phenylmethyl ester | 1428243-26-8 | |
| N-[5-[(4-Methylphenyl)sulfonyl]-5H-pyrrolo[2,3-b]pyrazin-2-yl]carbamic acid 1,1-dimethylethyl ester | 1201187-44-1 | |
| Intermediates of Atracurium 阿曲库铵中间体 | | |
| Tetrahydropapaverine hydrochloride | 6429-04-5 | |
| Atracurium oxalate | 64228-78-0 | |
| R-Tetrahydropapaverine hydrochloride | 54417-53-7 | |