

Jinzhou Jiutai Pharmaceutical

Omeprazole

Name: 5-methoxy-2-[[[(4-methoxy-3,5-dimethylpyridin-2-yl)methyl]sulfinyl]-1H-benzimidazole

Formula: C₁₇H₁₉N₃O₃S

Molecular Weight: 345.416

Assay:



CAS: 73590-8-6

Standard:

Packing: 25Kg/drum

Characters: White crystalline solid.

Usage: It is a proton pump inhibitor and can act on indigestion.



Esomeprazole

Name: 5-Methoxy-2-((S)-((4-methoxy-3,5-dimethyl-2-pyridyl)methyl)sulfinyl)-1H-benzimidazole

Formula: C₁₇H₁₉N₃O₃S

Molecular Weight: 345.416

Assay:

CAS: 119141-88-7

Standard:

Packing: 10Kg/drum

Characters: White or almost white crystalline powder.

Usage: Used for gastroesophageal reflux disease (GORD), including erosive reflux esophagitis (Including erosive esophagitis) initial and long-term treatment.

Omeprazole sodium

Name: 5-Methoxy-2-[(4-methoxy-3,5-dimethyl-2-pyridyl)-methylsulfoxide]-3H-benzimidazole sodium salt

Formula: C₁₇H₂₀N₃NaO₄S

Molecular Weight: 385.413

Assay: 98.5%

CAS: 95510-70-6

Standard: EP DMF#033402

Packing: 10Kg/drum

Characters: White or almost white crystalline powder, odorless, freely soluble in water. slightly soluble in methanol or alcohol, sparingly soluble in chloroform.

Usage: 1. gastric, duodenal ulcer 2. peptic ulcer hemorrhage

Pantoprazole sodium


Name: 5-Difluoromethoxy-2-[(3,4-Dimethoxy-2-pyridyl)methyl]sulfinyl-1H-benzimidazole sodium monohydrate

Formula: C₁₆H₁₄F₂N₃NaO₄S

Molecular Weight: 405.352

Assay: 98.0%-102.0%

CAS: 138786-67-1



Standard: ChP EP

Packing: 10Kg/drum

Characters: White or almost white crystalline powder.

Usage: The treatment of gastric and duodenal ulcer.

Pantoprazole sodium hydrate

Name: Pantoprazole Sodium Sesquihydrate

Formula: $C_{16}H_{15}F_2N_3O_4S \cdot 1.5H_2O \cdot Na$

Molecular Weight: 433.38


Assay:

CAS: 164579-32-2

Standard:

Packing: 10Kg/drum

Characters: Freely soluble in water and in ethanol (96 per cent), practically insoluble in hexane.



Usage: Pantoprazole sodium hydrate is a proton pump inhibitor.

benzocaine

Name: Ethyl 4-aminobenzoate


Formula: $C_9H_{11}NO_2$

Molecular Weight: 165.189

Assay:

CAS: 94-09-7


Standard:



Packing: 25Kg/drum

Characters: White crystalline powder, stable in the air, odorless, bitter taste. It is alkaline. Light color gradient yellow.

Usage: Used as a local anesthetic for the skin and mucous membranes, and also used as a protective agent for sun protection.



Betahistine dihydrochloride

Name: N-methyl-2-pyridine ethylamine dihydrochloride

Formula: C₈H₁₄Cl₂N₂

Molecular Weight: 209.116


Assay:

CAS: 5579-84-0

Standard:

Packing: 10Kg/drum

Characters: White to light yellow powder, absorbs moisture in humid air and with strong oxidants, acids, strong bases, and acid anhydrides.



crystalline
air, and reacts
acid chlorides,

Usage: Mainly used for Meniere's syndrome, vascular headache and cerebral arteriosclerosis, and can be used to treat acute ischemic cerebrovascular disease.

paracetamol

Name: N-acetaminophen

Formula: C₈H₉NO₂

Molecular Weight: 151.163

Assay:


CAS: 103-90-2

Standard:

Packing: 25Kg/drum

Characters: Colorless crystals in the form of single rhombic prisms. Odorless. Bitter.

Usage: This product is an antipyretic and analgesic, and its antipyretic effect is similar to aspirin.



Chlorhexidine diacetate

Name: 1,6-bis(N1-p-chlorophenyl-N5-biguanidino)hexane diacetate

Formula: $C_{22}H_{30}Cl_2N_{10} \cdot 2C_2H_4O_2 \cdot xH_2O$

Molecular Weight: 625.551

Assay:

CAS: 206986-79-0

Standard:

Packing: 25Kg/drum

Characters: White to nearly white powder.

Usage: An antibacterial and antiseptic that can be used to clean the skin after trauma, before surgery or before injection.

Chlorhexidine Acetate

Name: 1,6-Bis(4-chlorophenylbiguanidino)hexanediacetic acid


Formula: $C_{24}H_{34}Cl_2N_{10}O_2$

Molecular Weight: 625.55

Assay: 99%

CAS: 56-95-1

Standard: BP EP DMF#13124



Packing: 25Kg/drum

Characters: A white or almost white, microcrystalline powder, odorless, bitter in taste, soluble in alcohol, sparingly soluble in water, dissociation from acidic solution.

Usage: It can disinfect gram-positive bacteria, gram-negative bacteria and fungus.

Chlorhexidine hydrochloride

Name: 1,1'-(Hexane-1,6-diyl)bis[5-(4-chlorophenyl) biguanide]dihydrochloride

Formula: C₂₂H₃₂Cl₄N₁₀

Molecular Weight: 578.369

Assay: 98.0% to 101.0%


CAS: 3697-42-5

Standard: GB

Packing: 15Kg/drum

Characters: White or almost white, crystalline powder. Sparingly soluble in water and in propylene glycol, very slightly soluble in ethanol(96 percent).

Usage: Antiseptic.



Nchlorhexidine

Name: 1,1'-hexylbis[5-(p-chlorophenyl)biguanide]

Formula: C₂₂H₃₀Cl₂N₁₀


Molecular Weight: 505.447

Assay:

CAS: 55-56-1

Standard:


Packing: 25Kg/drum



Characters: Colorless crystal, soluble in water, showing strong alkalinity.

Usage: Antiseptic.

Viaminate



Name: ethyl-4-[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethylcyclohexen-1-yl)nona-2,4,6,8-tetraenyl]amino]benzoate

Formula: $C_{29}H_{37}NO_3$

Molecular Weight: 447.609

Assay:


CAS: 53839-71-7

Standard:

Packing: 5kg/bag

Characters: Yellow crystalline powder.

Usage: Treatment of various acne and abnormal keratosis skin diseases.



Malotilate

Name: dipropan-2-yl 2-(1,3-dithiol-2-ylidene)propanedioate

Formula: $C_{12}H_{16}O_4S_2$

Molecular Weight: 288.38

Assay:

CAS: 59937-28-9

Standard:

Packing: 25Kg/drum

Characters: Light yellow crystal, soluble in benzene, cyclohexane, n-hexane or ether.

Usage:It acts on hepatocytes.

nicorandil

Name: N-[2-(Nitrooxy)ethyl]-3-pyridinecarboxamide

Formula: C₈H₉N₃O₄

Molecular Weight: 211.175

Assay:

CAS: 65141-46-0

Standard:

Packing: 25Kg/drum

Characters: White or light yellow crystalline powder, slightly soluble in water, very slightly soluble in acetone, and soluble in alcohols.

Usage: Potassium channel activator.

Bifendate

Name: Methyl 7-methoxy-4-(7-methoxy-5-methoxycarbonyl-1,3-benzodioxol-4-yl)-1,3-benzodioxole-5-carboxylate

Formula: C₂₀H₁₈O₁₀


Molecular Weight: 418.351

Assay:

CAS: 73536-69-3

Standard:

Packing: 25Kg/drum



Characters: White crystalline powder, almost soluble in water, very slightly soluble in methanol or ethanol, slightly soluble in acetone, and easily soluble in chloroform or dimethylformamide.

Usage: Commonly used drugs for the treatment of viral hepatitis and drug-induced liver injury caused by elevated transaminases.

metronidazole

Name: 2-(2-Methyl-4-nitro-1H-imidazol-1-yl)ethanol

Formula: C₆H₉N₃O₃

Molecular Weight: 171.154


Assay:

CAS: 443-48-1

Standard:

Packing: 25Kg/drum

Characters: White or milky white crystalline powder, soluble in hot water, slightly soluble in ethanol, slightly soluble in water or chloroform, very slightly soluble in ether. The taste is bitter and slightly salty.



Usage: Nitroimidazole antibiotics, effective against anaerobic bacteria and protozoa.

isosorbide dinitrate

Name: 1,4:3,6-Dianhydro-2,5-di-O-nitro-D-glucitol


Formula: C₆H₈N₂O₈

Molecular Weight: 236.136

Assay:

CAS: 87-33-2

Standard:



Packing: 25Kg/drum

Characters: White crystalline powder, easily soluble in chloroform and acetone, slightly soluble in ethanol, slightly soluble in water.


Usage: It can prevent left ventricular remodeling and cardiac function deterioration caused by myocardial infarction.

Diisopropylamine dichloroacetate

Name: N-propan-2-ylpropan-2-amine

Formula: C₈H₁₇Cl₂NO₂

Molecular Weight: 230.132



Assay:


CAS: 660-27-5

Standard:

Packing: 25Kg/drum

Characters: It is a white powder with high quality; it tastes slightly bitter. Easily soluble in water, ethanol or chloroform, slightly soluble in ether.

Usage: Improve liver function and promote regeneration of injured liver cells.



dimenhydrinate

Name: N-(2-Diphenylmethoxyethyl)-N,N-dimethylammonium 8-chlorotheophyllinate

Formula: C₂₄H₂₈ClN₅O₃

Molecular Weight: 469.964

Assay:


CAS: 523-87-5

Standard:

Packing: 25Kg/drum

Characters: Crystalline white powder, Slightly soluble.

Usage: An antiemetic, and antihistamine, remedy for motion sickness.



used as a

Benproperine Phosphate

Name: 1-(1-Methyl-2-(2-benzylphenoxy)ethyl)piperidine phosphate

Formula: C₂₁H₃₀NO₅P

Molecular Weight: 407.440

Assay:

CAS: 19428-14-9

Standard:

Packing: 25Kg/drum

Characters: White powder.

Usage: Non-narcotic antitussive, with dual antitussive effect.

enoxacin gluconate

Name: enoxacin glyconate


Formula: C₂₁H₃₁FN₄O₁₁

Molecular Weight: 534.489

Assay:

CAS: 104142-71-4

Standard:



Packing: 25Kg/drum

Characters:

Usage:

Carbolomeng Hydrochloride

Name: 3-(b-Diethylaminoethyl)-4-methyl-7-ethoxy-carbonylmethoxycoumarin hydrochloride


Formula: $C_{20}H_{27}NO_5$

Molecular Weight: 361.432

Assay:

CAS: 804-10-4

Standard:



Packing: 25Kg/drum

Characters: White powder, easily soluble in water or ethanol, slightly soluble in chloroform or acetone, slightly soluble in ether, and almost insoluble in benzene.

Usage: Used for coronary heart disease and prevention of angina pectoris and acute myocardial infarction.

2,4-dichlorobenzyl alcohol

Name: 2,4-dichlorobenzyl alcohol

Formula: $C_7H_6Cl_2O$


Molecular Weight: 177.028

Assay:

CAS: 1777-82-8

Standard:


Packing: 25Kg/drum



Characters: White-light yellow crystals, soluble in organic solvents such as absolute ethanol, methanol, and dimethyl sulfoxide.

Usage: A mild bactericide that has a range of antiviral effects on bacteria and in oral and throat infections.

wide
viruses



Octenidine Dihydrochloride

Name: 1,1'-Decane-1,10-diylbis[4-(octylamino)pyridinium] dichloride

Formula: $C_{36}H_{64}Cl_2N_4$

Molecular Weight: 623.826

Assay:

CAS: 70775-75-6

Standard:

Packing: 25Kg/drum

Characters: White powder, Soluble in dimethyl sulfoxide and methanol.

Usage: Effective antiseptic compound for skin, mucous membranes and wounds.