



UNDER CONSIDERATION

ACTIVE PHARMACEUTICAL INGREDIENT	REFERENCE PRODUCT	INDICATION
Amikacin	Arikayce kit® Insmed/PARI Pharma	Mycobacterium avium complex lung disease
Buprenorphine	Brixadi®, Butrans® and Sublocade® Braeburn, Purdue Pharma and Indivior	Opioid use disorder and pain management
Cenobamate	Xcopri® (US) and Ontozry® (EU) SK Biopharmaceuticals (US) and Angelini (EU)	Partial-onset seizures
Elexacaftor	Trikafta® (US) and Kaftrio® (EU) Vertex	Cystic fibrosis
Encorafenib	Braftovi® Array (US) and Pierre Fabre (EU)	Unresectable or metastatic melanoma and metastatic colorectal cancer
Levoketoconazole	Recorlev® Strongbridge	Endogenous hypercortisolism in adults with Cushing's syndrome
Lumacaftor	Orkambi® Vertex	Cystic fibrosis
Lorlatinib	Lorbrena® (US) and Lorviqua® (EU) Pfizer	Metastatic non-small cell lung cancer
Lumateperone tosylate	Caplyta® Intra-Cellular Therapies and Bristol Myers Squibb	Schizophrenia and depressive episodes associated with bipolar disorders
Naltrexone	Vivitrol® Alkermes	Alcohol and opioid dependence
Naloxone hydrochloride	Kloxxado®, Narcan® Rextovy®, Rivive® Hikma, Emergent, Amphastar Pharms, Harm reduction therp	Opioid overdose
Potassium phosphates	Potassium phosphates®	Source of phosphorous when oral or enteral replacement is not possible, insufficient or contraindicated
Rimegepant sulphate	Nurtec® ODT (US) and Vydura® (EU) Pfizer and Biohaven	Migraine
Sodium phosphates	Sodium phosphates®, Hospira	Correction or prevention of hypophosphatemia in patients with restricted or no oral intake
Vibegron	Gemtesa® Urovant	Overactive bladder
Zanubrutinib	Brukinsa® BeiGene	Mantle cell lymphoma, Waldenström's macroglobulinemia, refractory marginal zone mymphoma, chronic lymphocytic leukemia and small lymphocytic lymphoma