

## Pangesic

\* Description :Pangesic (Mefenamic Acid) is a non-steroidal with anti-inflammatory, analgesic and antipyretic activity.\*  
Indications :Pangesic is indicated for :-The relief of mild to moderate pain including muscular, traumatic, dental pain, headache, post-operative and post-partum pain.- Dysmenorrh...

## Nexorpan

o Description and properties:Nexorpan (Naproxen sodium) is an anti-inflammatory, analgesic and antipyretic that belongs to the group of non-steroidal anti-inflammatory agents. o Indications:Inflammatory and degenerative rheumatic diseases as rheumatoid arthritis, osteoarthritis, ankylosing spo...

## Loxicam

Pharmacologically active constituents: Loxicam 7.5mg Tablets:each tablet contains 7.5mg of meloxicam. Loxicam 15mg Tablets:each tablet contains 15mg of meloxicam. PACKS: Plastic jars of 10,30 tablets. Hospital packs of different sizes are available. DESCRIPTION:Loxicam (meloxicam)is a non ster...

## Difen

\* Description :Difen (Diclofenac Sodium) is a non-steroidal anti-inflammatory agent with analgesic and antipyretic properties.\* Indications :\* Difen is indicated for the treatment of:-Rheumatoid arthritis, ankylosing spondylitis, osteoarthritis and spondylarthritis.-Painful syndromes of the vertebra...

## Iburam

• Description:Iburam is a non steroidal anti inflammatory agent with, a remarkable analgesic ,antipyretic &anti-inflammatory action .Iburam is rapidly absorbed after oral administration and peak concentration in plasma is observed after 1-2 hours .• Indications:Iburam is Indicated as an anti- infl...

## Dolocet Extra

Dolocet Extra is a combination composed of paracetamol USP 500mg and caffeine anhydrous USP 65 mg for the rapid relief of pain. \* Properties : Dolocet Extra is an effective analgesic and antipyretic with a mild effect on the stomach . The analgesic action of paracetamol is potentiated by the...

## Rivoram

Description : Rivoram (Clonazepam) is an antiepileptic belongs to the benzodiazepine group. It has pronounced anticonvulsant properties that shows a beneficial effect on focal epilepsy and primary generalized seizures. Clonazepam potentiates the pre- and postsynaptic inhibitory action of GABA-am...

## Tamocit

\* Description : Tamocit (Tamoxifen Citrate) is a non-steroidal antioestrogen. It does not have androgenic properties. \*  
Indications : Tamocit is indicated for the treatment of : – Neoplastic breast disease. – Anovulatory infertility. \*  
Presentation\* : Tamocit-10 Tablets: Each t...

## Infantril

Description : Infantril (Clomiphene Citrate) is a non-steroidal compound with estrogenic and antiestrogenic activity, which stimulates ovulation. \* Indications : Infantril is indicated in the treatment of anovulatory infertility and it may be indicated to treat infertility in males with olig...

## Aldactone

\* Composition : Aldactone is supplied as tablets containing 25mg or 100 mg of spironolactone B.P. \* Indications : Essential hypertension, oedematous disorders such as oedema and ascites of congestive heart failure, cirrhosis of the liver nephrotic syndrome; idiopathic oedema. \* \* Presentati...

## Glunil

\* Description : Glunil (Glibenclamide) is a sulphonylurea hypoglycaemic agent. Glunil is rapidly absorbed from the GIT after oral administration. The half-life is about 10 hours and it has a duration of action of up to 24 hours. \* Indications : Glunil is indicated for treatment of: – Non-ins...

## Diamet

\* Description: Diamet (Metformin hydrochloride) is an oral hypoglycemic preparation (Biguanide group) having peripheral action. \* Indications: Diamet is indicated in the treatment of maturity-onset diabetes. \* Presentation: \* Diamet -500 tablet : Each tablet contains 500mg Metformin HCl, Pack size of 30 ...

## Zenoril

\* Description : Zenoril (Lisinopril) is an antihypertensive agent which is classified as an ACE inhibitor and inhibits the formation of angiotensin II, a powerful vasoconstrictor. Lisinopril onset of action begins within 2 hrs following oral administration, achieves its peak effect within 4-6...

## VASOPRIL

DESCRIPTION : VASOPRIL (ENALAPRIL MALEATE ) is an oral long acting angiotensin – converting enzyme (ACE ) inhibitor , that is used in the treatment of hypertension & congestive heart failure . It has become a first line agent for the treatment of heart failure due to its proven reduction of ...

## Medoram

\* Description : Medoram (Methyldopa) is an antihypertensive agent. \* Indications : Medoram is indicated for the treatment of: – Mild, moderate or severe hypertension. \* Presentation\* : Medoram-250 Film Coated Tablets: Each F/C tablet contains \*-Methyldopa BP, USP equivalent to 250 mg Methyld...

## Losart

\*Description : Losart (Losartan Potassium) is the first of a new class of antihypertensives, its an angiotensin receptor antagonist .Losart is an orally active agent that is well absorbed and the mean peak concentration is reached in about 1 hour after oral administration . \*Indications : ...

## Loten

\* Description : Loten (Atenolol) is a cardioselective adrenoceptor  $\beta$ -blocker agent. \* Indications : Loten is indicated for the: -Control of hypertension. -Management of angina pectoris. -Control of cardiac arrhythmias. \* Presentation\* : Loten-50 Film Coated Tablets: Each F/C tablet contain...

## Amlocard

Description : Amlocard is a long acting calcium channel blocker which inhibits  $Ca^{++}$  ion influx across cell membranes selectively. Amlocard is a peripheral arterial vasodilator that acts directly on vascular smooth muscle to cause reduction in blood pressure. Indications: 1- Hypertension 2- Chro...

## Zanuric

\*Description & Properties: Allopurinol is used to treat hyperuricemia, this condition is caused by the deposition of monosodium urate in the joints and other tissues. Allopurinol inhibits the action of the enzyme xanthine oxidase, the enzyme that converts hypoxanthine to xanthine and xanthine...

## Akisol

\* Description : Akisol (Trihexyphenidyl HCl) is a synthetic antispasmodic drug which exerts a direct inhibitory effect upon the parasympathetic nervous system. It also has a relaxing effect on smooth muscles. Akisol is well absorbed from the GIT after oral administration, with a rapid onset o...

## Virustat

\* Description : Virustat (Acyclovir) is an antiviral agent which is active against herpes simplex virus (HSV) type I & type II and varicella-zoster virus (VZV). This activity is due to intracellular conversion of acyclovir by viral thymidine kinase to the monophosphate with subsequent conve...

## Rythromac

Description :- Rythromac (Erythromycin ethyl succinate) is a macrolide with an antibacterial spectrum that is similar but not identical to that of penicillin, it is thus an alternative in penicillin allergic patients. Indications :- Rythromac is indicated for the treatment of; Respiratory inf...

## Azitam

Description: Azitam (Azithromycin Dihydrate) is an antimicrobial drug for systemic use belongs to macrolide group, it has broad spectrum effect that covers both gram positive and gram negative bacteria. Indications: Azitam is indicated for the treatment of wide range of infections caused by s...

## Claritop

Description:Claritop (Clarithromycin) is a semi-synthetic derivative of Erythromycin A. It exerts its anti bacterial action by binding to the 50s ribosomal sub-unit of susceptible bacteria and suppresses protein synthesis. It is highly potent against a wide variety of aerobic and anaerobic ...

## Novepam

Novepam (Bromazepam) is a benzodiazepine that selectively reduces tension and anxiety in low doses, but sedative and muscle-relaxant properties appear in high doses. Novepam is readily absorbed after oral administration with peak plasma levels within one to two hrs. The mean half-life of Nov...

## Amiram

\* Description : Amiram (Amitriptyline HCl) is a tricyclic antidepressant that is readily absorbed from the GIT after oral administration with peak plasma concentrations occurring within few hours. It has an elimination half-life ranging from 9 to 36 hrs. \* Indications : Amiram is indicated for ...

## Dobesil

\* Description : Dobesil (Calcium Dobesilate) is a regulator of the capillary functions. Dobesil reduces capillary permeability and improves blood flow, tissue irrigation by opposing the breakdown of collagen and reducing plasma and blood hyperviscosity. Dobesil indirectly increases lymphatic...

## Norcetam

Description : Norcetam (Piracetam) is a psychotropic agent acting on the brain to improve the efficacy of telencephalon, which is involved in cognition, learning, memory and alertness. Piracetam acts on the CNS by modifying neurotransmission within the brain and improves metabolic environ...

## Ramlac

\*Description :Ramlac (Lactulose) is a synthetic disaccharide laxative. Following oral administration, Ramlac is almost completely unabsorbed from the GIT. Ramlac is broken down by colonic bacteria mainly lactobacteria into low molecular weight organic acids such as lactic acid that exerts a ...

## Cefadril

Cefadril...

**Ciproflacin**

**Clinaram**

**Forticef**

**Safe**

**Moxiram**

**Magnacef**

**Oflacin**

**Peflox**

**Ramoxin**

**Ramoclav**

**Rifaram**

**Roximac**

**Rythromac**

**Claritop**