

Company profile

PHARMACEUTICAL PRODUCTS



WORLD MEDICINE

Pharmaceutical Company



About World Medicine Group

World Medicine Pharmaceutical Company started its activity in **1998**. Today World Medicine is a group of companies with its central office located in London, UK that includes the subsidiaries in Romania, Bulgaria, Turkey and some other countries. **World Medicine** Group is engaged in development, production and sales of pharmaceutical products. It is present in more than **50** countries worldwide. Total number of employees is more than **3.400** people.

World Medicine Group has a multi-type product portfolio with more than **450** pharmaceutical products in such therapeutic fields like neurology, endocrinology, cardiology, ophthalmology, rheumatology, gastroenterology, urology, pulmonology, etc.

OUR MOTTO

Health is the treasure we share.

OUR MISSION

We always tend to remain a highly successful pharmaceutical company that provides effective medicines improving the quality of life, to be a company which is respected for professionalism, and which has a reputation of being a reliable partner, supplier and employer.

OUR VISION

To become a leading pharmaceutical company and one of the top **10** generic pharmaceutical companies by **2020** in the countries of presence.



WORLD MEDICINE

Pharmaceutical Company



About World Medicine Facility

MANUFACTURING SITE IN TURKEY

World Medicine develops and manufactures medicines of various therapeutic categories with high-tech state-of-art manufacturing facility in Istanbul, which became operational in **2011**. Annual production capacity is more than **100** million units. We utilize modern and environment-friendly technologies in production processes.

The manufacturing site was inspected and accredited by leading European and global pharmaceutical producers and authorities. Production facility is equipped with the most advanced high-technology production and packaging machinery.

MANUFACTURING SITE IN ROMANIA

World Medicine Romania production facility became operational in **2017**. This manufacturing facility is one of the important steps to become a global player for **World Medicine**. The plant initially started producing solid forms (tablet, capsule) and effervescent tablet, annual production capacity is more than **42** million units for those pharmaceutical forms.



WORLD MEDICINE

Pharmaceutical Company



About R&D Laboratory



Group of companies **World Medicine** possesses its own R&D laboratory.

Our R&D laboratory is fitted with advanced high-technology equipment. We employ only highly-qualified staff, acknowledged experts in their field. Total personnel amounts to over **100** specialists involved in various task groups of our R&D team (pharmaceutical chemistry, pharmaceutical technologies, pharmacology and analytical chemistry).

Our specialists closely follow up the development of innovative technologies in pharmaceutical industry and introduce these new technologies into production in strict compliance with GMP and GLP requirements.

About Production

Production facilities, which potential annual output is up to **100** million units, provide an opportunity to produce film-coated and enteric-coated tablets, soft and hard gelatin capsules, dry powders in bottles for oral use, sachets, solutions, oral liquid forms, nasal sprays, sterile eye drops, ear drops, anti-asthmatic inhalation aerosols, antiasthmatic inhalation powders in microdosed capsules, gels, creams, ointments and suppositories.

Our production complies with all the international standards and is certified by the regulatory authorities of different countries. Our facilities are approved by the European GMP.



WORLD MEDICINE

Pharmaceutical Company



Type of Production



Film-coated and enteric-coated tablets



Soft gelatin capsules



Hard gelatin capsules



Microdose capsule antiasthmatic drugs



Dry powders for suspension



Oral liquids



Nasal sprays



Eye drops



Ear drops



Antiasthmatic inhalation aerosols



Sachets



Granules




Suppositories



Gels & Creams






Certificates





World Medicine Worldwide



*Albania Algeria Angola Azerbaijan Belarus Bulgaria Cambodia Chile
Dominican Republic Egypt Ethiopia Georgia Ghana Greece Guatemala
Guinea Bissau Hong Kong Iraq Ivory Coast Jordan Kazakhstan Kosovo
Kuwait Kyrgyzstan Moldova Mongolia Morocco Nicaragua Nigeria Philippines
Poland Portugal Qatar Romania Russia Saudi Arabia Singapore Somalia
Sri Lanka Swaziland Taiwan Tajikistan Tunisia Turkey Turkmenistan
Uganda Ukraine Uzbekistan Venezuela Vietnam Zambia Zimbabwe*



WORLD MEDICINE
Pharmaceutical Company

ALIMENTARY TRACT AND METABOLISM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|--|----------------------------------|---|------------------|-------------------------------------|
| 1 ADEMATIONINE | 400 MG | LYOPHILIZED POWDER FOR INJECTION | 5 PWD VIALS + 5 SOLVENT AMP | ADEMTA | HEPRAL / ABBOTT |
| 2 ADEMATIONINE | 400 MG | ENTERIC COATED TABLETS | 20 TABLETS | ADEMTA | HEPRAL / ABBOTT |
| 3 ALUMINIUM HYDROXIDE + MAGNESIUM HYDROXIDE + SIMETHICONE | (405 MG + 100 MG + 125 MG) / 5 ML | ORAL SUSPENSION | 100 or 250 ML / BOTTLE | SIMALGEL | SIMECO / PFIZER |
| 4 ALVERINE + SIMETHICONE | 60 MG + 300 MG | SOFT GELATIN CAPSULES | 20 or 40 CAPSULES | SIMESPASMIL | METEOSPASMYL / MAYOLY SPINDLER |
| 5 AMINOACIDS + MINERALS (INFUSION FOR INTRAVENOUS USE) | COMBINATED PRODUCT | VIAL | 250 ML / BOTTLE or 500 ML / BOTTLE | SERRADA | INFEZOL / BERLIN CHEMIE |
| 6 ATP + COCARBOXYLASE + CYANOCOBALAMIN + NICOTINAMIDE | (10 MG + 50 MG + 0.5 MG + 20 MG) / AMPOULE | LYOPHILIZED POWDER FOR INJECTION | 3 PWD VIALS + 3 SOLVENT AMP (LIDOCAINE) | COCARNIT | |
| 7 BENFOTIAMINE | 150 MG or 300 MG | FILM-COATED TABLETS | 30 TABLETS | NEVRALON-B | MILGAMMA MONO / WORWAG |
| 8 BENFOTIAMINE + PYRIDOXINE | 100 MG + 100 MG | FILM-COATED TABLETS | 20 or 30 TABLETS | NEVRALON ADVANCE | MILGAMMA / WORWAG |
| 9 DEXLANSOPRAZOLE | 30 MG or 60 MG | DR CAPSULES | 14 or 28 CAPSULES | EKSDELAN | DEXILANT / TAKEDA |
| 10 D-FRUCTOSE-1,6-DIPHOSPHATE SODIUM HYDRATE | 5 G / 50 ML or 10 G / 100 ML | SOLUTION FOR INFUSION | 50 ML or 100 ML | DIPFRUCT | ESAFOSFINA / BIOMEDICA |
| 11 DOMPERIDONE | 10 MG | TABLETS | 30 TABLETS | DOPROKIN | MOTILIUM / JANSSEN |
| 12 DOMPERIDONE | 1 MG / ML | ORAL SUSPENSION | 100 ML / BOTTLE | DOPROKIN | MOTILIUM / JANSSEN |
| 13 DOMPERIDONE + SIMETHICONE | (5 MG + 20 MG) / 5 ML | ORAL SUSPENSION | 60 ML / BOTTLE | DOPROKIN-S | |
| 14 ESOMEPRAZOLE | 20 MG or 40 MG | DR CAPSULES | 14 or 28 CAPSULES | POMPEZO | NEXIUM / ASTRAZENECA |
| 15 ESOMEPRAZOLE | 40 MG | LYOPHILIZED POWDER FOR INJECTION | 1 VIAL | POMPEZO | NEXIUM / ASTRAZENECA |
| 16 FAMOTIDINE + CALCIUM CARBONATE + MAGNESIUM HYDROXIDE | (10 MG + 800 MG + 165 MG) / TABLET | CHEWABLE TABLETS | 6 or 12 or 24 or 48 TABLETS | FAMETOL | PEPCID COMPLETE / JOHNSON & JOHNSON |
| 17 GLIBENCLAMIDE + METFORMIN | (2.5 MG + 500 MG) or (5 MG + 500 MG) | FILM-COATED TABLETS | 30 or 60 or 90 TABLETS | INSUCOMB | GLUCOVANCE / MERCK |
| 18 GLICLAZIDE | 30 MG or 60 MG | MR TABLETS | 30 or 60 or 90 TABLETS | INSUTON | DIAMICRON MR / SERVIER |
| 19 GLIMEPIRIDE | 1 MG or 2 MG or 3 MG or 4 MG | TABLETS | 30 TABLETS | INSUPRID | AMARYL / SANOFI |
| 20 GLUTATHIONE | 600 MG / 4 ML | LYOPHILIZED POWDER FOR INJECTION | 10 PWD VIALS + 10 SOLVENT AMP | RAM 600 | TATIONIL / BAYER |
| 21 LACTULOSE | 667 MG / ML | SYRUP | 100 ML or 250 ML / BOTTLE | MEDULAC-WM | DUPHALAC / ABBOTT |
| 22 LANSOPRAZOLE | 30 MG | CAPSULES | 14 or 28 CAPSULES | LANTOROL | AGOPTON / TAKEDA |
| 23 LANSOPRAZOLE + DOMPERIDONE | (30 MG + 10 MG) / CAPSULE | CAPSULES | 14 or 28 CAPSULES | LANDOPA | |
| 24 LEVOCARNITINE | 1 G / 5 ML | SOLUTION FOR INJECTION | 5 or 10 AMPOULES | METACARTIN | CARNITENE / SIGMA-TAU |



ALIMENTARY TRACT AND METABOLISM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|--|---|-----------------------------|-------------------|-----------------------------|
| 25 LEVOCARNITINE | 1 G / 10 ML or 2 G / 10 ML | ORAL SOLUTION | 10 VIALS | METACARTIN | CARNITOR / SIGMA-TAU |
| 26 LEVOCARNITINE | 100 MG / ML | SYRUP | 100 ML / BOTTLE | METACARTIN | CARNITOR / SIGMA-TAU |
| 27 MEBEVERINE | 200 MG | RETARD CAPSULES | 30 CAPSULES | DUSCONAL | DUSPATAL / ABBOTT |
| 28 MESALAZINE | 1000 MG | GASTRO-RESISTANT PROLONGED-RELEASE GRANULES | 100 SACHETS | MESELAC | SALOFALK / DR.FALK |
| 29 METFORMIN | 500 MG or 850 MG or 1000 MG | FILM-COATED TABLETS | 30 or 60 or 90 TABLETS | INSUFOR | GLUCOPHAGE / MERCK |
| 30 METFORMIN | 500 MG | XR TABLETS | 30 or 60 or 90 TABLETS | INSUFOR XR | GLUCOPHAGE SR / MERCK |
| 31 METOCLOPRAMIDE HCl | 5 MG / 5 ML | ORAL SOLUTION | 200 ML / BOTTLE | METOCLOPRAMIDE-WM | |
| 32 NATEGLINIDE | 60 MG or 120 MG or 180 MG | FILM-COATED TABLETS | 84 TABLETS | REAGLID | STARLIX / NOVARTIS |
| 33 NIFUROXAZIDE + PECTIN + SIMETHICONE + ATTAPULGITE | (200 MG + 60 MG + 25 MG + 100 MG) / 5 ML | ORAL SUSPENSION | 120 ML / BOTTLE | DIALIN | |
| 34 OMEPRAZOLE | 20 MG or 40 MG | DR CAPSULES | 14 or 28 CAPSULES | SERAMOL | LOSEC / ASTRAZENECA |
| 35 OMEPRAZOLE | 20 MG | LYOPHILIZED POWDER FOR INJECTION | 1 VIAL | SERAMOL | LOSEC / ASTRAZENECA |
| 36 ORLISTAT | 60 MG or 120 MG | CAPSULES | 42 or 84 CAPSULES | LISTORA | XENICAL / ROCHE |
| 37 PANCREATIN | 150 MG or 300 MG | CAPSULES | 20 or 50 or 100 CAPSULES | PAN CRAZA | KREON / ABBOTT |
| 38 PANTOPRAZOLE | 40 MG | ENTERIC COATED TABLETS | 14 or 28 TABLETS | ULSEPAN | PANTOZOL / TAKEDA |
| 39 PANTOPRAZOLE | 40 MG | LYOPHILIZED POWDER FOR INJECTION | 1 VIAL | ULSEPAN | PANTOZOL / TAKEDA |
| 40 RACECADOTRIL | 100 MG | CAPSULES | 10 CAPSULES | RESEKADO | HIDRASEC / ABBOTT |
| 41 REPAGLINIDE | 0.5 MG or 1 MG or 2 MG | TABLETS | 30 TABLETS | INSVADA | NOVONORM / NOVONORDISK |
| 42 SILYMARIN | 70 MG or 140 MG | CAPSULES | 30 CAPSULES | SILARSIL | LEGALON / MADAUS |
| 43 SIMETHICONE | 40 MG or 140 MG | SOFT GELATIN CAPSULES | 25 or 50 or 100 CAPSULES | METIGAST | ESPUMISAN / BERLIN-CHEMIE |
| 44 SIMETHICONE | 40 MG / ML or 100 MG / ML | ORAL DROPS | 30 ML / BOTTLE | METIGAST | LAB SIMPLEX / PFIZER |
| 45 SITAGLIPTIN | 25 MG or 50 MG or 100 MG | FILM-COATED TABLETS | 28 TABLETS | PTIAGLIN | JANUVIA / MERCK |
| 46 SODIUM ALGINATE + SODIUM BICARBONATE + CALCIUM CARBONATE | 500 MG + 267 MG + 160 MG | CHEWABLE TABLETS | 6 or 12 or 24 or 48 TABLETS | SARPAL | GAVICON / RECKITT BENCKISER |
| 47 SODIUM ALGINATE + SODIUM BICARBONATE + CALCIUM CARBONATE | (500 MG + 267 MG + 160 MG) / 10 ML | ORAL SUSPENSION | 100 ML or 200 ML / BOTTLE | SARPAL | GAVICON / RECKITT BENCKISER |
| 48 SODIUM PICOSULPHATE | 2.5 MG / CAPSULE | SOFT GELATIN CAPSULES | 50 CAPSULES | ANULACS | DULCOLAX / BOEHRINGER |
| 49 THIOCTIC ACID | 600 MG / 50 ML | SOLUTION FOR INJECTION | 1 VIAL | INSULIPON | THIOCTACID T DIREKT / MEDA |
| 50 THIOCTIC ACID | 300 MG or 600 MG | FILM-COATED TABLETS | 30 or 60 or 90 TABLETS | INSULIPON | THIOCTACID / MEDA |



ALIMENTARY TRACT AND METABOLISM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|--|--|------------------------|--------------------------------|-------------|-------------------------|
| 51 URSODEOXYCHOLIC ACID | 250 MG / 5 ML | ORAL SUSPENSION | 100 ML or 250 ML / BOTTLE | CHOLUDEXAN | URSOFALK / DR.FALK |
| 52 URSODEOXYCHOLIC ACID | 150 MG or 250 MG or 300 MG | CAPSULES | 10 or 20 or 50 or 100 CAPSULES | CHOLUDEXAN | URSOFALK / DR.FALK |
| 53 VIT B ₁ + VIT B ₂ + VIT B ₃ + VIT B ₁₂ | (250 MG + 4 MG + 250 MG + 1.5 MG)/ 3 ML | SOLUTION FOR INJECTION | 5 AMPOULES | BENEVRON-B | |
| 54 VIT B ₁ + VIT B ₂ + VIT B ₆ + VIT B ₃ + VIT B ₁₂ | (250 MG + 15 MG + 200 MG + 500 MCG + 250 MCG) / TABLET | ENTERIC COATED TABLETS | 20 TABLETS | BENEVRON-BF | |
| 55 VIT B ₁ + VIT B ₆ + VIT B ₁₂ | (250 MG + 250 MG + 1 MG) / TABLET | FILM-COATED TABLETS | 20 or 50 TABLETS | NEVRALON | BENEXOL B12 / BAYER |
| 56 VIT B ₁ + VIT B ₆ + VIT B ₁₂ + LIDOCAINE | (100 MG + 100 MG + 1 MG + 20 MG) / 2 ML | SOLUTION FOR INJECTION | 5 AMPOULES | NEVRALON | MILGAMMA / WORWAG |
| 57 VITAMIN D ₃ | 15.000 IU / ML | ORAL DROPS | 10 ML | COLEDAN | AQUADETRIM / MEDANA |
| 58 VITAMIN D ₃ | 1000 IU or 50 000 IU / CAPSULE | SOFT GELATIN CAPSULES | 1 or 30 CAPSULES | COLEDAN | VITAMIN D3 / BLACKMORES |
| 59 VIT D ₃ + VIT A | (10.000 IU + 20.000 IU) / ML | ORAL DROPS | 10 ML | COLEFER | VITAMINUM / MEDANA |



ANTI-INFECTIVE PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|----------------------------------|---|----------------------------------|---|------------|---------------------------------|
| 60 AMIKACIN | 100 MG / 2 ML or 250 MG / 2 ML or 500 MG / 2 ML or 1000 MG / 4 ML | SOLUTION FOR INJECTION | 1 or 10 VIALS | MERKACIN | AMUKIN / BRISTOL-MYERS SQUIBB |
| 61 AMOXICILLIN + CLAVULANIC ACID | 156.25 MG / 5 ML or 312.5 MG / 5 ML | POWDER FOR ORAL SUSPENSION | 80 ML / BOTTLE | CLAVOMED | AUGMENTIN / GSK |
| 62 AMOXICILLIN + CLAVULANIC ACID | (500 MG + 125 MG) or (875 MG + 125 MG) / TABLET | FILM-COATED TABLETS | 10 or 15 TABLETS | CLAVOMED | AUGMENTIN / GSK |
| 63 AMPICILLIN + SULBACTAM | 750 MG or 1500 MG | POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (LIDOCAINE) or 10 PWD VIALS | BACTAMED | DUOCID / PFIZER |
| 64 ATOVAQUONE + PROGUANIL | (250 MG + 100 MG) / TABLET | FILM-COATED TABLETS | 20 or 30 or 50 TABLETS | NILOPROL | MALARONE / GSK |
| 65 AZITHROMYCIN | 500 MG | FILM-COATED TABLETS | 3 TABLETS | ZIROMIN | ZITHROMAX / PFIZER |
| 66 AZITHROMYCIN | 500 MG | LYOPHILIZED POWDER FOR INJECTION | 1 VIAL | ZIROMIN | ZITHROMAX / PFIZER |
| 67 AZITHROMYCIN | 200 MG / 5 ML | POWDER FOR ORAL SUSPENSION | 15 ML or 30 ML / BOTTLE | ZIROMIN | ZITHROMAX / PFIZER |
| 68 CEF DINIR | 125 MG / 5 ML or 250 MG / 5 ML | POWDER FOR ORAL SUSPENSION | 60 or 100 ML / BOTTLE | RODINIR | OMNICEF / ABBOTT |
| 69 CEF DINIR | 300 MG | CAPSULES | 10 or 20 CAPSULES | RODINIR | OMNICEF / ABBOTT |
| 70 CEFEPIME | 500 MG or 1000 MG or 2000 MG | POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI) or 10 PWD VIALS | ROXIPIME | MAXIPIME / BRISTOL MYERS SQUIBB |
| 71 CEFOTAXIME | 500 MG or 1000 MG or 2000 MG | POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI or LIDOCAINE) or 10 PWD VIALS | MEDOTAX | CLAFORAN / SANOFI |
| 72 CEFPODOXIME | 200 MG | FILM-COATED TABLETS | 10 or 14 or 15 or 20 TABLETS | CEFPODO | ORELOX / DAIICHI SANKYO |
| 73 CEFPODOXIME | 100 MG / 5 ML | POWDER FOR ORAL SUSPENSION | 100 ML | CEFPODO | ORELOX / DAIICHI SANKYO |
| 74 CEFTRIAXONE | 500 MG or 1000 MG or 2000 MG | POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI or LIDOCAINE) or 10 PWD VIALS | CEFAMED | ROCEPHIN / ROCHE |
| 75 CEFIXIME TRIHYDRATE | 100 MG / 5 ML or 200 MG / 5 ML | SUSPENSION | 50 ML / BOTTLE or 100 ML / BOTTLE | CEFIDANT | SUPRAX / SANOFI |
| 76 CEFIXIME TRIHYDRATE | 200 MG or 400 MG | FILM-COATED TABLETS | 5 or 10 TABLETS | CEFIDANT | SUPRAX / SANOFI |
| 77 CEFUROXIME | 750 MG or 1500 MG | POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI) or 10 PWD VIALS | SIRUMEK | ZINACEF / GSK |
| 78 CIPROFLOXACIN | 500 MG | FILM-COATED TABLETS | 10 or 14 TABLETS | FLAPROX | CIPROBAY / BAYER |
| 79 CIPROFLOXACIN + ORNIDAZOLE | (500 MG + 500 MG) / TABLET | FILM-COATED TABLETS | 10 TABLETS | ORCIPOL | |
| 80 CLARITHROMYCIN | 500 MG | LYOPHILIZED POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI) | ORADRO | KLACID / ABBOTT |
| 81 CLARITHROMYCIN | 125 MG / 5 ML or 250 MG / 5 ML | GRANULES FOR ORAL SUSPENSION | 70 ML / BOTTLE | ORADRO | KLACID / ABBOTT |
| 82 CLARITHROMYCIN | 250 MG or 500 MG | FILM-COATED TABLETS | 14 TABLETS | ORADRO | KLACID / ABBOTT |



ANTI-INFECTIVE PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|------------------|--------------|-------------------------------------|----------------------------------|--------------------------|--|
| 83 | DOXYCYCLINE | 100 MG | DISPERSIBLE TABLETS | 10 TABLETS | MEDAOX UNIDOX SOLUTAB / ASTELLAS |
| 84 | ENTECAVIR | 0.5 MG or 1 MG | FILM-COATED TABLETS | 30 TABLETS | ENTAFIL BARACLUDE / BRISTOL MYERS-SQUIBB |
| 85 | FLUCONAZOLE | 2 MG / ML | SOLUTION FOR INFUSION | 50 ML or 100 ML / BOTTLE | FLUZAMED DIFLUCAN / PFIZER |
| 86 | FLUCONAZOLE | 50 MG or 100 MG or 150 MG or 200 MG | CAPSULES | 1 or 7 CAPSULES | FLUZAMED DIFLUCAN / PFIZER |
| 87 | FOSFOMYCIN | 3 G | GRANULES FOR ORAL SOLUTION | 1 or 2 SACHETS | FOSFOMED MONURAL / ZAMBON |
| 88 | GANCICLOVIR | 500 MG | LYOPHILIZED POWDER FOR INFUSION | 1 VIAL | TAMOVIR CYMEVENE / ROCHE |
| 89 | LEVOFLOXACIN | 250 MG or 500 MG | FILM-COATED TABLETS | 7 TABLETS | LEVOXIMED TAVANIC / SANOFI |
| 90 | LEVOFLOXACIN | 500 MG / 100 ML | SOLUTION FOR INFUSION | 1 VIAL | LEVOXIMED TAVANIC / SANOFI |
| 91 | LINEZOLID | 600 MG / 300 ML | SOLUTION FOR INFUSION | 1 VIAL | LYNOZID ZYVOXID / PFIZER |
| 92 | LINEZOLID | 100 MG / 5 ML | POWDER FOR ORAL SUSPENSION | 150 ML / BOTTLE | LYNOZID ZYVOXID / PFIZER |
| 93 | LINEZOLID | 600 MG | FILM-COATED TABLETS | 2 or 10 TABLETS | LYNOZID ZYVOXID / PFIZER |
| 94 | MOXIFLOXACIN | 400 MG / 250 ML | SOLUTION FOR INFUSION | 1 VIAL | MOXICUM AVELOX / BAYER |
| 95 | MOXIFLOXACIN | 400 MG | FILM-COATED TABLETS | 5 or 7 or 10 TABLETS | MOXICUM AVELOX / BAYER |
| 96 | NIFUROXAZIDE | 200 MG / 5 ML | ORAL SOLUTION | 60 ML / BOTTLE | DIALIN-M ERCEFURYL / SANOFI |
| 97 | OFLOXACIN | 2 MG / ML | SOLUTION FOR INFUSION | 100 ML / BOTTLE | ROFLOXAN TARIVID / SANOFI |
| 98 | OFLOXACIN | 200 MG or 400 MG | FILM-COATED TABLETS | 5 or 10 TABLETS | ROFLOXAN TARIVID / SANOFI |
| 99 | SPIRAMYCIN | 1.5 MIU or 3 MIU | FILM-COATED TABLETS | 10 or 16 TABLETS | DORAMYCIN ROVAMYCINE / SANOFI |
| 100 | SPIRAMYCIN | 1.5 MIU | LYOPHILIZED POWDER FOR INJECTION | 1 VIAL | DORAMYCIN ROVAMYCINE / SANOFI |
| 101 | TEIKOPLANIN | 200 MG or 400 MG | LYOPHILIZED POWDER FOR INJECTION | 1 or 10 VIALS | TEKLONIN TARGOCID / SANOFI |
| 102 | TENOFOVIR | 300 MG | FILM-COATED TABLETS | 30 TABLETS | TENOFIL VIREAD / GILEAD SCIENCES |
| 103 | TERBINAFINE | 250 MG | TABLETS | 14 or 28 TABLETS | ERBINOL LAMISIL / NOVARTIS |
| 104 | TERBINAFINE | 1% | SPRAY | 20 ML / BOTTLE | ERBINOL LAMISIL / NOVARTIS |
| 105 | TERBINAFINE | 1% | CREAM | 20 G / TUBE | ERBINOL LAMISIL / NOVARTIS |
| 106 | VALACICLOVIR | 500 MG or 1000 MG | FILM-COATED TABLETS | 10 or 42 TABLETS | UVIROMED VALTREX / GSK |
| 107 | VANCOMYCIN | 500 MG or 1000 MG | LYOPHILIZED POWDER FOR INFUSION | 1 or 10 VIALS | VANKO-WM VANCOCIN / FLYNN PHARMA |
| 108 | VORICONAZOLE | 200 MG | LYOPHILIZED POWDER FOR INFUSION | 1 or 10 VIALS | VIROSEDA VFEND / PFIZER |
| 109 | VORICONAZOLE | 40 MG / ML | POWDER FOR ORAL SUSPENSION | 45 G / BOTTLE | VIROSEDA VFEND / PFIZER |
| 110 | VORICONAZOLE | 50 MG or 200 MG | FILM-COATED TABLETS | 14 or 28 TABLETS | VIROSEDA VFEND / PFIZER |



WORLD MEDICINE

Pharmaceutical Company

ANTINEOPLASTIC AND IMMUNOMODULATING PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|----------------------|------------------------|------------------------|------------------------|------------|-----------------------------|
| 111 | ABIRATERONE ACETATE | 250 MG | TABLETS | 120 TABLETS | BIRATER | ZYTIGA / JANSSEN |
| 112 | CICLOSPORIN | 25 MG or 100 MG | SOFT GELATIN CAPSULES | 50 CAPSULES | SIKORA | SANDIMMUN NEORAL / NOVARTIS |
| 113 | IMATINIB | 100 MG or 400 MG | FILM-COATED TABLETS | 30 or 120 TABLETS | PANTIKOR | GLIVEC / NOVARTIS |
| 114 | INOSINE PRANOBEX | 500 MG | TABLETS | 10 or 20 or 50 TABLETS | INOSEDA | VIRUXAN / SIGMA-TAU |
| 115 | INOSINE PRANOBEX | 250 MG / 5 ML | SYRUP | 120 ML / BOTTLE | INOSEDA | VIRUXAN / SIGMA-TAU |
| 116 | LEFLUNOMIDE | 10 MG or 20 MG | FILM-COATED TABLETS | 30 TABLETS | BAGEDA | ARAVA / SANOFI |
| 117 | LENALIDOMIDE | 5 MG or 10 MG or 15 MG | CAPSULES | 21 CAPSULES | LEVADO-WM | REVLIMID / CELGENE |
| 118 | MYCOPHENOLATE SODIUM | 180 MG or 360 MG | ENTERIC COATED TABLETS | 120 TABLETS | MIKA | MYFORTIC / NOVARTIS |



WORLD MEDICINE

Pharmaceutical Company

ANTIPARASITIC PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|-------------|---------------------|---------------------|-----------------|------------|--------------------|
| 119 | ALBENDAZOLE | 200 MG or 400 MG | FILM-COATED TABLETS | 2 or 10 TABLETS | HELMADOL | ESKAZOLE / GSK |
| 120 | SECNIDAZOLE | 500 MG or 1000 MG | FILM-COATED TABLETS | 2 or 4 TABLETS | SECNIDOX | FLAGENTYL / SANOFI |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

BLOOD & BLOOD FORMING PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|-----------------------------|------------------------|------------------|------------|-------------------------|
| 121 DEFERASIROX | 125 MG or 250 MG or 500 MG | DISPERSIBLE TABLETS | 28 or 84 TABLETS | DEFEJACT | EXJADE / NOVARTIS |
| 122 IRON III HYDROXIDE SUCROSE COMPLEX | 2700 MG / 5 ML | SOLUTION FOR INJECTION | 5 AMPOULES | FERSINOL-S | VENOFER / VIFOR |
| 123 IRON III HYDROXIDE POLYMALTOSE COMPLEX | 50 MG / ML | ORAL DROPS | 30 ML / BOTTLE | FERSINOL | FERRUM HAUSMANN / VIFOR |
| 124 IRON III HYDROXIDE POLYMALTOSE COMPLEX | 100 MG / 2 ML | SOLUTION FOR INJECTION | 5 AMPOULES | FERSINOL | FERRUM HAUSMANN / VIFOR |
| 125 IRON III HYDROXIDE POLYMALTOSE COMPLEX | 100 MG / 5 ML | ORAL SOLUTION | 20 VIALS | FERSINOL | MALTOFER / VIFOR |
| 126 IRON III HYDROXIDE POLYMALTOSE COMPLEX + FOLIC ACID | (357 MG + 0.35 MG) / TABLET | FILM-COATED TABLETS | 30 TABLETS | FERSINOL-F | MALTOFER FOL / VIFOR |



CARDIOVASCULAR SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|--|------------------------|------------------------------|---------------|---------------------------|
| 127 ACETYSALICYLIC ACID + MAGNESIUM HYDROXIDE | (75 MG + 15.2 MG) or (150 MG + 30.4 MG) / TABLET | FILM-COATED TABLETS | 30 or 100 TABLETS | ASMADA | CARDIOMAGNYL / TAKEDA |
| 128 AMLODIPINE + LISINAPRIL | (5 MG + 5 MG) or (5 MG + 10 MG) or (10 MG + 10 MG) or (10 MG + 20 MG) / TABLET | FILM-COATED TABLETS | 30 TABLETS | AMLIPIN | LISONORM / GEDEON RICHTER |
| 129 ATORVASTATIN | 10 MG or 20 MG or 40 MG or 80 MG | FILM-COATED TABLETS | 30 or 60 or 90 TABLETS | AMVASTAN | LIPITOR / PFIZER |
| 130 BISOPROLOL | 1.25 MG or 2.5 MG or 5 MG or 10 MG | FILM-COATED TABLETS | 30 TABLETS | RIZOPROL | CONCOR / MERCK |
| 131 BOSENTAN | 62.5 MG or 125 MG | FILM-COATED TABLETS | 56 TABLETS | SENTARIN | TRACLEER / ACTELION |
| 132 CLOPIDOGREL | 75 MG | FILM-COATED TABLETS | 14 or 28 TABLETS | LOPIGROL | PLAVIX / SANOFI |
| 133 DIOSMIN + HESPERIDIN + VIT C | 450 MG + 50 MG + 100 MG | TABLETS | 30 TABLETS | VENODIOL-C | |
| 134 DIOSMIN + HESPERIDIN | 450 MG + 50 MG | TABLETS | 30 TABLETS | VENODIOL | DAFLON / SERVIER |
| 135 DIOSMIN + HESPERIDIN | 900 MG + 100 MG | TABLETS | 30 or 60 TABLETS | VENODIOL FORT | DETRALEX / SERVIER |
| 136 ENALAPRIL | 5 MG or 10 MG or 20 MG | TABLETS | 30 TABLETS | ENALAPRIL-WM | RENITEC / MSD |
| 137 ENOXAPARIN | 20 MG or 40 MG or 60 MG or 80 MG or 100 MG | PRE-FILLED SYRINGE | 1 or 2 or 10 SYRINGES | SAXAPARIN | CLEXANE / SANOFI |
| 138 EPLERENONE | 25 MG or 50 MG | FILM-COATED TABLETS | 30 TABLETS | EPLERADA | INSPIRA / PFIZER |
| 139 INDAPAMIDE | 1.5 MG | SR FILM-COATED TABLETS | 30 or 90 TABLETS | DARZOX | FLUDEX / SERVIER |
| 140 IRBESARTAN | 75 MG or 150 MG or 300 MG | FILM-COATED TABLETS | 14 or 28 or 56 or 90 TABLETS | ROTAZAR | APROVEL / SANOFI |
| 141 IRBESARTAN + HYDROCHLOROTHIAZIDE | (150 MG + 12.5 MG) or (300 MG + 12.5 MG) or (300 MG + 25 MG) / TABLET | FILM-COATED TABLETS | 14 or 28 or 56 or 90 TABLETS | ROTAZAR PLUS | COAPROVEL / SANOFI |
| 142 MELDONIUM | 100 MG / ML | SOLUTION FOR INJECTION | 10 AMPOULES | RIPRONAT | MILDRONAT / GRINDEX |
| 143 MELDONIUM | 250 MG or 500 MG | CAPSULES | 40 or 60 CAPSULES | RIPRONAT | MILDRONAT / GRINDEX |
| 144 METOPROLOL | 25 MG or 50 MG or 100 MG | TABLETS | 20 TABLETS | CARDOLAX | LOPRESOR / NOVARTIS |
| 145 METOPROLOL | 5 MG / 5 ML | SOLUTION FOR INJECTION | 1 or 10 AMPOULES | CARDOLAX | LOPRESOR / NOVARTIS |
| 146 NEBIVOLOL | 2.5 MG or 5 MG | TABLETS | 14 or 28 or 56 or 90 TABLETS | NEBIWORLD | NEBILET / MENARINI |
| 147 ROSUVASTATIN | 5 MG or 10 MG or 20 MG or 40 MG | FILM-COATED TABLETS | 30 or 60 or 90 TABLETS | ROSUSTAR | CRESTOR / ASTRAZENECA |
| 148 SPIRONOLACTONE | 25 MG or 50 MG or 100 MG | FILM-COATED TABLETS | 20 TABLETS | SPYLACTON | ALDACTONE / PFIZER |
| 149 SPIRONOLACTONE + FUROSEMIDE | (50 MG + 20 MG) or (100 MG + 20 MG) / TABLET | FILM-COATED TABLETS | 10 or 20 TABLETS | SEMILACT | LASILACTON / SANOFI |
| 150 SPIRONOLACTONE + HYDROCHLOROTHIAZIDE | (25 MG + 25 MG) or (50 MG + 50 MG) | FILM-COATED TABLETS | 20 or 50 TABLETS | NOLAXEN | ALDACTAZIDE / PFIZER |
| 151 TELMISARTAN | 20 MG or 40 MG or 80 MG | TABLETS | 14 or 28 or 56 or 98 TABLETS | TELMADO | MICARDIS / BOEHRINGER |



CARDIOVASCULAR SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---------------------------------------|---|------------------------|-------------------------------------|----------------|-------------------------------|
| 152 TELMISARTAN + HYDROCHLOROTHIAZIDE | (40 MG + 12.5 MG) or (80 MG + 12.5 MG) or (80 MG + 25 MG) | FILM-COATED TABLETS | 14 or 28 or 56 or 98 TABLETS | TELMADO PLUS | MICARDIS PLUS / BOEHRINGER |
| 153 TORASEMIDE | 5 MG or 10 MG or 20 MG or 100 MG or 200 MG | FILM-COATED TABLETS | 10 or 20 or 30 or 50 or 100 TABLETS | TORVENTA | DEMADEX / MEDA |
| 154 TORASEMIDE | 10 MG / ML | SOLUTION FOR INJECTION | 5 AMPOULES | TORVENTA | DEMADEX / MEDA |
| 155 TRIMETAZIDINE | 35 MG | MR FILM-COATED TABLETS | 60 TABLETS | CARMETADIN | VASTAREL / SERVIER |
| 156 TROXERUTIN | 2% | GEL | 40 G / TUBE | ROXET | TROXEVASIN / ACTAVIS |
| 157 TROXERUTIN + CARBAZOCHROME | (150 MG + 1.5 MG) / 3 ML | SOLUTION FOR INJECTION | 10 AMPOULES | TOXIVENOL | FLEBOSIDE / ACARPIA |
| 158 TROXERUTIN + CARBAZOCHROME | (300 MG + 3 MG) / TABLET | FILM-COATED TABLETS | 30 TABLETS | TOXIVENOL | FLEBOSIDE / ACARPIA |
| 159 TROXERUTIN + HEPARIN + ESCINE | (20 MG + 1000IU + 10 MG) / 1 G | GEL | 40 G/ TUBE | VENODIOL-ULTRA | |
| 160 VALSARTAN | 80 MG or 160 MG or 320 MG | FILM-COATED TABLETS | 14 or 28 or 56 or 90 TABLETS | VIASART | DIOVAN / NOVARTIS |
| 161 VALSARTAN + HYDROCHLOROTHIAZIDE | (80 MG + 12.5 MG) or (160 MG + 12.5 MG) or (160 MG + 25 MG) or (320 MG + 12.5 MG) or (320 MG + 25 MG) | FILM-COATED TABLETS | 14 or 28 or 56 or 90 TABLETS | VIASART PLUS | CODIOVAN / NOVARTIS |
| 162 VINCAMINE | 30 MG | SR CAPSULES | 20 CAPSULES | VINEBRAL | OXYBRAL / GSK |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DERMATOLOGICALS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|--|--|---------------------|--------------|--------------|------------------------|
| 163 BECLOMETASONE + CLOTRIMAZOLE + GENTAMICIN + CLIOQUINOL | (0.25 MG + 10 MG + 1 MG + 20 MG) / 1 G | CREAM | 30 G / TUBE | DECLOSID | |
| 164 BETAMETHASONE + CLOTRIMAZOLE + GENTAMICIN | (0.5 MG + 10 MG + 1 MG) / 1 G | OINTMENT or CREAM | 15 G / TUBE | DECLOSID-M | TRIDERM / MERCK |
| 165 CLOBETASOL | 0.05% | CREAM | 50 G / TUBE | DERYLIFE | DERMOXIN / GSK |
| 166 DEXPANTHENOL | 5% | CREAM or OINTMENT | 30 G / TUBE | SPENTEN | BEPANTHEN / BAYER |
| 167 DEXPANTHENOL + CHLORHEXIDINE | 50 MG + 5 MG | CREAM | 50 G / TUBE | SPENTEN PLUS | BEPANTHEN PLUS / BAYER |
| 168 TACROLIMUS | 0.03% or 0.1% | OINTMENT | 30 G / TUBE | TAKROLADA | PROTOPIC / LEO |



GENITO-URINARY SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|---|-----------------------|---------------------------|------------|------------------------------------|
| 169 VITAMIN C | 250 MG | VAGINAL TABLETS | 6 VAGINAL TABLETS | MOTERIS | FEMINELLA / CSC PHARMACEUTICALS |
| 170 DAPOXETINE | 30 MG or 60 MG | FILM-COATED TABLETS | 3 or 6 TABLETS | DAPORIN | PRILIGY / JANSSEN |
| 171 DUTASTERIDE | 0.5 MG | SOFT GELATIN CAPSULES | 30 CAPSULES | RESTAD | AVODART / GSK |
| 172 DUTASTERIDE + TAMSULOSIN | (0.5 MG + 0.4 MG) / CAPSULE | CAPSULES | 30 or 60 or 90 CAPSULES | TAMDARA | COMBODART / GSK |
| 173 FENTICONAZOLE | 600 MG or 1000 MG | VAGINAL OVULES | 1 or 2 OVULES | ENZOFEN | LOMEXIN / RECORDATI |
| 174 FENTICONAZOLE | 2% | VAGINAL CREAM | 30 G / TUBE | ENZOFEN | GYNO-LOMEXIN / RECORDATI |
| 175 METRONIDAZOLE + MICONAZOLE | (750 MG + 200 MG) / SUPPOSITORY | VAGINAL SUPPOSITORIES | 7 or 14 SUPPOSITORIES | LIMENDA | NEO-PENOTRAN FORTE / EMBIL |
| 176 METRONIDAZOLE + MICONAZOLE + LIDOCAINE | (750 MG + 200 MG + 100 MG) / SUPPOSITORY | VAGINAL SUPPOSITORIES | 7 or 14 SUPPOSITORIES | LIMENDA-L | NEO-PENOTRAN / EMBIL |
| 177 NIFURATEL + NYSTATIN | (100 MG + 40 000 IU) / G | VAGINAL CREAM | 30 G / TUBE | NYSTAFUR | MACMIROR COMPLEX / POLICHEM |
| 178 NIFURATEL + NYSTATIN | (500 MG + 200 000 IU) / OVULE | VAGINAL OVULES | 8 or 12 VAGINAL OVULES | NYSTAFUR | MACMIROR COMPLEX / POLICHEM |
| 179 SILDENAFIL | 25 MG or 50 MG or 100 MG | FILM-COATED TABLETS | 2 or 4 or 8 TABLETS | SILFECT | VIAGRA / PFIZER |
| 180 TADALAFIL | 5 MG or 10 MG or 20 MG | FILM-COATED TABLETS | 2 or 4 or 8 or 28 TABLETS | ARISTA | CIALIS / LILLY |
| 181 TAMSULOSIN | 0.4 MG | MR CAPSULES | 30 or 90 CAPSULES | TAMSAPROST | OMNIC / ASTELLAS |



MUSCULOSKELETAL SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|--|---|---|---|-----------------------|---|
| 182 | ALENDRONIC ACID | 70 MG | TABLETS | 4 TABLETS | LONDROMAX | FOSAMAX / MSD |
| 183 | BETAMETHASONE + DICLOFENAC + HYDROXOCOBALAMIN | (2.63 MG + 75 MG) / 3 ML+ 10 MG / VIAL | LYOPHILIZED POWDER FOR INJECTION + SOLVENT | 1 PWD VIAL + 1 SOLVENT AMP or 5 PWD VIALS + 5 SOLVENT AMP | BUMANOL | BLOKIU B12 / CASASCO |
| 184 | BETAMETHASONE SODIUM PHOSPATE + BETAMETHASONE DIPROPIONATE | (2 MG + 5 MG) / ML | SUSPENSION FOR INJECTION | 1 or 5 AMPOULES | SERTOSPAN | DIPROSPAN / MERCK |
| 185 | CALCIUM + VIT D ₃ | (1000 MG + 200 IU) / SACHET | GRANULES FOR ORAL SOLUTION | 30 SACHETS | ROTAVIT CALCIUM | |
| 186 | CALCIUM + VIT D ₃ | (1000 MG + 880 IU) / SACHET | GRANULES FOR ORAL SOLUTION | 30 SACHETS | ROTAVIT CALCIUM FORTE | |
| 187 | CELECOXIB | 100 MG or 200 MG | CAPSULES | 20 or 30 CAPSULES | LEKOXA | CELEBREX / PFIZER |
| 188 | CHONDROITIN | 200 MG / 2 ML | SOLUTION FOR INJECTION | 5 or 10 AMPOULES | DRASTOP | |
| 189 | DEKKETOPROFEN | 1.25% | GEL | 60 G / TUBE | SERTOGEN | KETESGEL / MENARINI |
| 190 | DEKKETOPROFEN | 25 MG | FILM-COATED TABLETS | 10 or 20 TABLETS | SERTOGEN | KERAL / MENARINI |
| 191 | DEKKETOPROFEN | 50 MG / 2 ML | SOLUTION FOR INJECTION / CONCENTRATE FOR INFUSION | 5 or 10 AMPOULES | SERTOGEN | KERAL / MENARINI |
| 192 | DICLOFENAC | 1% or 5% | GEL | 45 G / TUBE | CLODIFEN | VOLTAREN / NOVARTIS |
| 193 | DICLOFENAC | 12.5 MG or 100 MG | SUPPOSITORIES | 5 or 10 SUPPOSITORIES | CLODIFEN | VOLTAREN / NOVARTIS |
| 194 | DICLOFENAC | 75 MG / 3 ML | SOLUTION FOR INJECTION | 5 AMPOULES | CLODIFEN | VOLTAREN / NOVARTIS |
| 195 | DICLOFENAC | 100 MG | RETARD TABLETS | 10 or 20 or 30 TABLETS | CLODIFEN | VOLTAREN / NOVARTIS |
| 196 | DICLOFENAC + VIT B ₁ + VIT B ₆ + VIT B ₁₂ | (50 MG + 50 MG + 50 MG + 0.25 MG) / CAPSULE | CAPSULES | 20 CAPSULES | CLODIFEN NEURO | DICLOVIT / G.L. PHARMA |
| 197 | ETOFENAMATE + BENZYL NICOTINATE | (100 MG + 10 MG) / G | CREAM | 50 G / TUBE | ETOSERT | THERMO RHEUMON / MEDA |
| 198 | GLUCOSAMINE SULPHATE | 1500 MG | POWDER FOR ORAL SOLUTION | 20 SACHETS | ROTADON | DONA / ROTTAPHARM |
| 199 | IBANDRONIC ACID | 50 MG or 150 MG | FILM-COATED TABLETS | 3 or 28 or 84 TABLETS | RONOBON | BONDRONAT 50 MG / ROCHE BONVIVA 150 MG / ROCHE |
| 200 | KETOPROFEN | 100 MG | SUPPOSITORIES | 5 or 10 SUPPOSITORIES | ARTROCOL | PROFENID / SANOFI |
| 201 | KETOPROFEN | 100 MG / 2 ML | SOLUTION FOR INJECTION | 5 or 10 AMPOULES | ARTROCOL | PROFENID / SANOFI |
| 202 | KETOPROFEN | 2.5% | GEL | 45 G / TUBE | ARTROCOL | PROFENID / SANOFI |
| 203 | KETOPROFEN | 200 MG | PR CAPSULES | 10 or 20 CAPSULES | ARTROCOL PR | PROFENID LP / SANOFI |
| 204 | KETOROLAC | 30 MG / ML | SOLUTION FOR INJECTION | 5 AMPOULES | MEDROLGIN | TORADOL / ROCHE |
| 205 | KETOROLAC | 10 MG | FILM-COATED TABLETS | 10 or 20 TABLETS | MEDROLGIN | TORADOL / ROCHE |



WORLD MEDICINE

Pharmaceutical Company

MUSCULOSKELETAL SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|-----------------------------|------------------------|--|--|------------|------------------------------|
| 206 LORNOXICAM | 8 MG | LYOPHILIZED POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI) or 3 PWD VIALS + 3 SOLVENT AMP (WFI) | LORNADO | XEFO / TAKEDA |
| 207 LORNOXICAM | 4 MG or 8 MG | FILM-COATED TABLETS | 10 or 20 TABLETS | LORNADO | XEFO / TAKEDA |
| 208 MELOXICAM | 7.5 MG or 15 MG | TABLETS | 10 or 20 TABLETS | LOXIDOL | MOBIC / BOEHRINGER |
| 209 MELOXICAM | 15 MG | SUPPOSITORIES | 10 SUPPOSITORIES | LOXIDOL | MOBIC / BOEHRINGER |
| 210 MELOXICAM | 15 MG / 1.5 ML | SOLUTION FOR INJECTION | 3 AMPOULES | LOXIDOL | MOBIC / BOEHRINGER |
| 211 NAPROXEN | 10% | GEL | 45 G / TUBE | NAPROFF | NAPROSYN / RECORDATI |
| 212 NAPROXEN | 275 MG or 550 MG | FILM-COATED TABLETS | 10 or 20 TABLETS | NAPROFF | NAPROSYN / ROCHE |
| 213 STRONTIUM RANELATE | 2000 MG | GRANULES FOR ORAL SUSPENSION | 28 SACHETS | SERVALOS | PROTELOS / SERVIER |
| 214 TENOXICAM | 20 MG | FILM-COATED TABLETS | 10 TABLETS | ARTOXAN | MOBIFLEX / MEDA |
| 215 TENOXICAM | 20 MG | LYOPHILIZED POWDER FOR INJECTION | 1 PWD VIAL + 1 SOLVENT AMP (WFI) or 3 PWD VIALS + 3 SOLVENT AMP (WFI) | ARTOXAN | TILCOTIL / ROCHE |
| 216 TENOXICAM | 20 MG | SUPPOSITORIES | 10 SUPPOSITORIES | ARTOXAN | TILCOTIL / ROCHE |
| 217 TENOXICAM | 1% | GEL | 45 G / TUBE | ARTOXAN | |
| 218 THIOCOLCHICOSIDE | 4 MG / 2 ML | SOLUTION FOR INJECTION | 6 AMPOULES | MUSCOMED | MUSCORIL / SANOFI |
| 219 THIOCOLCHICOSIDE | 0.25% | CREAM | 30 G / TUBE | MUSCOMED | MUSCORIL / SANOFI |
| 220 THIOCOLCHICOSIDE | 4 MG or 8 MG | CAPSULES | 10 or 20 CAPSULES | MUSCOMED | MUSCORIL / SANOFI |
| 221 TIZANIDINE | 2 MG or 4 MG | TABLETS | 10 or 20 TABLETS | ROTALUD | SIRDALUD / NOVARTIS |
| 222 TOLPERISONE | 50 MG or 150 MG | FILM-COATED TABLETS | 10 or 30 TABLETS | TOLKIMADO | MYDOCALM / GEDEON RICHTER |
| 223 TOLPERISONE + LIDOCAINE | (100 MG + 2.5 MG) / ML | SOLUTION FOR INJECTION | 5 AMPOULES | TOLKIMADO | MYDOCALM / GEDEON RICHTER |
| 224 ZOLEDRONIC ACID | 5 MG / 100 ML | SOLUTION FOR INFUSION | 1 VIAL | ZOLTONAR | ZOMETA / NOVARTIS |
| 225 ZOLEDRONIC ACID | 4 MG / 5 ML | CONCENTRATE FOR SOLUTION FOR INFUSION | 1 VIAL | ZOLTASTA | ACLASTA / NOVARTIS |



NERVOUS SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|--------------------------------------|---|--|------------------------------------|-----------------|-------------------------|
| 226 | AGOMELATINE | 25 MG | FILM-COATED TABLETS | 28 TABLETS | AGOMELT | VALDOXAN / SERVIER |
| 227 | ALIMEMAZINE | 7.50 MG / 5 ML, 30 MG / 5 ML | ORAL SOLUTION | 100 ML / BOTTLE | ALIMEMAZINE-WM | THERALENE / SANOFI |
| 228 | ARIPIPIRAZOLE | 5 MG or 10 MG 15 MG or 30 MG | TABLETS | 28 TABLETS | ARPA | ABILIFY / OTSUKA |
| 229 | CARBIDOPA + LEVODOPA + ENTACAPONE | (12.5 MG + 50 MG + 200 MG) or (25 MG + 100 MG + 200 MG) or (37.5 MG + 150 MG + 200 MG) / TABLET | FILM-COATED TABLETS | 100 TABLETS | LEKARTEN | STALEVO / NOVARTIS |
| 230 | CHOLINE ALFOSCERATE | 1000 MG / 4 ML | SOLUTION FOR INJECTION | 3 AMPOULES | MEDOTILIN | GLIATILIN / ITALFARMACO |
| 231 | CHOLINE ALFOSCERATE | 400 MG | SOFT GELATIN CAPSULES | 14 CAPSULES | MEDOTILIN | GLIATILIN / ITALFARMACO |
| 232 | CITICOLINE | 500 MG / 4 ML or 1000 MG / 4 ML | SOLUTION FOR INJECTION | 5 AMPOULES | RONOCIT | CERAXON / TAKEDA |
| 233 | CITICOLINE | 250 MG or 500 MG | FILM-COATED TABLETS | 20 or 50 TABLETS | RONOCIT | CERAXON / TAKEDA |
| 234 | CITICOLINE | 100 MG / ML | ORAL SOLUTION | 10 ML 10 VIALS or 30 ML / BOTTLE | RONOCIT | CERAXON / TAKEDA |
| 235 | DONEPEZIL | 5 MG or 10 MG | FILM-COATED TABLETS | 14 or 28 TABLETS | ALZAMED | ARICEPT / PFIZER |
| 236 | DULOXETINE | 30 MG or 60 MG | CAPSULES | 28 CAPSULES | DULAXAT | CYMBALTA / LILLY |
| 237 | ESCITALOPRAM | 10 MG or 20 MG | FILM-COATED TABLETS | 14 or 28 or 56 or 84 TABLETS | MEDOLAPRAM | CIPRALEX / LUNDBECK |
| 238 | ESCITALOPRAM | 10 MG / ML | ORAL DROPS | 15 ML / BOTTLE | MEDOLAPRAM | CIPRALEX / LUNDBECK |
| 239 | ESZOPICLONE | 1 MG, 2 MG, 3 MG, 7.5 MG | TABLETS | 20 TABLETS | AMETSA | LUNESTA / SUNOVION |
| 240 | ETHOSUXIMIDE | 250 MG / 5 ML | SYRUP | 200 ML / BOTTLE | ETHOSUXIMIDE-WM | ZARONTIN / PFIZER |
| 241 | ETHOSUXIMIDE | 250 MG | SOFT CAPSULES | 100 CAPSULES | ETHOSUXIMIDE-WM | ZARONTIN / PFIZER |
| 242 | ETHYLMETHYLHYDROXYPYRIDINE SUCCINATE | 100 MG / 2 ML or 250 MG / 5 ML | SOLUTION FOR INJECTION | 5 or 10 AMPOULES | ELFUNAT | MEXIDOL / PHARMASOFT |
| 243 | ETHYLMETHYLHYDROXYPYRIDINE SUCCINATE | 125 MG | FILM-COATED TABLETS | 50 TABLETS | ELFUNAT | MEXIDOL / PHARMASOFT |
| 244 | GABAPENTIN | 100 MG or 300 MG or 400 MG | CAPSULES | 50 CAPSULES | ROTALEPTIN | NEURONTIN / PFIZER |
| 245 | GABAPENTIN | 250 MG / 5 ML | ORAL SOLUTION | 470 ML / BOTTLE | ROTALEPTIN | NEURONTIN / PFIZER |
| 246 | GINKGO BILOBA | 40 MG or 80 MG or 120 MG or 160 MG | CAPSULES | 30 CAPSULES | VOBILON | TANAKAN / IPSEN |
| 247 | GLATIRAMER | 20 MG / ML or 40 MG / ML | SOLUTION FOR INJECTION | 28 or 12 PRE-FILLED SYRINGES | ROGRESIF | COPAXON / TEVA |
| 248 | LEVETIRACETAM | 100 MG / ML | ORAL SOLUTION | 300 ML / WITH DOSE INJECTOR | LEVEBRAIN | KEPPRA / UCB |
| 249 | LEVETIRACETAM | 250 MG or 500 MG or 1000 MG | FILM-COATED TABLETS | 50 or 100 TABLETS | LEVEBRAIN | KEPPRA / UCB |
| 250 | LEVETIRACETAM | 500 MG / 5 ML | CONCENTRATE FOR SOLUTION FOR INFUSION | 10 VIALS | LEVEBRAIN | KEPPRA / UCB |
| 251 | LIDOCAINE | 1% | SOLUTION FOR INJECTION | 1.8 ML or 3.5 ML / AMPOULE | LIDOCAINE | XYLOCAINE / ASTRAZENECA |
| 252 | LIDOCAINE | 0.5% | SOLUTION FOR INJECTION | 1.8 ML or 2 ML or 3.5 ML / AMPOULE | LIDOCAINE | XYLOCAINE / ASTRAZENECA |



NERVOUS SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|--------------------------------------|-----------------------|---------------------------------|----------------|-------------------------------------|
| 253 MEMANTINE | 10 MG or 20 MG | FILM-COATED TABLETS | 30 or 50 or 100 TABLETS | FEMTA | EBIXA / LUNDBECK |
| 254 PARACETAMOL | 10 MG / ML | SOLUTION FOR INFUSION | 100 ML / VIAL | PIRETICOL | PERFALGAN / BRISTOL-MYERS SQUIBB |
| 255 PREGABALIN | 25 MG or 75 MG or 150 MG or 300 MG | CAPSULES | 14 or 56 CAPSULES | GALARA | LYRICA / PFIZER |
| 256 PROMAZINE | 10 MG / ML or 25 MG / ML | ORAL SOLUTION | 100 ML | PROMAZINE-WM | PROMAZINE / ROSEMONT |
| 257 RISPERIDONE | 1 MG or 2 MG or 3 MG or 4 MG | FILM-COATED TABLETS | 20 TABLETS | ROSTALEPT-ROTA | RISPERDAL / JANSSEN |
| 258 RISPERIDONE | 1 MG / ML | ORAL SOLUTION | 100 ML / WITH DOSE INJECTOR | ROSTALEPT-ROTA | RISPERDAL / JANSSEN |
| 259 RIVASTIGMINE | 2 MG / ML | ORAL SOLUTION | 50 or 100 ML WITH DOSE INJECTOR | RIVASTORON | EXELON / NOVARTIS |
| 260 RIVASTIGMINE | 1.5 MG or 3 MG or 4.5 MG or 6 MG | CAPSULES | 28 CAPSULES | RIVASTORON | EXELON / NOVARTIS |
| 261 TOPIRAMATE | 25 MG or 50 MG or 100 MG or 200 MG | FILM-COATED TABLETS | 60 TABLETS | RAPINORM | TOPAMAX / JANSSEN |
| 262 VALERIAN EXTRACT + PEPPERMINT EXTRACT + MELISSA EXTRACT | (125 MG + 25 MG + 25 MG) / CAPSULE | SOFT GELATIN CAPSULES | 30 CAPSULES | VAMELAN | PERSEN FORTE / SANDOZ |
| 263 VENLAFAXINE | 37.5 MG or 75 MG or 150 MG or 225 MG | RETARD CAPSULES | 14 or 28 CAPSULES | VANLAXA | EFEFOR / PFIZER |



RESPIRATORY SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|---|--|---------------------------------------|---|-------------|----------------------------------|
| 264 FENOTEROL | 100 µg / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | FENOTERIX | BEROTEC N / BOEHRINGER |
| 265 ACETYLCYSTEINE | 300 MG / 3 ML | SOLUTION FOR INJECTION AND INHALATION | 10 AMPOULE | ASIBROX | MUCOMYST / ASTRAZENECA |
| 266 ACETYLCYSTEINE | 200 MG or 600 MG | EFFERVESCENT TABLETS | 10 or 20 TABLETS | ASIBROX | MUCOMYST / ASTRAZENECA |
| 267 AMBROXOL | 15 MG / 5 ML or 30 MG / 5 ML | SYRUP | 100 or 200 ML | BRONOLAC | MUCOSOLVAN / BOEHRINGER |
| 268 AMBROXOL | 30 MG | TABLETS | 20 TABLETS | BRONOLAC | MUCOSOLVAN/BOEHRINGER |
| 269 AZELASTINE | 0.14 MG / DOSE | NASAL SPRAY | 10 ML / BOTTLE | AZZARA-NS | ALLERGODIL / MEDA |
| 270 BECLOMETASONE | 50 µg / DOSE or 100 µg / DOSE or 200 µg / DOSE or 250 µg / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | BECLMIL | CLENIL / CHIESI |
| 271 BECLOMETASONE | 50 µg / DOSE or 100 µg / DOSE | NASAL SPRAY | 200 DOSE / BOTTLE | BECLMIL | RINOCLENIL / CHIESI |
| 272 BECLOMETASONE + FORMOTEROL | (100 µg + 6 µg) / DOSE | AEROSOL INHALER | 120 DOSE / BOTTLE | FORSAJ | FOSTER / CHIESI |
| 273 BROMHEXINE + GUAIFENESIN + TERBUTALINE | (8 MG + 100 MG+ 2.5 MG) / 10 ML | SYRUP | 100 ML / BOTTLE | BROVENSIN | |
| 274 BUDESONIDE | 100 µg or 200 µg or 400 µg | CAPSULES WITH INHALATION POWDER | 60 CAPSULES WITH MEDICAL DEVICE | BUDECTON | PULMICORT / ASTRAZENECA |
| 275 BUDESONIDE | 50 µg / DOSE or 200 µg / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | BUDECTON | BECONASE / GSK |
| 276 BUDESONIDE | 32 µg or 50 µg or 64 µg or 100 µg / DOSE | NASAL SPRAY | 10 ML / BOTTLE | BUDECTON-NS | RHINOCORT AQUA / ASTRAZENECA |
| 277 BUDESONIDE + FORMOTEROL | 200 µg + 12 µg or 400 µg + 12 µg | CAPSULES WITH INHALATION POWDER | 60 + 60 CAPSULES WITH MEDICAL DEVICE | FENOSTER | SYMBICORT / ASTRAZENECA |
| 278 BUDESONIDE + FORMOTEROL | (160 µg + 4.5 µg) / DOSE or (80 µg + 4.5 µg) / DOSE | AEROSOL INHALER | 120 DOSE / BOTTLE | FENOSTER | SYMBICORT / ASTRAZENECA |
| 279 BUDESONIDE + FORMOTEROL | 100 µg + 6 µg or 200 µg + 6 µg or 400 µg + 12 µg | CAPSULES WITH INHALATION POWDER | 60 CAPSULES WITH MEDICAL DEVICE | FENOSTER | SYMBICORT / ASTRAZENECA |
| 280 CARBOCISTEINE | 250 MG / 5 ML | SYRUP | 100 ML or 200 ML / BOTTLE | KASLIROL | MUCODYNE / SANOFI |
| 281 CETIRIZINE | 10 MG | FILM-COATED TABLETS | 10 or 20 TABLETS | ROLINOZ | ZYRTEC / UCB |
| 282 CETIRIZINE | 10 MG / ML | ORAL DROPS | 20 ML / BOTTLE | ROLINOZ | ZYRTEC / UCB |
| 283 DESLORATADINE | 2.5 MG / 5 ML | SYRUP | 60 ML or 120 ML or 150 ML / BOTTLE | ESLOTIN | AERIUS / MSD |
| 284 DESLORATADINE | 5 MG | FILM-COATED TABLETS | 10 or 30 TABLETS | ESLOTIN | AERIUS / MSD |
| 285 DEXAMETHASONE + NEOMYCIN + PHENYLEPHRINE + POLYMYXIN B | (0.25 MG + 6.500 IU + 2.5 MG + 10.000 IU) / ML | NASAL SPRAY | 15 ML / BOTTLE | NELADEX-NS | POLYDEXA / BOUCHARA RECORDATI |



RESPIRATORY SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|--------------------------------|--|---------------------------------|---------------------------------|-------------|-------------------------|
| 286 | FENOTEROL + IPRATROPIUM | (50 µg + 20 µg) / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | NOTECORT | BERODUAL N / BOEHRINGER |
| 287 | FENSPIRIDE | 2 MG / ML | SYRUP | 150 ML / BOTTLE | TIRFENS | PNEUMOREL / SERVIER |
| 288 | FENSPIRIDE | 80 MG | FILM-COATED TABLETS | 20 or 30 or 50 TABLETS | TIRFENS | PNEUMOREL / SERVIER |
| 289 | FEXOFENADINE | 120 MG or 180 MG | FILM-COATED TABLETS | 20 TABLETS | ALERTEC | ALLEGRA / SANOFI |
| 290 | FLUTICASONE | 50 µg or 125 µg or 250 µg / DOSE | AEROSOL INHALER | 120 DOSE / BOTTLE | FLUTEL | FLIXOTIDE / GSK |
| 291 | FLUTICASONE + AZELASTINE | (50 µg + 137 µg) / DOSE | NASAL SPRAY | 120 DOSE / BOTTLE | FLUTEL PLUS | DYMISTA / MEDA |
| 292 | FLUTICASONE FUROATE | 27.5 µg / DOSE | NASAL SPRAY | 120 DOSE / BOTTLE | FLUTEL-F | AVAMYS / GSK |
| 293 | FLUTICASONE | 50 µg / DOSE | NASAL SPRAY | 120 DOSE / BOTTLE | FLUTEL | FLIXONASE AQUEOUS / GSK |
| 294 | FORMOTEROL | 12 µg | CAPSULES WITH INHALATION POWDER | 60 CAPSULES WITH MEDICAL DEVICE | FORALES | FORADIL / NOVARTIS |
| 295 | FORMOTEROL | 12 µg / DOSE | AEROSOL INHALER | 100 DOSE / BOTTLE | FORALES | ATIMOS / CHIESI |
| 296 | IPRATROPIUM | 20 µg / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | IPRACORT | ATROVENT / BOEHRINGER |
| 297 | KETOTIFEN | 1 MG / ML | ORAL DROPS | 25 ML / BOTTLE | PARVISTEN | ZADITEN / NOVARTIS |
| 298 | LEVOCETIRIZINE | 5 MG / ML | ORAL DROPS | 20 ML / BOTTLE | LEVOSETIL | XYZAL / UCB |
| 299 | LEVOCETIRIZINE | 5 MG | FILM-COATED TABLETS | 20 or 30 TABLETS | LEVOSETIL | XYZAL / UCB |
| 300 | MOMETASONE | 50 µg / DOSE | NASAL SPRAY | 140 DOSE / BOTTLE | ETACID | NASONEX AQUEOUS / MSD |
| 301 | MONTELUKAST | 4 MG | ORAL GRANULES | 28 SACHETS | CULENTO | SINGULAIR / MSD |
| 302 | MONTELUKAST | 10 MG | FILM-COATED TABLETS | 28 TABLETS | CULENTO | SINGULAIR / MSD |
| 303 | MONTELUKAST | 4 MG or 5 MG | CHEWABLE TABLETS | 28 TABLETS | CULENTO | SINGULAIR / MSD |
| 304 | NAPHAZOLINE + CHLORPHENIRAMINE | (0.5 MG + 5 MG) / ML | NASAL SPRAY | 15 ML / BOTTLE | NOZEYLIN-NS | |
| 305 | OLOPATADINE | 665 µg / DOSE | NASAL SPRAY | 240 DOSE / BOTTLE | PALLADA-NS | PATANASE / ALCON |
| 306 | VIT A + DEXPANTHENOL + VIT E | (0.25 MG + 10 MG + 2 MG) / ML | NASAL SPRAY | 20 ML / BOTTLE | PALMILOSE | RINOPANTEINA / DMG |
| 307 | SALBUTAMOL | 100 µg / DOSE | AEROSOL INHALER | 200 DOSE / BOTTLE | VENTACORT | VENTOLIN / GSK |
| 308 | SALMETEROL + FLUTICASONE | (25 µg + 50 µg) or (25 µg + 125 µg) or (25 µg + 250 µg) / DOSE | AEROSOL INHALER | 120 DOSE / BOTTLE | PEFSAL | SERETIDE / BOEHRINGER |
| 309 | SALMETEROL + FLUTICASONE | (50 µg + 100 µg) or (50 µg + 250 µg) or (50 µg + 500 µg) / CAPSULE | CAPSULES WITH INHALATION POWDER | 60 CAPSULES WITH MEDICAL DEVICE | PEFSAL | SERETIDE / BOEHRINGER |



RESPIRATORY SYSTEM PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|-------------------------------|--|---------------------------------|---------------------------------|-------------|------------------------|
| 310 | TERBUTALINE + GUAIFENESIN | (1.5 MG + 66.5 MG) / 5 ML | SYRUP | 120 ML | BROVENSIN-M | BRICANYL / ASTRAZENECA |
| 311 | TIOTROPIUM BROMIDE | 18 µg | CAPSULES WITH INHALATION POWDER | 30 CAPSULES WITH MEDICAL DEVICE | OTROCORT | SPIRIVA / BOEHRINGER |
| 312 | XYLOMETAZOLINE + DEXPANTHENOL | (0.5 MG + 50 MG) / ML or (1 MG + 50 MG) / ML | NASAL SPRAY | 10 ML / BOTTLE | XYLAZOL | NASIC / KLOSTERFRAU |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



SENSORY ORGANS PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|---|--|---------------------|----------------|--------------|------------------------------|
| 313 | ACICLOVIR | 3 MG / ML | EYE OINTMENT | 4.5 G / TUBE | AKLOVIR | ZOVIRAX / GSK |
| 314 | AZAPENTACENE | 0.15 MG / ML | EYE DROPS | 15 ML / BOTTLE | CATAXOL | QUINAX / ALCON |
| 315 | BETAXOLOL | 0.5% | EYE DROPS | 5 ML / BOTTLE | BETAKSIL | BETOPTIC / NOVARTIS |
| 316 | BIMATOPROST | 0.3 MG / ML | EYE DROPS | 3 ML / BOTTLE | BIMAGAN | LUMIGAN / ALLERGAN |
| 317 | BIMATOPROST + TIMOLOL | (0.3 MG + 5 MG) / ML | EYE DROPS | 3 ML / BOTTLE | BIMASOFT | GANFORT / ALLERGAN |
| 318 | BRIMONIDINE | 1.5 MG or 2 MG / ML | EYE DROPS | 5 ML / BOTTLE | RIMONAL | ALPHAGAN / ALLERGAN |
| 319 | BRIMONIDINE + TIMOLOL | (2 MG + 5 MG) / ML | EYE DROPS | 5 ML / BOTTLE | RIMOSOPT | SIMBRINZA / ALCON |
| 320 | BRINZOLAMIDE | 10 MG / ML | EYE DROPS | 5 ML / BOTTLE | BRINORM | AZOPT / ALCON |
| 321 | BRINZOLAMIDE + TIMOLOL | (10 MG + 5 MG) / ML | EYE DROPS | 5 ML / BOTTLE | BRITOSOPT | AZARGA / ALCON |
| 322 | BECLOMETHASONE + CHLORAMPHENICOL + CLOTRIMAZOLE + LIDOCAINE | (0.25 MG + 50 MG + 10 MG + 20 MG) / ML | EAR DROPS | 5 ML / BOTTLE | DRAKUL | CANDBIOTIC / GLENMARK |
| 323 | CIPROFLOXACIN | 3 MG / ML | EYE DROPS | 5 ML / BOTTLE | FLOXIMED | CILOXAN / ALCON |
| 324 | CROMOGLICIC ACID | 20 MG or 40 MG / ML | EYE DROPS | 10 ML / BOTTLE | EYECROL | OPTICROM / SANOFI |
| 325 | DEXAMETHASONE | 1 MG / ML | EYE / EAR DROPS | 5 ML / BOTTLE | MEDEXOL | MAXIDEX / ALCON |
| 326 | DEXAMETHASONE + NEOMYCIN + POLYMYXIN B | (1 MG + 3.5 MG + 6.000 IU) / ML | EYE / EAR DROPS | 5 ML / BOTTLE | NELADEX | MAXITROL / ALCON |
| 327 | DEXPANTHENOL + POLYVINYL ALCOHOL | 30 MG / ML + 14 MG / ML | EYE DROPS | 10 ML / BOTTLE | DEP-1 | OPTONE ACTIMIST / RECKITT |
| 328 | DICLOFENAC | 1 MG / ML | EYE DROPS | 5 ML / BOTTLE | CLODIFEN | VOLTAREN / ALCON |
| 329 | DORZOLAMIDE | 20 MG / ML | EYE DROPS | 5 ML / BOTTLE | DORZAMED | TRUSOPT / MSD |
| 330 | DORZOLAMIDE + TIMOLOL | (20 MG + 5 MG) / ML | EYE DROPS | 5 ML / BOTTLE | DORZASOFT | COSOFT / MSD |
| 331 | EMEDASTIN | 0.5 MG / ML | EYE DROPS | 5 ML / BOTTLE | EMEKSAT | EMADINE / ALCON |
| 332 | FLUCONAZOLE | 3 MG / ML | EYE DROPS | 5 ML / BOTTLE | FLUZAMED | |
| 333 | FLUOROMETHOLONE | 1 MG / ML | EYE DROPS | 5 ML / BOTTLE | FORMIZOR | FLAREX / ALCON |
| 334 | FLUOROMETHOLONE + TETRYZOLINE | (1 MG + 0.25 MG) / ML | EYE DROPS | 5 ML / BOTTLE | FLOROLIFE | EFEMOLINE / THEA |
| 335 | FLURBIPROFEN | 0.3 MG / ML | OPHTHALMIC SOLUTION | 5 ML / BOTTLE | FLUBORD | OCUFEN / ALLERGAN |
| 336 | FUSIDIC ACID | 10 MG / G | EYE DROPS | 5 ML / BOTTLE | FUTARON | FUCITHALMIC / LEO PHARMA |
| 337 | HYALURONATE SODIUM | 1.5 MG / ML | EYE DROPS | 5 ML / BOTTLE | CHILORA | OMNITEARS / OMNIVISION |
| 338 | HYALURONIC ACID + CITICOLINE | (2 MG + 20 MG) / ML | EYE DROPS | 5 ML / BOTTLE | CHILORA-C | VIS NEUROX / OMIKRON |
| 339 | HYPROMELLOSE + DEXTRAN | (3 MG + 1 MG) / ML | EYE DROPS | 15 ML / BOTTLE | SLEZOL-D | TEARS NATURALE FORTE / ALCON |
| 340 | HYPROMELLOSE + DEXTRAN + GLYCERIN | (3 MG + 1 MG + 2 MG) / ML | EYE DROPS | 15 ML / BOTTLE | SLEZOL FORTE | TEARS NATURALE / ALCON |



SENSORY ORGANS PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|--|--|---------------------|-------------------------|----------------|----------------------------|
| 341 IDOXURUDINE | 1 MG / ML | EYE DROPS | 5 ML / BOTTLE | PELIDIN | HERPLEX / ALLERGAN |
| 342 KETOROLAC | 4 MG or 5 MG / ML | EYE DROPS | 5 ML / BOTTLE | MEDROLGIN | ACULAR / ALLERGAN |
| 343 KETOTIFEN | 0.25 MG / ML | EYE DROPS | 5 ML / BOTTLE | PARVISTEN | ZADITEN / NOVARTIS |
| 344 LATANOPROST | 0.05 MG / ML | EYE DROPS | 2.5 ML / BOTTLE | LATASOPT | XALATAN / PFIZER |
| 345 LATANOPROST + TIMOLOL | (0.05 MG + 5 MG) / ML | EYE DROPS | 2.5 ML / BOTTLE | LATAMED | XALACOM / PFIZER |
| 346 LEVOFLOXACIN | 5 MG / ML | EYE / EAR DROPS | 5 ML / BOTTLE | LEVOXIMED | OFTAQUIX / SANTEN |
| 347 METHYLETHYLPIRIDINOL (EMOXIPINE) | 10 MG / ML | EYE DROPS | 5 ML / BOTTLE | EMOPROX | |
| 348 MOXIFLOXACIN | 5 MG / ML | EYE DROPS | 5 ML / BOTTLE | BIVOXAX | VIGAMOXY / ALCON |
| 349 MOXIFLOXACIN + DEXAMETASONE | (5 MG + 1 MG) / ML | EYE DROPS | 5 ML / BOTTLE | BIVOXAX-D | VIGADEXY / ALCON |
| 350 NAPHAZOLINE + CHLORPHENIRAMINE | (0.5 MG + 0.5 MG) / ML | EYE / NOSE DROPS | 15 ML / BOTTLE | NOZEYLIN | |
| 351 NEPAFENAC | 1 MG / ML | EYE DROPS | 5 ML / BOTTLE | APFECTO | NEVANAC / ALCON |
| 352 NEPAFENAC | 3 MG / ML | EYE DROPS | 1.7 ML / BOTTLE | APFECTO | ILEVRO / ALCON |
| 353 NETILMECIN | 3 MG / ML | EYE DROPS | 5 ML / BOTTLE | SINEKLOKS | NETIRA / SIFI |
| 354 NETILMECIN + DEXAMETHASONE | (3 MG + 1 MG) / ML | EYE DROPS | 5 ML / BOTTLE | SINEKLOKS PLUS | NETILDEX / SIFI |
| 355 OLOPATADINE | 1 MG or 2 MG / ML | EYE DROPS | 5 ML or 2.5 ML / BOTTLE | PALLADA | PATADAY / ALCON |
| 356 PHENAZONE + LIDOCAINE | (40 MG + 10 MG) / ML | EAR DROPS | 15 ML / BOTTLE | DROPLEKS | OTIPAX / BIOCOCODEX |
| 357 PHENYLEPHRINE | 25 MG / ML | EYE DROPS | 5 ML / BOTTLE | MYDRAPHEL | MYDRIN / ALCON |
| 358 POLYETHYLENE GLYCOL 400 + PROPYLENE GLYCOL | (4 MG + 3 MG) / ML | EYE DROPS | 10 ML / BOTTLE | DITREFF | SYSTANE / ALCON |
| 359 SULFACETAMIDE + ZINC + NAPHAZOLINE + LIDOCAINE | (30 MG + 5 MG + 0.05 MG + 7.5 MG) / ML | EYE DROPS | 10 ML / BOTTLE | TAFAZOL | ANTISETTICO / BRUSCHETTINI |
| 360 TAURINE | 40 MG / ML | EYE DROPS | 10 ML / BOTTLE | BESTOXOL | |
| 361 TIMOLOL | 5 MG / ML | EYE DROPS | 5 ML / BOTTLE | NORMATIN | TIMOPTIC / MERCK |
| 362 TOBRAMYCIN | 3 MG / ML | EYE DROPS | 5 ML / BOTTLE | TOBRIMED | TOBREX / ALCON |
| 363 TOBRAMYCIN + DEXAMETHASONE | (3 MG + 1 MG) / ML | EYE DROPS | 5 ML / BOTTLE | MEDETROM | TOBRADEX / ALCON |
| 364 TRAVOPROST | 0.04 MG / ML | EYE DROPS | 2.5 ML / BOTTLE | DAVERIS | TRAVATAN / ALCON |
| 365 TRAVOPROST + TIMOLOL | (0.04 MG + 5 MG) / ML | EYE DROPS | 2.5 ML / BOTTLE | DAVERIS-T | DUOTRAX / ALCON |
| 366 TREHALOSE | 30 MG / ML | EYE DROPS | 10 ML / BOTTLE | RECHALOZ | THEALOZ / THEA |
| 367 TREHALOSE+HYALURONIC ACID | (30 MG + 15 MG) / ML | EYE DROPS | 10 ML / BOTTLE | TRELIFE | THEALOZ DUO / THEA |
| 368 TROPICAMIDE | 5 MG or 10 MG / ML | EYE DROPS | 10 ML / BOTTLE | MIDAX | MINIMS / BAUSCH & LOMB |



SYSTEMIC HORMONAL PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR |
|-------------------|-----------------------------|---------------------|-------------------|------------|------------------|
| 369 LEVOTHYROXINE | 25 MCG or 50 MCG or 100 MCG | TABLETS | 50 or 100 TABLETS | TEZARIN | EUTHYROX / MERCK |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



OTC PRODUCTS

| ACTIVE SUBSTANCE | DOSAGE | PHARMACEUTICAL FORM | PRESENTATION | BRAND NAME | ORIGINATOR | |
|------------------|--|--|--------------------------------|-------------------------------------|--------------|----------------------------------|
| 370 | VITAMIN C | 100 MG / ML | ORAL DROPS | 30 ML / BOTTLE | MOTERIS | CEVIKAP / MEDANA |
| 371 | CHLORHEXIDINE + LIDOCAINE | (5 MG + 1 MG) / LOZENGE | LOZENGES (LEMON or PEPPERMINT) | 20 LOZENGES | PAFESAN | ANGAL / SANDOZ |
| 372 | CHLORHEXIDINE + LIDOCAINE | (2 MG + 0.5 MG) / ML | SPRAY (LEMON or PEPPERMINT) | 30 ML / BOTTLE | PAFESAN | ANGAL / SANDOZ |
| 373 | DEQUALINIUM + DIBUCAINE | (0.25 MG + 0.03 MG) / LOZENGE | LOZENGES (PEPPERMINT) | 20 LOZENGES | DEBARA | DECATYLEN / MEPHA |
| 374 | DEQUALINIUM + LIDOCAINE | (1.25 MG + 1 MG) / ML | SPRAY (LEMON or PEPPERMINT) | 30 ML / BOTTLE | DEBARA-S | LIDOPUS / BRUPHARMEEXPORT |
| 375 | IBUPROFEN | 100 MG / 5 ML | ORAL SUSPENSION | 100 ML / BOTTLE | BRAVEX | BRUFEN / ABBOTT |
| 376 | IBUPROFEN | 200 MG or 400 MG | SOFT GELATIN CAPSULES | 10 or 15 or 20 or 30 or 40 CAPSULES | BRAVEX | ADVIL LIQUI-GELS / PFIZER |
| 377 | OXYMETAZOLINE | 0.01% | BABY NASAL DROPS / SPRAY | 5 ML / BOTTLE | BURUNACH | NASIVIN / MERCK |
| 378 | PARACETAMOL | 120 MG / 5 ML or 250 MG / 5 ML or 500 MG / 5 ML | ORAL SUSPENSION | 100 ML / BOTTLE | PIRETICOL | CALPOL / GSK |
| 379 | PARACETAMOL + IBUPROFEN | (162.5 MG + 100 MG) / 5 ML | ORAL SUSPENSION | 60 ML / BOTTLE | FARIKTAN | COMBIFLAM / SANOFI |
| 380 | PARACETAMOL + PHENYLEPHRINE + VIT C | (750 MG + 10 MG + 60 MG) / SACHET | GRANULES FOR ORAL SOLUTION | 7 or 10 SACHETS | FEN-FEN | COLDREX / GSK |
| 381 | PARACETAMOL + PHENYLEPHRINE + CHLORPHENIRAMINE | (160 MG + 2.5 MG + 1 MG) / 5 ML | SYRUP | 100 ML / BOTTLE | FEN-FEN KIDS | KONGEST / ZENTIVA |
| 382 | PARACETAMOL + PHENYLEPHRINE + PHENIRAMINE | (650 MG + 10 MG + 20 MG) / SACHET | GRANULES FOR ORAL SOLUTION | 7 or 10 SACHETS | KAPEL HOT | THERAFLU EXTRA / NOVARTIS |
| 383 | PARACETAMOL + PHENYLEPHRINE + PHENIRAMINE + VIT C | (325 MG + 10 MG + 20 MG + 50 MG) / SACHET | GRANULES FOR ORAL SOLUTION | 7 or 10 SACHETS | OZNOBIN HOT | THERAFLU / NOVARTIS |
| 384 | PARACETAMOL + PHENYLEPHRINE + PHENIRAMINE + VIT C | (500 MG + 10 MG + 20 MG + 50 MG) / SACHET | GRANULES FOR ORAL SOLUTION | 7 or 10 SACHETS | GRIPOFF | PHARMACITRON / PHARMA SCIENCE |
| 385 | SODIUM CHLORIDE | 0.9% | NASAL SPRAY | 15 ML / BOTTLE | SALTAMARE-S | |
| 386 | VITAMIN E | 100 MG or 200 MG or 400 MG | SOFT GELATIN CAPSULES | 30 CAPSULES | VITAMIN E-WM | VITAMIN E / ZENTIVA |



NOTES

Blank lined area for notes.



WORLD MEDICINE

Pharmaceutical Company



*WORLD MEDICINE ILAC SAN. VE TIC. A.S.
Bağcılar İlçesi, Güneşli, 15 Temmuz Mahallesi,
Cami Yolu Cad. No:50 K. 1B Zemin 4-5-6, İstanbul*

*Tel: +90 212 474 70 50
Fax: +90 212 474 09 01
info@worldmedicinegroup.com
www.worldmedicinegroup.com*

*S.C. WORLD MEDICINE EUROPE S.R.L.
Str. Eroilor nr. 1B, Otopeni, Ilfov, Romania*

Tel: +4075 397 33 69

