



NATURAL HEALTH PRODUCT

GINKGO - *GINKGO BILOBA*

This monograph is intended to serve as a guide to industry for the preparation of Product Licence Applications (PLA) and labels for natural health product market authorization. It is not intended to be a comprehensive review of the medicinal ingredient.

Notes

- ▶ Text in parentheses is additional optional information which can be included on the PLA and product labels at the applicant’s discretion.
- ▶ The solidus (/) indicates that the terms and/or statements are synonymous. Either term or statement may be selected by the applicant.

Date

July 31, 2018

Proper name(s), Common name(s), Source material(s)

Table 1. Proper name(s), Common name(s), Source material(s)

Proper name(s)	Common name(s)	Source material(s)	
		Proper name(s)	Part(s)
<i>Ginkgo biloba</i>	<ul style="list-style-type: none"> ▶ Ginkgo ▶ Ginkgo biloba ▶ Maidenhair tree 	<i>Ginkgo biloba</i>	Leaf

References: Proper name: USDA 2018; Common names: USDA 2018, McGuffin et al. 2000, WHO 1999, Source material: Birks and Evans 2007.

Route of administration

Oral

Dosage form(s)

This monograph excludes foods or food-like dosage forms as indicated in the Compendium of Monographs Guidance Document.

Acceptable dosage forms for the age category listed in this monograph and specified route of administration are indicated in the Compendium of Monographs Guidance Document.



Use(s) or Purpose(s)

- ▶ Helps to enhance cognitive function in adults (Cieza et al. 2003; Santos et al. 2003; Mix and Crews 2002; Stough et al. 2001; Kennedy et al. 2000; Mix and Crews 2000).
- ▶ Helps to enhance memory in adults (Santos et al. 2003; Stough et al. 2001; Kennedy et al. 2000; Mix and Crews 2000).
- ▶ Helps to support peripheral circulation (Boelsma et al. 2004; Mehlsen et al. 2002; Pittler and Ernst 2000).

The following combined use(s) or purpose(s) is/are also acceptable:

- ▶ Helps to enhance cognitive function and memory in adults (Cieza et al. 2003; Santos et al. 2003; Mix and Crews 2002; Stough et al. 2001; Kennedy et al. 2000; Mix and Crews 2000).

Dose(s)

Subpopulation(s)

Adults 18 years and older

Quantity(ies)

Methods of Preparation: Standardized Extracts

80 - 240 milligrams of extract, per day (50:1; quantity crude equivalent 4 – 12 grams of dried leaves), standardized to 22-27% flavonoid glycosides and 5-7% terpene lactones (Crew et al. 2005; Cieza et al. 2003; Santos et al. 2003; Mix and Crews 2002; Blumenthal et al. 2000; Kennedy et al. 2000; Pittler and Ernst 2000; WHO 1999).

Direction(s) for use

No statement required.

Duration(s) of use

Products providing 80 mg to less than 120 mg of extract (4 g to less than 6 g dried leaves), per day



Consult a health care practitioner/health care provider/health care professional/doctor/physician for use beyond 8 months (Santos et al. 2003; Le Bars et al. 1997; Grassel 1992).

Products providing 120 mg to 180 mg of extract (6 g to 9 g dried leaves), per day

Consult a health care practitioner/health care provider/health care professional/doctor/physician for use beyond 6 weeks (Elsabagh et al. 2005; Mix and Crews 2002; Mix and Crews 2000).

Products providing more than 180 mg to 240 mg of extract (more than 9 g to 12 g dried leaves), per day

Consult a health care practitioner/health care provider/health care professional/doctor/physician for use beyond 4 weeks (Cieza et al. 2003).

Risk information

Caution(s) and warning(s)

- ▶ Consult a health care practitioner/health care provider/health care professional/doctor/physician prior to use if you are pregnant or breastfeeding (Blumenthal et al. 2000; WHO 1999).
- ▶ Consult a health care practitioner/health care provider/health care professional/doctor/physician prior to use if you are taking medications for diabetes, high blood pressure or seizures (Brinker 2018)

Contraindication(s)

Do not use this product if you are taking health products that affect blood coagulation as this may increase the risk of spontaneous bleeding (Brinker 2018; Bent 2005).

Known adverse reaction(s)

No statement required.

Non-medicinal ingredients

Must be chosen from the current Natural Health Products Ingredients Database (NHPID) and must meet the limitations outlined in the database.

Storage conditions

No statement required.

Specifications

- ▶ The finished product specifications must be established in accordance with the requirements described in the Natural and Non-prescription Health Products Directorate (NNHPD) Quality of Natural Health Products Guide.
- ▶ The medicinal ingredient must comply with the requirements outlined in the NHPID.

References cited

Bent S, Goldberg H, Padula A, Avins AL. 2005. Spontaneous bleeding associated with ginkgo biloba: a case report and systematic review of the literature. *Journal of General Internal Medicine* 20(7):657-661.

Birks J, Grimley Evans J. 2007. Ginkgo biloba for cognitive impairment and dementia (Review). Oxfordshire (UK): The Cochrane Database of Systematic Reviews; Issue 2. Art. No.: CD003120. DOI: 10.1002/14651858.CD003120.pub2

Blumenthal M, Goldberg A, Brinkmann J, editors. 2000. *Herbal Medicine: Expanded Commission E Monographs*. Newton (MA): Integrative Medicine Communications.

Boelsma E, Lamers RJ, Hendriks HF, Van Nesselrooij JH, Roza L. 2004. Evidence of the regulatory effect of Ginkgo biloba extract on skin blood flow and study of its effects on urinary metabolites in healthy humans. *Planta Medica* 70(11):1052-1057.

Brinker F. 2018. *Online Updates and Additions to Herb Contraindications and Drug Interactions*, 4th edition. Sandy (OR): Eclectic Medical Publications. [Accessed 2018 June 1]. Available from: <https://www.eclecticherb.com/herb-contraindications-drug-interactions/>

Cieza A, Maier P, Pöppel E. 2003. Effects of Ginkgo biloba on mental functioning in healthy volunteers. *Archives of Medical Research* 34(5):373-381.

Crews WD, Harrison DW, Griffin ML, Falwell KD, Crist T, Longest L, Hehemann L, Rey ST. 2005. The neuropsychological efficacy of Ginkgo preparations in healthy and cognitively intact adults: a comprehensive review. *HerbalGram: The Journal of the American Botanical Council* 67:43-62.

Elsabagh S, Hartley DE, Ali O, Williamson EM, File SE. 2005. Differential cognitive effects of Ginkgo biloba after acute and chronic treatment in healthy young volunteers. *Psychopharmacology* 179(2):437-446.



Grässel E. 1992. [Effect of Ginkgo-biloba extract on mental performance. Double-blind study using computerized measurement conditions in patients with cerebral insufficiency]. *Fortschritte der Medizin* 110(5):73-76 (in German).

Kennedy DO, Scholey AB, Wesnes KA. 2000. The dose-dependent cognitive effects of acute administration of Ginkgo biloba to healthy young volunteers. *Psychopharmacology* 151(4):416-423.

Le Bars PL, Katz MM, Berman N, Itil TM, Freedman AM, Schatzberg AF. 1997. A placebo-controlled, double-blind, randomized trial of an extract of Ginkgo biloba for dementia. North American EGb Study Group. *The Journal of the American Medical Association* 278(16):1327-1332.

McGuffin M, Kartesz JT, Leung AY, Tucker AO, editors. 2000. *Herbs of Commerce*, 2nd edition. Silver Spring (MD): American Herbal Products Association.

Mehlsen J, Drabaek H, Wiinberg N, Winther K. 2002. Effects of a Ginkgo biloba extract on forearm haemodynamics in healthy volunteers. *Clinical Physiology and Functional Imaging* 22(6):375-378. Mix JA, Crews WD. 2002. A double-blind, placebo-controlled, randomized trial of Ginkgo biloba extract EGb 761 in a sample of cognitively intact older adults: neuropsychological findings. *Human Psychopharmacology: Clinical and Experimental* 17(6):267-277.

Mix JA, Crews WD. 2000. An examination of the efficacy of Ginkgo biloba extract EGb761 on the neuropsychologic functioning of cognitively intact older adults. *Journal of Alternative and Complementary Medicine* 6(3):219-229.

Pittler MH, Ernst E. 2000. Ginkgo biloba extract for the treatment of intermittent claudication: a meta-analysis of randomized trials. *The American Journal of Medicine* 108(4):276-281.

Santos RF, Galduróz JC, Barbieri A, Castiglioni ML, Ytaya LY, Bueno OF. 2003. Cognitive performance, SPECT, and blood viscosity in elderly non-demented people using Ginkgo biloba. *Pharmacopsychiatry* 36(4):127-133.

Stough C, Clarke J, Lloyd J, Nathan PJ. 2001. Neuropsychological changes after 30-day Ginkgo biloba administration in healthy participants. *The International Journal of Neuropsychopharmacology* 4(2):131-134.

USDA 2018: United States Department of Agriculture, Agricultural Research Service, National Genetic Resources Program. Germplasm Resources Information Network (GRIN). 2001. *Ginkgo biloba* L. National Germplasm Resources Laboratory, Beltsville (MD). [Accessed 2018 June 1]. Available from: <http://www.ars-grin.gov/cgi-bin/npgs/html/taxon.pl?17540>



WHO 1999: World Health Organization. WHO monographs on selected medicinal plants, Volume 1. Geneva (CHE): World Health Organization.

References reviewed

Allain H, Raoul P, Lieury A, LeCoz F, Gandon JM, D'Arbigny P. 1993. Effect of two doses of ginkgo biloba extract (EGb 761) on the dual-coding test in elderly subjects. *Clinical Therapeutics* 15(3):549-558.

Bauer U. 1984. 6-Month double-blind randomised clinical trial of Ginkgo biloba extract versus placebo in two parallel groups in patients suffering from peripheral arterial insufficiency. *Arzneimittel-Forschung* 34(6):716-720.

Beers MH, Berkow R, editors. 1999. *The Merck Manual of Diagnosis and Therapy*, 17th edition. Whitehouse Station (NJ): Merck Research Laboratories.

Benjamin J, Muir T, Briggs K, Pentland B. 2001. A case of cerebral haemorrhage-can Ginkgo biloba be implicated? *Postgraduate Medical Journal* 77(904):112-113.

Blumenthal M. 2003. *ABC Clinical Guide to Herbs*. New York (NY): Theime.

Blumenthal M, Busse WR, Goldberg A, Gruenwald J, Hall T, Riggins CW, Rister RS, editors. 1998. *The Complete German Commission E Monographs: Therapeutic Guide to Herbal Medicines*. Boston (MA): Integrative Medicine Communications.

Bourgain RH, Maes L, Andries R, Braquet P. 1986. Thrombus induction by endogenic pafacether and its inhibition by Ginkgo biloba extracts in the guinea pig. *Prostaglandins* 32(1):142144.

Brautigam MRH, Blommaert FA, Verleye G, Castermans J, Jansen Steur ENH, Kleijnen J. 1998. Treatment of age-related memory complaints with Ginkgo biloba extract: a randomized double blind placebo-controlled study. *Phytomedicine* 5(6):425-434.

Bush TM, Rayburn KS, Holloway SW, Sanchez-Yamamoto DS, Allen BL, Lam T, So BK, Tran de H, Greyber ER, Kantor S, Roth LW. 2007. Adverse interactions between herbal and dietary substances and prescription medications: a clinical survey. *Alternative Therapies in Health and Medicine* 13(2):30-35.

Canter PH, and Ernst E. 2007. Ginkgo biloba is not a smart drug: an updated systematic review of randomised clinical trials testing the nootropic effects of G. biloba extracts in healthy people. *Human Psychopharmacology* 22: 265-278.

Carlson JJ, Farquhar JW, DiNucci E, Ausserer L, Zehnder J, Miller D, Berra K, Hagerty L, Haskell WL. 2007. Safety and efficacy of a ginkgo biloba-containing dietary supplement on



cognitive function, quality of life, and platelet function in healthy, cognitively intact older adults. *Journal of the American Dietetic Association* 107(3):422-432.

Dartigues JF, Carcaillon L, Helmer C, Lechevallier N, Lafuma A, Khoshnood B. 2007. Vasodilators and nootropics as predictors of dementia and mortality in the PAQUID cohort. *Journal of the American Geriatrics Society* 55(3):395-399.

Destro MWB, Speranzini MB, Cavalheiro Filho C, Destro T, Destro C. 2005. Case report: bilateral haematoma after rhytidoplasty and blepharoplasty following chronic use of Ginkgo biloba. *British Journal of Plastic Surgery* 58(1):100-101.

Diamond BJ, Shiflett SC, Feiwei N, Matheis RJ, Noskin O, Richards JA, Schoenberger NE. 2000. Ginkgo biloba extract: mechanisms and clinical indications. *Archives of Physical Medicine and Rehabilitation* 81(5):668-678.

Diamond WJ. 2001. *The Clinical Practice of Complementary, Alternative, and Western Medicine*. Boca Raton (FL): CRC Press LLC.

Eckmann F. 1990. [Cerebral insufficiency--treatment with Ginkgo-biloba extract. Time of onset of effect in a double-blind study with 60 inpatients]. *Fortschritte der Medizin* 108(29):557-560 (in German).

Ellingwood F. 1983. *American Materia Medica, Therapeutics and Pharmacognosy*. Sandy (OR): Eclectic Medical Publications; [Reprint of 1919 original].

Fessenden JM, Wittenborn W, Clark L. 2001. Ginkgo biloba: a case report of herbal medicine and bleeding postoperatively from a laparoscopic cholecystectomy. *The American Surgeon* 67(1):33-35.

Fong KCS, Kinnear PE. 2003. Retrobulbar haemorrhage associated with chronic Ginkgo biloba ingestion. *Postgraduate Medical Journal* 79(935):531-532.

Gerhardt G, Rogalla K, Jaeger J. 1990. [Drug therapy of disorders of cerebral performance. Randomized comparative study of dihydroergotoxine and Ginkgo biloba extract]. *Fortschritte der Medizin* 108(19):384-388 (in German).

Gessner B, Voelp A, Klasser M. 1985. Study of the long-term action of a Ginkgo biloba extract on vigilance and mental performance as determined by means of quantitative pharmaco-EEG and psychometric measurements. *Arzneimittel-Forschung* 35(9):1459-1465.

Gilbert GJ. 1997. Ginkgo biloba. *Neurology* 48(4):1137.

Granger AS. 2001. Ginkgo biloba precipitating epileptic seizures. *Age and Ageing* 30(6):523-525.



Greenblatt DJ, Von Moltke LL, Luo Y, Perloff ES, Horan KA, Bruce A, Reynolds RC, Harmatz JS, Avula B, Khan IA, Goldman P. 2006. Ginkgo biloba does not alter clearance of flurbiprofen, a cytochrome P450-2C9 substrate. *Journal of Clinical Pharmacology* 46(2):214-221.

Halama P, Bartsch G, Meng G. 1988. [Disorders of brain performance of vascular origin. Randomized double-blind study of the effectiveness of Ginkgo biloba extract]. *Fortschritte der Medizin* 106(19):408-412 (in German).

Hofferberth B. 1994. The efficacy of EGb 761 in patients with senile dementia of the Alzheimer type: a double-blind, placebo-controlled study on different levels of investigation. *Human Psychopharmacology: Clinical and Experimental* 9(3):215-222.

Hofferberth B. 1989. [The effect of Ginkgo biloba extract on neurophysiological and psychometric measurement results in patients with psychotic organic brain syndrome. A doubleblind study against placebo]. *Arzneimittel-Forschung* 39(8):918-922 (in German).

Huang SY, Jeng C, Kao SC, Yu JJ, Liu DZ. 2004. Improved haemorrhological properties by Ginkgo biloba extract (Egb 761) in type 2 diabetes mellitus complicated with retinopathy. *Clinical Nutrition* 23(4):615-621.

Jellin JM. 1995-2007. *Natural Medicines Comprehensive Database: Ginkgo*. Stockton (CA): Therapeutic Research Faculty. [Accessed 2008 April 02]. Available from: [http://www.naturaldatabase.com/\(S\(cruaemi5ulot20m4icegh545\)\)/nd/Search.aspx?cs=&s=ND&pt=100&id=333&ds=adverse](http://www.naturaldatabase.com/(S(cruaemi5ulot20m4icegh545))/nd/Search.aspx?cs=&s=ND&pt=100&id=333&ds=adverse)

Jiang X, Williams KM, Liauw WS, Ammit AJ, Roufogalis BD, Duke CC, Day RO, McLachlan AJ. 2005. Effects of ginkgo and ginger on the pharmacokinetics and pharmacodynamics of warfarin in healthy subjects. *British Journal of Clinical Pharmacology* 59(4):425-432.

Kanowski S, Herrmann WM, Stephan K, Wierich W, Hörr R. 1996. Proof of efficacy of the ginkgo biloba special extract EGb 761 in outpatients suffering from mild to moderate primary degenerative dementia of the Alzheimer type or multi-infarct dementia. *Pharmacopsychiatry* 29(2):47-56.

Kasper DL, Braunwald E, Fauci AS, Hauser SL, Longo DL, Jameson JL, editors. 2005. *Harrison's Principles of Internal Medicine*, 16^e édition. Toronto (ON): McGraw-Hill Health Professions Division.

Kudolo GB. 2001. The effect of 3-month ingestion of Ginkgo biloba extract (EGb 761) on pancreatic beta-cell function in response to glucose loading in individuals with non-insulindependent diabetes mellitus. *Journal of Clinical Pharmacology* 41(6):600-611.



Kudolo GB, Wang W, Javors M, Blodgett J. 2006. The effect of the ingestion of Ginkgo biloba extract (EGb 761) on the pharmacokinetics of metformin in non-diabetic and type 2 diabetic subjects—a double blind, placebo-controlled, crossover study. *Clinical Nutrition* 25(4):606-616.

Le Bars PL, Velasco FM, Ferguson JM, Dessain EC, Kieser M, Hoerr R. 2002. Influence of the severity of cognitive impairment on the effect of the Ginkgo biloba extract EGb 761 in Alzheimer's disease. *Neuropsychobiology* 45(1):19-26.

Mancini M, Agozzino B, Bompani R. 1993. [Clinical and therapeutic effects of Ginkgo biloba extract (GBE) compared to placebo in the treatment of patients affected by senile psychorganic dementia on an arteriosclerotic basis]. *Gazzetta Medica Italiana Archivio per le Scienze Mediche* 152(3):69-80 (in Italian).

Mattes RD, Pawlik MK. 2004. Effects of Ginkgo biloba on alertness and chemosensory function in healthy adults. *Human Psychopharmacology* 19(2):81-90.

Matthews MK. 1998. Association of Ginkgo biloba with intracerebral hemorrhage. *Neurology* 50(6):1933.

Maurer K, Ihl R, Dierks T, Frölich L. 1997. Clinical efficacy of Ginkgo biloba special extract EGb 761 in dementia of the Alzheimer type. *Journal of Psychiatric Research* 31(6):645-655.

Mazza M, Capuano A, Bria P, Mazza S. 2006. Ginkgo biloba and donepezil: a comparison in the treatment of Alzheimer's dementia in a randomized placebo-controlled double-blind study. *European Journal of Neurology* 13(9):981-985.

McGuffin M, Hobbs C, Upton R, Goldberg A, editors. 1997. *American Herbal Products Association's Botanical Safety Handbook*. Boca Raton (FL): CRC Press.

Meisel C, Johne A, Roots I. 2003. Fatal intracerebral mass bleeding associated with Ginkgo biloba and ibuprofen. *Atherosclerosis* 167(2):367.

Murray BJ, Cowen PJ, Sharpley AL. 2001. The effect of Li 1370, extract of Ginkgo biloba, on REM sleep in humans. *Pharmacopsychiatry* 34(4):155-157.

Napryeyenko A, Ihl R, Schlaefke S, Hoerr R. 2005. Ginkgo biloba extract EGb761® in the treatment of dementia with neuropsychiatric features: a randomized, placebo-controlled, double-blind trial. *Istanbul (Turkey): 21st International Conference of Alzheimer's Disease International*.

Napryeyenko O, Borzenko I. 2007. GINDEM-NP Study Group. Ginkgo biloba special extract in dementia with neuropsychiatric features. A randomised, placebo-controlled, double-blind clinical trial. *Arzneimittel-Forschung* 57(1):4-11.



NCCAM 2005: National Center for Complementary and Alternative Medicine. Herbs at a glance: Ginkgo. Bethesda (MD): National Center for Complementary and Alternative Medicine, National Institutes of Health. [Accessed 2008 April 02]. Available from: <http://nccam.nih.gov/health/ginkgo/>

Oken BS, Storzbach DM, Kaye JA. 1998. The efficacy of Ginkgo biloba on cognitive function in Alzheimer disease. *Archives of Neurology* 55(11):1409-1415.

Peters H, Kieser M, Hölscher U. 1998. Demonstration of the efficacy of ginkgo biloba special extract EGb 761 on intermittent claudication--a placebo-controlled, double-blind multicenter trial. *VASA* 27(2):106-110.

Rai GS, Shovlin C, Wesnes KA. 1991. A double-blind, placebo controlled study of Ginkgo biloba extract ('tanakan') in elderly outpatients with mild to moderate memory impairment. *Current Medical Research and Opinion* 12(6):350-355.

Rigney U, Kimber S, Hindmarch I. 1999. The effects of acute doses of standardized Ginkgo biloba extract on memory and psychomotor performance in volunteers. *Phytotherapy Research* 13(5):408-415.

Rosenblatt M, Mindel J. 1997. Spontaneous hyphema associated with ingestion of Ginkgo biloba extract. *The New England Journal of Medicine* 336(15):1108.

Rowin J, Lewis SL. 1996. Spontaneous bilateral hematomas associated with chronic Ginkgo biloba ingestion. *Neurology* 46(6):1775-1776.

Schneider LS, DeKosky ST, Farlow MR, Tariot PN, Hoerr R, Kieser M. 2005. A randomized, double-blind, placebo-controlled trial of two doses of Ginkgo biloba extract in dementia of the Alzheimer's type. *Current Alzheimer Research* 2(5):541-551.

Schneider LS, Olin JT, Doody RS, Clark CM, Morris JC, Reisberg B, Schmitt FA, Grundman M, Thomas RG, Ferris SH. 1997. Validity and reliability of the Alzheimer's Disease Cooperative Study-Clinical Global Impression of Change. *The Alzheimer's Disease Cooperative Study. Alzheimer Disease and Associated Disorders* 11(Supplement 2):S22-S32.

Schweizer J, Hautmann C. 1999. Comparison of two dosages of ginkgo biloba extract EGb 761 in patients with peripheral arterial occlusive disease Fontaine's stage IIb. A randomised, doubleblind, multicentric clinical trial. *Arzneimittel-Forschung* 49(11):900-904.

Semlitsch HV, Anderer P, Saletu B, Binder GA, Decker KA. 1995. Cognitive psychophysiology in nootropic drug research: effects of Ginkgo biloba on event-related potentials (P300) in age-associated memory impairment. *Pharmacopsychiatry* 28(4):134-142.

Shader RI, Harmatz JS, Salzman C. 1974. A new scale for clinical assessment in geriatric populations: Sandoz Clinical Assessment--Geriatric (SCAG). *Journal of the American Geriatrics Society* 22(3):107-113.

Sierpina VS, Wollschlaeger B, Blumenthal M. 2003. Ginkgo biloba. *American Family Physician* 68(5):923-926.

Skogh M. 1998. Extracts of Ginkgo biloba and bleeding or haemorrhage. *Lancet* 352(9134):1145-1146.

Solomon PR, Adams F, Silver A, Zimmer J, DeVeaux R. 2002. Ginkgo for memory enhancement: a randomized controlled trial. *The Journal of the American Medical Association* 288(7):835-840.

Taillandier J, Ammar A, Rabourdin JP, Ribeyre JP, Pichon J, Niddam S, Pierart H. 1986. [Treatment of cerebral aging disorders with Ginkgo biloba extract. A longitudinal multicenter double-blind drug vs. placebo study.] *Traitement des troubles du vieillissement cérébral par l'extrait de Ginkgo biloba. Presse Médicale* 15(31):1583-1587 (in French).

Uchida S, Yamada H, Li XD, Maruyama S, Ohmori Y, Oki T, Watanabe H, Umegaki K, Ohashi K, Yamada S. 2006. Effects of Ginkgo biloba extract on pharmacokinetics and pharmacodynamics of tolbutamide and midazolam in healthy volunteers. *Journal of Clinical Pharmacology* 46(11):1290-1298.

Upton R, editor. 2003. *American Herbal Pharmacopoeia and Therapeutic Compendium: Ginkgo Leaf Ginkgo Leaf Dry Extract (Ginkgo biloba L.) – Standards of Analysis, Quality Control, and Therapeutics*. Santa Cruz (CA): American Herbal Pharmacopoeia.

Vale S. 1998. Subarachnoid haemorrhage associated with Ginkgo biloba. *Lancet* 352(9121):36.

Van Dongen MC, Van Rossum E, Kessels AG, Sielhorst HJ, Knipschild PG. 2000. The efficacy of ginkgo for elderly people with dementia and age-associated memory impairment: new results of a randomized clinical trial. *Journal of the American Geriatrics Society* 48(10):1183-1194.

Vorberg G, Schenk N, Schmidt U. 1989. [The efficacy of a new Ginkgo biloba extract in 100 patients with cerebral insufficiency]. *Herz Gefaße* 9(7):396-401 (in German).

Warot D, Lacomblez L, Danjou P, Weiller E, Payan C, Puech AJ. 1991. [Comparative effects of ginkgo biloba extracts on psychomotor performances and memory in healthy subjects.] *Comparaison des effets d'extraits de Ginkgo biloba sur les performances psychomotrices et la mémoire chez le sujet sain. Thérapie* 46(1):33-36 (in French).

Weitbrecht WV, Jansen W. 1985. Double blind and comparative (Ginkgo biloba versus placebo) therapeutic study in geriatric patients with primary degenerative dementia - a preliminary



evaluation. In : Agnoli A, Rapin JR, Scapagnini V, Weitbrecht WV, editors. Effects of Ginkgo Biloba Extract on Organic Cerebral Impairment. Montrouge (FR): John Libby Eurotext Ltd.

Wesnes K, Simmons D, Rook M, Simpson P. 1987. A double-blind placebo-controlled trial of Tanakan in the treatment of idiopathic cognitive impairment in the elderly. *Human Psychopharmacology: Clinical and Experimental* 2(3):159-169.

Wimpissinger B, Berisha F, Garhoefer G, Polak K, Schmetterer L. 2007. Influence of Ginkgo biloba on ocular blood flow. *Acta Ophthalmologica Scandinavica* 85(4):445-449.

Winther K, Randlov C, Rein E, Mehlsen J. 1998. Effects of Ginkgo biloba extract on cognitive function and blood pressure in elderly subjects. *Current Therapeutic Research: Clinical and Experimental* 59(12):881-888.